


型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CNM 0.2×2×6×9	0.2	2	1.6	6	9	2.57	1.39	0.41	不磨平	碳钢
CNM 0.2×2×8×11.5		2	1.6	8	11.5	3.34	1.39	0.3	不磨平	
CNM 0.2×2×10×14		2	1.6	10	14	4.12	1.39	0.24	不磨平	
CNM 0.2×2×12×16.5		2	1.6	12	16.5	4.89	1.39	0.2	不磨平	
CNS 0.2×2×6×9	0.2	2	1.6	6	9	2.54	1.17	0.34	不磨平	不锈钢
CNS 0.2×2×8×11.5		2	1.6	8	11.5	3.3	1.17	0.25	不磨平	
CNS 0.2×2×10×14		2	1.6	10	14	4.06	1.17	0.2	不磨平	
CNS 0.2×2×12×16.5		2	1.6	12	16.5	4.82	1.17	0.16	不磨平	
CNM 0.2×3×6×5.5	0.2	3	2.6	6	5.5	1.82	0.9	0.22	不磨平	碳钢
CNM 0.2×3×8×6.75		3	2.6	8	6.75	2.33	0.9	0.16	不磨平	
CNM 0.2×3×10×8		3	2.6	10	8	2.83	0.9	0.13	不磨平	
CNM 0.2×3×12×9.25		3	2.6	12	9.25	3.35	0.9	0.1	不磨平	
CNS 0.2×3×6×5.5	0.2	3	2.6	6	5.5	1.82	0.75	0.18	不磨平	不锈钢
CNS 0.2×3×8×6.75		3	2.6	8	6.75	2.33	0.75	0.13	不磨平	
CNS 0.2×3×10×8		3	2.6	10	8	2.84	0.75	0.1	不磨平	
CNS 0.2×3×12×9		3	2.6	12	9	3.64	0.75	0.09	不磨平	
CNM 0.3×3×6×6.5	0.3	3	2.4	6	6.5	2.77	3.05	0.95	不磨平	碳钢
CNM 0.3×3×8×8.25		3	2.4	8	8.25	3.52	3.05	0.68	不磨平	
CNM 0.3×3×10×10		3	2.4	10	10	4.27	3.05	0.53	不磨平	
CNM 0.3×3×12×11.75		3	2.4	12	11.75	5.01	3.05	0.44	不磨平	
CNS 0.3×3×6×6.5	0.3	3	2.4	6	6.5	2.74	2.57	0.79	不磨平	不锈钢
CNS 0.3×3×8×8.25		3	2.4	8	8.25	3.47	2.57	0.57	不磨平	
CNS 0.3×3×10×10		3	2.4	10	10	4.2	2.57	0.44	不磨平	
CNS 0.3×3×12×11.5		3	2.4	12	11.5	5.12	2.57	0.37	不磨平	
CNM 0.4×3×6×7	0.4	3	2.2	6	7	3.57	7.32	3.01	不磨平	碳钢
CNM 0.4×3×8×9		3	2.2	8	9	4.6	7.32	2.15	不磨平	
CNM 0.4×3×10×11		3	2.2	10	11	5.63	7.32	1.67	不磨平	
CNM 0.4×3×12×13		3	2.2	12	13	6.65	7.32	1.37	不磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢




型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CNS 0.4×3×6×7	0.4	3	2.2	6	7	3.54	6.18	2.51	不磨平	不锈钢
CNS 0.4×3×8×9		3	2.2	8	9	4.55	6.18	1.79	不磨平	
CNS 0.4×3×10×11		3	2.2	10	11	5.57	6.18	1.39	不磨平	
CNS 0.4×3×12×13		3	2.2	12	13	6.58	6.18	1.14	不磨平	
CNM 0.3×3.5×6×5.5	0.3	3.5	2.9	6	5.5	2.47	2.58	0.73	不磨平	碳钢
CNM 0.3×3.5×8×6.75		3.5	2.9	8	6.75	3.21	2.58	0.54	不磨平	
CNM 0.3×3.5×10×8.25		3.5	2.9	10	8.25	3.69	2.58	0.41	不磨平	
CNM 0.3×3.5×12×9.5		3.5	2.9	12	9.5	4.43	2.58	0.34	不磨平	
CNS 0.3×3.5×6×5.5	0.3	3.5	2.9	6	5.5	2.43	2.17	0.61	不磨平	不锈钢
CNS 0.3×3.5×8×6.75		3.5	2.9	8	6.75	3.16	2.17	0.45	不磨平	
CNS 0.3×3.5×10×8		3.5	2.9	10	8	3.89	2.17	0.36	不磨平	
CNS 0.3×3.5×12×9.5		3.5	2.9	12	9.5	4.36	2.17	0.28	不磨平	
CNM 0.4×3.5×6×6	0.4	3.5	2.7	6	6	3.24	6.14	2.22	不磨平	碳钢
CNM 0.4×3.5×8×7.75		3.5	2.7	8	7.75	4.03	6.14	1.55	不磨平	
CNM 0.4×3.5×10×9.25		3.5	2.7	10	9.25	4.99	6.14	1.23	不磨平	
CNM 0.4×3.5×12×11		3.5	2.7	12	11	5.78	6.14	0.99	不磨平	
CNS 0.4×3.5×6×6	0.4	3.5	2.7	6	6	3.2	5.18	1.85	不磨平	不锈钢
CNS 0.4×3.5×8×7.5		3.5	2.7	8	7.5	4.15	5.18	1.35	不磨平	
CNS 0.4×3.5×10×9.25		3.5	2.7	10	9.25	4.93	5.18	1.02	不磨平	
CNS 0.4×3.5×12×10.75		3.5	2.7	12	10.75	5.88	5.18	0.85	不磨平	
CNM 0.5×3.5×6×6.25	0.5	3.5	2.5	6	6.25	3.87	12.01	5.63	不磨平	碳钢
CNM 0.5×3.5×8×8		3.5	2.5	8	8	4.99	12.01	3.99	不磨平	
CNM 0.5×3.5×10×9.75		3.5	2.5	10	9.75	6.11	12.01	3.09	不磨平	
CNM 0.5×3.5×12×11.75		3.5	2.5	12	11.75	7.11	12.01	2.46	不磨平	
CNS 0.5×3.5×6×6.25	0.5	3.5	2.5	6	6.25	3.83	10.19	4.69	不磨平	不锈钢
CNS 0.5×3.5×8×8		3.5	2.5	8	8	4.93	10.19	3.32	不磨平	
CNS 0.5×3.5×10×9.75		3.5	2.5	10	9.75	6.04	10.19	2.57	不磨平	
CNS 0.5×3.5×12×11.5		3.5	2.5	12	11.5	7.15	10.19	2.1	不磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢




型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CNM 0.3×4×6×4.75	0.3	4	3.4	6	4.75	2.29	2.23	0.6	不磨平	碳钢
CNM 0.3×4×8×5.75		4	3.4	8	5.75	2.94	2.23	0.44	不磨平	
CNM 0.3×4×10×6.75		4	3.4	10	6.75	3.59	2.23	0.35	不磨平	
CNM 0.3×4×12×8		4	3.4	12	8	3.91	2.23	0.28	不磨平	
CNS 0.3×4×6×4.75	0.3	4	3.4	6	4.75	2.27	1.87	0.5	不磨平	不锈钢
CNS 0.3×4×8×5.75		4	3.4	8	5.75	2.91	1.87	0.37	不磨平	
CNS 0.3×4×10×6.75		4	3.4	10	6.75	3.55	1.87	0.29	不磨平	
CNS 0.3×4×12×7.75		4	3.4	12	7.75	4.2	1.87	0.24	不磨平	
CNM 0.4×4×8×6.5	0.4	4	3.2	8	6.5	3.81	5.28	1.26	不磨平	碳钢
CNM 0.4×4×10×8		4	3.2	10	8	4.42	5.28	0.95	不磨平	
CNM 0.4×4×12×9.25		4	3.2	12	9.25	5.25	5.28	0.78	不磨平	
CNM 0.4×4×14×10.5		4	3.2	14	10.5	6.09	5.28	0.67	不磨平	
CNS 0.4×4×8×6.5	0.4	4	3.2	8	6.5	3.76	4.46	1.05	不磨平	不锈钢
CNS 0.4×4×10×7.75		4	3.2	10	7.75	4.58	4.46	0.82	不磨平	
CNS 0.4×4×12×9.25		4	3.2	12	9.25	5.16	4.46	0.65	不磨平	
CNS 0.4×4×14×10.5		4	3.2	14	10.5	5.98	4.46	0.56	不磨平	
CNM 0.5×4×8×7	0.5	4	3	8	7	4.58	10.3	3.01	不磨平	碳钢
CNM 0.5×4×10×8.5		4	3	10	8.5	5.56	10.3	2.32	不磨平	
CNM 0.5×4×12×10		4	3	12	10	6.53	10.3	1.88	不磨平	
CNM 0.5×4×14×11.5		4	3	14	11.5	7.51	10.3	1.59	不磨平	
CNS 0.5×4×8×7	0.5	4	3	8	7	4.53	8.73	2.51	不磨平	不锈钢
CNS 0.5×4×10×8.5		4	3	10	8.5	5.48	8.73	1.93	不磨平	
CNS 0.5×4×12×10		4	3	12	10	6.44	8.73	1.57	不磨平	
CNS 0.5×4×14×11.5		4	3	14	11.5	7.4	8.73	1.32	不磨平	
CNM 0.6×4×8×7.25	0.6	4	2.8	8	7.25	5.26	17.8	6.49	不磨平	碳钢
CNM 0.6×4×10×8.75		4	2.8	10	8.75	6.48	17.8	5.05	不磨平	
CNM 0.6×4×12×10.5		4	2.8	12	10.5	7.56	17.8	4.01	不磨平	
CNM 0.6×4×14×12		4	2.8	14	12	8.78	17.8	3.41	不磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢



型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CNS 0.6×4×8×7	0.6	4	2.8	8	7	5.33	15.17	5.68	不磨平	不锈钢
CNS 0.6×4×10×8.75		4	2.8	10	8.75	6.4	15.17	4.21	不磨平	
CNS 0.6×4×12×10.25		4	2.8	12	10.25	7.6	15.17	3.44	不磨平	
CNS 0.6×4×14×12		4	2.8	14	12	8.66	15.17	2.84	不磨平	
CNM 0.3×4.5×10×6	0.3	4.5	3.9	10	6	3.06	1.96	0.28	不磨平	碳钢
CNM 0.3×4.5×12×6.75		4.5	3.9	12	6.75	3.76	1.96	0.24	不磨平	
CNM 0.3×4.5×14×7.5		4.5	3.9	14	7.5	4.47	1.96	0.21	不磨平	
CNM 0.3×4.5×16×8.5		4.5	3.9	16	8.5	4.73	1.96	0.17	不磨平	
CNS 0.3×4.5×10×6	0.3	4.5	3.9	10	6	2.99	1.65	0.24	不磨平	不锈钢
CNS 0.3×4.5×12×6.75		4.5	3.9	12	6.75	3.68	1.65	0.2	不磨平	
CNS 0.3×4.5×14×7.5		4.5	3.9	14	7.5	4.37	1.65	0.17	不磨平	
CNS 0.3×4.5×16×8.5		4.5	3.9	16	8.5	4.61	1.65	0.14	不磨平	
CNM 0.4×4.5×10×7	0.4	4.5	3.7	10	7	3.96	4.64	0.77	不磨平	碳钢
CNM 0.4×4.5×12×8		4.5	3.7	12	8	4.75	4.64	0.64	不磨平	
CNM 0.4×4.5×14×9		4.5	3.7	14	9	5.54	4.64	0.55	不磨平	
CNM 0.4×4.5×16×10.25		4.5	3.7	16	10.25	6.03	4.64	0.47	不磨平	
CNS 0.4×4.5×10×6.75	0.4	4.5	3.7	10	6.75	4.18	3.92	0.67	不磨平	不锈钢
CNS 0.4×4.5×12×8		4.5	3.7	12	8	4.65	3.92	0.53	不磨平	
CNS 0.4×4.5×14×9		4.5	3.7	14	9	5.43	3.92	0.46	不磨平	
CNS 0.4×4.5×16×10		4.5	3.7	16	10	6.2	3.92	0.4	不磨平	
CNM 0.5×4.5×10×7.5	0.5	4.5	3.5	10	7.5	5.09	9.01	1.84	不磨平	碳钢
CNM 0.5×4.5×12×8.75		4.5	3.5	12	8.75	5.98	9.01	1.5	不磨平	
CNM 0.5×4.5×14×10		4.5	3.5	14	10	6.86	9.01	1.26	不磨平	
CNM 0.5×4.5×16×11.25		4.5	3.5	16	11.25	7.75	9.01	1.09	不磨平	
CNS 0.5×4.5×10×7.5	0.5	4.5	3.5	10	7.5	5.01	7.64	1.53	不磨平	不锈钢
CNS 0.5×4.5×12×8.75		4.5	3.5	12	8.75	5.87	7.64	1.25	不磨平	
CNS 0.5×4.5×14×10		4.5	3.5	14	10	6.74	7.64	1.05	不磨平	
CNS 0.5×4.5×16×11.25		4.5	3.5	16	11.25	7.6	7.64	0.91	不磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢




型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CNM 0.6×4.5×10×8	0.6	4.5	3.3	10	8	5.88	15.52	3.77	不磨平	碳钢
CNM 0.6×4.5×12×9.25		4.5	3.3	12	9.25	7.02	15.52	3.12	不磨平	
CNM 0.6×4.5×14×10.75		4.5	3.3	14	10.75	7.99	15.52	2.58	不磨平	
CNM 0.6×4.5×16×12		4.5	3.3	16	12	9.13	15.52	2.26	不磨平	
CNS 0.6×4.5×10×7.75	0.6	4.5	3.3	10	7.75	5.96	13.23	3.27	不磨平	不锈钢
CNS 0.6×4.5×12×9.25		4.5	3.3	12	9.25	6.91	13.23	2.6	不磨平	
CNS 0.6×4.5×14×10.5		4.5	3.3	14	10.5	8.03	13.23	2.21	不磨平	
CNS 0.6×4.5×16×12		4.5	3.3	16	12	8.97	13.23	1.88	不磨平	
CNM 0.4×5×10×6	0.4	5	4.2	10	6	3.91	4.14	0.68	不磨平	碳钢
CNM 0.4×5×12×7		5	4.2	12	7	4.39	4.14	0.54	不磨平	
CNM 0.4×5×14×8		5	4.2	14	8	4.87	4.14	0.45	不磨平	
CNM 0.4×5×16×8.75		5	4.2	16	8.75	5.72	4.14	0.4	不磨平	
CNS 0.4×5×10×6	0.4	5	4.2	10	6	3.84	3.49	0.57	不磨平	不锈钢
CNS 0.4×5×12×7		5	4.2	12	7	4.3	3.49	0.45	不磨平	
CNS 0.4×5×14×7.75		5	4.2	14	7.75	5.14	3.49	0.39	不磨平	
CNS 0.4×5×16×8.75		5	4.2	16	8.75	5.61	3.49	0.34	不磨平	
CNM 0.5×5×10×6.75	0.5	5	4	10	6.75	4.64	8.01	1.49	不磨平	碳钢
CNM 0.5×5×12×7.75		5	4	12	7.75	5.51	8.01	1.23	不磨平	
CNM 0.5×5×14×8.75		5	4	14	8.75	6.38	8.01	1.05	不磨平	
CNM 0.5×5×16×10		5	4	16	10	6.96	8.01	0.89	不磨平	
CNS 0.5×5×10×6.75	0.5	5	4	10	6.75	4.54	6.79	1.24	不磨平	不锈钢
CNS 0.5×5×12×7.75		5	4	12	7.75	5.39	6.79	1.03	不磨平	
CNS 0.5×5×14×8.75		5	4	14	8.75	6.25	6.79	0.88	不磨平	
CNS 0.5×5×16×9.75		5	4	16	9.75	7.1	6.79	0.76	不磨平	
CNM 0.6×5×10×7	0.6	5	3.8	10	7	5.63	13.76	3.15	不磨平	碳钢
CNM 0.6×5×12×8.25		5	3.8	12	8.25	6.53	13.76	2.52	不磨平	
CNM 0.6×5×14×9.5		5	3.8	14	9.5	7.44	13.76	2.1	不磨平	
CNM 0.6×5×16×10.75		5	3.8	16	10.75	8.35	13.76	1.8	不磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢




型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CNS 0.6×5×10×7	0.6	5	3.8	10	7	5.53	11.72	2.62	不磨平	不锈钢
CNS 0.6×5×12×8.25		5	3.8	12	8.25	6.41	11.72	2.1	不磨平	
CNS 0.6×5×14×9.5		5	3.8	14	9.5	7.3	11.72	1.75	不磨平	
CNS 0.6×5×16×10.5		5	3.8	16	10.5	8.4	11.72	1.54	不磨平	
CNM 0.7×5×10×7.25	0.7	5	3.6	10	7.25	6.35	21.7	5.95	不磨平	碳钢
CNM 0.7×5×12×8.5		5	3.6	12	8.5	7.48	21.7	4.8	不磨平	
CNM 0.7×5×14×10		5	3.6	14	10	8.44	21.7	3.9	不磨平	
CNM 0.7×5×16×11.25		5	3.6	16	11.25	9.57	21.7	3.38	不磨平	
CNS 0.7×5×10×7.25	0.7	5	3.6	10	7.25	6.25	18.59	4.96	不磨平	不锈钢
CNS 0.7×5×12×8.5		5	3.6	12	8.5	7.36	18.59	4	不磨平	
CNS 0.7×5×14×9.75		5	3.6	14	9.75	8.46	18.59	3.36	不磨平	
CNS 0.7×5×16×11		5	3.6	16	11	9.57	18.59	2.89	不磨平	
CGM 0.5×5.5×10×6.25	0.5	5.5	4.5	10	6.25	4.07	7.21	1.22	磨平	碳钢
CGM 0.5×5.5×12×7.25		5.5	4.5	12	7.25	4.68	7.21	0.98	磨平	
CGM 0.5×5.5×14×8		5.5	4.5	14	8	5.63	7.21	0.86	磨平	
CGM 0.5×5.5×16×9		5.5	4.5	16	9	6.24	7.21	0.74	磨平	
CGS 0.5×5.5×10×6.25	0.5	5.5	4.5	10	6.25	3.97	6.11	1.01	磨平	不锈钢
CGS 0.5×5.5×12×7		5.5	4.5	12	7	4.91	6.11	0.86	磨平	
CGS 0.5×5.5×14×8		5.5	4.5	14	8	5.49	6.11	0.72	磨平	
CGS 0.5×5.5×16×9		5.5	4.5	16	9	6.07	6.11	0.62	磨平	
CGM 0.6×5.5×10×6.75	0.6	5.5	4.3	10	6.75	4.85	12.35	2.4	磨平	碳钢
CGM 0.6×5.5×12×7.75		5.5	4.3	12	7.75	5.77	12.35	1.98	磨平	
CGM 0.6×5.5×14×8.75		5.5	4.3	14	8.75	6.68	12.35	1.69	磨平	
CGM 0.6×5.5×16×10		5.5	4.3	16	10	7.33	12.35	1.42	磨平	
CGS 0.6×5.5×10×6.75	0.6	5.5	4.3	10	6.75	4.73	10.53	2	磨平	不锈钢
CGS 0.6×5.5×12×7.75		5.5	4.3	12	7.75	5.62	10.53	1.65	磨平	
CGS 0.6×5.5×14×8.75		5.5	4.3	14	8.75	6.51	10.53	1.41	磨平	
CGS 0.6×5.5×16×9.75		5.5	4.3	16	9.75	7.4	10.53	1.22	磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢



型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CGM 0.7×5.5×10×7	0.7	5.5	4.1	10	7	5.67	19.44	4.49	磨平	碳钢
CGM 0.7×5.5×12×8.25		5.5	4.1	12	8.25	6.59	19.44	3.59	磨平	
CGM 0.7×5.5×14×9.25		5.5	4.1	14	9.25	7.72	19.44	3.1	磨平	
CGM 0.7×5.5×16×10.5		5.5	4.1	16	10.5	8.64	19.44	2.64	磨平	
CGS 0.7×5.5×10×7	0.7	5.5	4.1	10	7	5.55	16.66	3.74	磨平	不锈钢
CGS 0.7×5.5×12×8		5.5	4.1	12	8	6.66	16.66	3.12	磨平	
CGS 0.7×5.5×14×9.25		5.5	4.1	14	9.25	7.54	16.66	2.58	磨平	
CGS 0.7×5.5×16×10.5		5.5	4.1	16	10.5	8.43	16.66	2.2	磨平	
CNM 0.5×6×12×6.25	0.5	6	5	12	6.25	4.83	6.55	0.91	不磨平	碳钢
CNM 0.5×6×14×7		6	5	14	7	5.57	6.55	0.78	不磨平	
CNM 0.5×6×16×7.75		6	5	16	7.75	6.3	6.55	0.68	不磨平	
CNM 0.5×6×18×8.75		6	5	18	8.75	6.62	6.55	0.58	不磨平	
CNS 0.5×6×12×6.25	0.5	6	5	12	6.25	4.7	5.56	0.76	不磨平	不锈钢
CNS 0.5×6×14×7		6	5	14	7	5.41	5.56	0.65	不磨平	
CNS 0.5×6×16×7.75		6	5	16	7.75	6.12	5.56	0.56	不磨平	
CNS 0.5×6×18×8.5		6	5	18	8.5	6.84	5.56	0.5	不磨平	
CGM 0.6×6×12×7	0.6	6	4.8	12	7	5.41	11.21	1.7	磨平	碳钢
CGM 0.6×6×14×8		6	4.8	14	8	6.1	11.21	1.42	磨平	
CGM 0.6×6×16×9		6	4.8	16	9	6.78	11.21	1.22	磨平	
CGM 0.6×6×18×9.75		6	4.8	18	9.75	7.79	11.21	1.1	磨平	
CGS 0.6×6×12×7	0.6	6	4.8	12	7	5.27	9.55	1.42	磨平	不锈钢
CGS 0.6×6×14×8		6	4.8	14	8	5.92	9.55	1.18	磨平	
CGS 0.6×6×16×8.75		6	4.8	16	8.75	6.91	9.55	1.05	磨平	
CGS 0.6×6×18×9.75		6	4.8	18	9.75	7.56	9.55	0.92	磨平	
CGM 0.7×6×12×7.5	0.7	6	4.6	12	7.5	6.19	17.61	3.03	磨平	碳钢
CGM 0.7×6×14×8.5		6	4.6	14	8.5	7.14	17.61	2.57	磨平	
CGM 0.7×6×16×9.5		6	4.6	16	9.5	8.08	17.61	2.22	磨平	
CGM 0.7×6×18×10.5		6	4.6	18	10.5	9.02	17.61	1.96	磨平	


G: 磨平    N: 不磨平  
M: 碳钢    S: 不锈钢



型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CGS 0.7×6×12×7.5	0.7	6	4.6	12	7.5	6.03	15.09	2.53	磨平	不锈钢
CGS 0.7×6×14×8.5		6	4.6	14	8.5	6.94	15.09	2.14	磨平	
CGS 0.7×6×16×9.5		6	4.6	16	9.5	7.86	15.09	1.85	磨平	
CGS 0.7×6×18×10.5		6	4.6	18	10.5	8.77	15.09	1.64	磨平	
CGM 0.8×6×12×7.75	0.8	6	4.4	12	7.75	7.04	25.99	5.24	磨平	碳钢
CGM 0.8×6×14×9		6	4.4	14	9	7.96	25.99	4.3	磨平	
CGM 0.8×6×16×10		6	4.4	16	10	9.1	25.99	3.77	磨平	
CGM 0.8×6×18×11		6	4.4	18	11	10.23	25.99	3.35	磨平	
CGS 0.8×6×12×7.75	0.8	6	4.4	12	7.75	6.89	22.31	4.37	磨平	不锈钢
CGS 0.8×6×14×8.75		6	4.4	14	8.75	8	22.31	3.72	磨平	
CGS 0.8×6×16×9.75		6	4.4	16	9.75	9.11	22.31	3.24	磨平	
CGS 0.8×6×18×11		6	4.4	18	11	10	22.31	2.79	磨平	
CNM 0.5×6.5×12×5.75	0.5	6.5	5.5	12	5.75	4.47	6.01	0.8	不磨平	碳钢
CNM 0.5×6.5×14×6.5		6.5	5.5	14	6.5	4.96	6.01	0.66	不磨平	
CNM 0.5×6.5×16×7		6.5	5.5	16	7	5.96	6.01	0.6	不磨平	
CNM 0.5×6.5×18×7.75		6.5	5.5	18	7.75	6.45	6.01	0.52	不磨平	
CNS 0.5×6.5×12×5.75	0.5	6.5	5.5	12	5.75	4.34	5.09	0.66	不磨平	不锈钢
CNS 0.5×6.5×14×6.25		6.5	5.5	14	6.25	5.32	5.09	0.59	不磨平	
CNS 0.5×6.5×16×7		6.5	5.5	16	7	5.79	5.09	0.5	不磨平	
CNS 0.5×6.5×18×7.75		6.5	5.5	18	7.75	6.26	5.09	0.43	不磨平	
CGM 0.6×6.5×12×6.5	0.6	6.5	5.3	12	6.5	4.92	10.26	1.45	磨平	碳钢
CGM 0.6×6.5×14×7.25		6.5	5.3	14	7.25	5.75	10.26	1.24	磨平	
CGM 0.6×6.5×16×8		6.5	5.3	16	8	6.57	10.26	1.09	磨平	
CGM 0.6×6.5×18×9		6.5	5.3	18	9	6.99	10.26	0.93	磨平	
CGS 0.6×6.5×12×6.5	0.6	6.5	5.3	12	6.5	4.77	8.74	1.21	磨平	不锈钢
CGS 0.6×6.5×14×7.25		6.5	5.3	14	7.25	5.56	8.74	1.04	磨平	
CGS 0.6×6.5×16×8		6.5	5.3	16	8	6.36	8.74	0.91	磨平	
CGS 0.6×6.5×18×8.75		6.5	5.3	18	8.75	7.15	8.74	0.81	磨平	

G: 磨平    N: 不磨平  
M: 碳钢    S: 不锈钢






型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CGM 0.7×6.5×12×7	0.7	6.5	5.1	12	7	5.68	16.09	2.55	磨平	碳钢
CGM 0.7×6.5×14×7.75		6.5	5.1	14	7.75	6.73	16.09	2.21	磨平	
CGM 0.7×6.5×16×8.75		6.5	5.1	16	8.75	7.47	16.09	1.89	磨平	
CGM 0.7×6.5×18×9.5		6.5	5.1	18	9.5	8.52	16.09	1.7	磨平	
CGS 0.7×6.5×12×6.75	0.7	6.5	5.1	12	6.75	5.82	13.79	2.23	磨平	不锈钢
CGS 0.7×6.5×14×7.75		6.5	5.1	14	7.75	6.52	13.79	1.84	磨平	
CGS 0.7×6.5×16×8.5		6.5	5.1	16	8.5	7.55	13.79	1.63	磨平	
CGS 0.7×6.5×18×9.5		6.5	5.1	18	9.5	8.25	13.79	1.41	磨平	
CGM 0.8×6.5×14×8.25	0.8	6.5	4.9	14	8.25	7.52	23.71	3.66	磨平	碳钢
CGM 0.8×6.5×16×9.25		6.5	4.9	16	9.25	8.48	23.71	3.15	磨平	
CGM 0.8×6.5×18×10.25		6.5	4.9	18	10.25	9.45	23.71	2.77	磨平	
CGM 0.8×6.5×20×11.25		6.5	4.9	20	11.25	10.41	23.71	2.47	磨平	
CGS 0.8×6.5×14×8	0.8	6.5	4.9	14	8	7.59	20.36	3.18	磨平	不锈钢
CGS 0.8×6.5×16×9		6.5	4.9	16	9	8.52	20.36	2.72	磨平	
CGS 0.8×6.5×18×10		6.5	4.9	18	10	9.45	20.36	2.38	磨平	
CGS 0.8×6.5×20×11		6.5	4.9	20	11	10.39	20.36	2.12	磨平	
CGM 0.9×6.5×14×8.5	0.9	6.5	4.7	14	8.5	8.4	33.31	5.94	磨平	碳钢
CGM 0.9×6.5×16×9.5		6.5	4.7	16	9.5	9.53	33.31	5.15	磨平	
CGM 0.9×6.5×18×10.5		6.5	4.7	18	10.5	10.67	33.31	4.55	磨平	
CGM 0.9×6.5×20×11.5		6.5	4.7	20	11.5	11.81	33.31	4.07	磨平	
CGS 0.9×6.5×14×8.25	0.9	6.5	4.7	14	8.25	8.42	28.76	5.15	磨平	不锈钢
CGS 0.9×6.5×16×9.25		6.5	4.7	16	9.25	9.52	28.76	4.44	磨平	
CGS 0.9×6.5×18×10.25		6.5	4.7	18	10.25	10.63	28.76	3.9	磨平	
CGS 0.9×6.5×20×11.25		6.5	4.7	20	11.25	11.74	28.76	3.48	磨平	
CNM 0.6×7×14×6.5	0.6	7	5.8	14	6.5	5.67	9.46	1.14	不磨平	碳钢
CNM 0.6×7×16×7.25		7	5.8	16	7.25	6.29	9.46	0.97	不磨平	
CNM 0.6×7×18×7.75		7	5.8	18	7.75	7.36	9.46	0.89	不磨平	
CNM 0.6×7×20×8.5		7	5.8	20	8.5	7.97	9.46	0.79	不磨平	

G: 磨平    N: 不磨平  
M: 碳钢    S: 不锈钢




型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CNS 0.6×7×14×6.5	0.6	7	5.8	14	6.5	5.49	8.06	0.95	不磨平	不锈钢
CNS 0.6×7×16×7		7	5.8	16	7	6.54	8.06	0.85	不磨平	
CNS 0.6×7×18×7.75		7	5.8	18	7.75	7.12	8.06	0.74	不磨平	
CNS 0.6×7×20×8.5		7	5.8	20	8.5	7.7	8.06	0.66	不磨平	
CGM 0.7×7×14×7.25	0.7	7	5.6	14	7.25	6.17	14.81	1.89	磨平	碳钢
CGM 0.7×7×16×8		7	5.6	16	8	7.05	14.81	1.65	磨平	
CGM 0.7×7×18×8.75		7	5.6	18	8.75	7.93	14.81	1.47	磨平	
CGM 0.7×7×20×9.5		7	5.6	20	9.5	8.81	14.81	1.32	磨平	
CGS 0.7×7×14×7	0.7	7	5.6	14	7	6.33	12.69	1.65	磨平	不锈钢
CGS 0.7×7×16×7.75		7	5.6	16	7.75	7.18	12.69	1.44	磨平	
CGS 0.7×7×18×8.75		7	5.6	18	8.75	7.65	12.69	1.23	磨平	
CGS 0.7×7×20×9.5		7	5.6	20	9.5	8.5	12.69	1.1	磨平	
CGM 0.8×7×14×7.5	0.8	7	5.4	14	7.5	7.25	21.8	3.23	磨平	碳钢
CGM 0.8×7×16×8.5		7	5.4	16	8.5	8.03	21.8	2.73	磨平	
CGM 0.8×7×18×9.25		7	5.4	18	9.25	9.11	21.8	2.45	磨平	
CGM 0.8×7×20×10.25		7	5.4	20	10.25	9.88	21.8	2.15	磨平	
CGS 0.8×7×14×7.5	0.8	7	5.4	14	7.5	7.05	18.71	2.69	磨平	不锈钢
CGS 0.8×7×16×8.25		7	5.4	16	8.25	8.1	18.71	2.37	磨平	
CGS 0.8×7×18×9.25		7	5.4	18	9.25	8.84	18.71	2.04	磨平	
CGS 0.8×7×20×10		7	5.4	20	10	9.89	18.71	1.85	磨平	
CGM 0.9×7×14×7.75	0.9	7	5.2	14	7.75	8.12	30.58	5.2	磨平	碳钢
CGM 0.9×7×16×8.75		7	5.2	16	8.75	9.09	30.58	4.43	磨平	
CGM 0.9×7×18×9.75		7	5.2	18	9.75	10.07	30.58	3.86	磨平	
CGM 0.9×7×20×10.75		7	5.2	20	10.75	11.05	30.58	3.42	磨平	
CGS 0.9×7×14×7.75	0.9	7	5.2	14	7.75	7.91	26.4	4.33	磨平	不锈钢
CGS 0.9×7×16×8.75		7	5.2	16	8.75	8.85	26.4	3.69	磨平	
CGS 0.9×7×18×9.5		7	5.2	18	9.5	10.05	26.4	3.32	磨平	
CGS 0.9×7×20×10.5		7	5.2	20	10.5	10.99	26.4	2.93	磨平	

G: 磨平    N: 不磨平  
M: 碳钢    S: 不锈钢




型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CNM 0.6×7.5×16×6.5	0.6	7.5	6.3	16	6.5	6.33	8.77	0.91	不磨平	碳钢
CNM 0.6×7.5×20×7.75		7.5	6.3	20	7.75	7.64	8.77	0.71	不磨平	
CNM 0.6×7.5×24×9		7.5	6.3	24	9	8.95	8.77	0.58	不磨平	
CNM 0.6×7.5×26×9.75		7.5	6.3	26	9.75	9.34	8.77	0.53	不磨平	
CNS 0.6×7.5×16×6.5	0.6	7.5	6.3	16	6.5	6.1	7.48	0.76	不磨平	不锈钢
CNS 0.6×7.5×20×7.75		7.5	6.3	20	7.75	7.35	7.48	0.59	不磨平	
CNS 0.6×7.5×24×9		7.5	6.3	24	9	8.6	7.48	0.49	不磨平	
CNS 0.6×7.5×26×9.5		7.5	6.3	26	9.5	9.5	7.48	0.45	不磨平	
CGM 0.7×7.5×16×7.25	0.7	7.5	6.1	16	7.25	6.88	13.72	1.5	磨平	碳钢
CGM 0.7×7.5×20×8.75		7.5	6.1	20	8.75	8.27	13.72	1.17	磨平	
CGM 0.7×7.5×24×10.25		7.5	6.1	24	10.25	9.67	13.72	0.96	磨平	
CGM 0.7×7.5×26×11		7.5	6.1	26	11	10.36	13.72	0.88	磨平	
CGS 0.7×7.5×16×7.25	0.7	7.5	6.1	16	7.25	6.62	11.76	1.25	磨平	不锈钢
CGS 0.7×7.5×20×8.75		7.5	6.1	20	8.75	7.94	11.76	0.97	磨平	
CGS 0.7×7.5×24×10		7.5	6.1	24	10	9.7	11.76	0.82	磨平	
CGS 0.7×7.5×26×10.75		7.5	6.1	26	10.75	10.36	11.76	0.75	磨平	
CGM 0.8×7.5×16×7.75	0.8	7.5	5.9	16	7.75	7.76	20.17	2.45	磨平	碳钢
CGM 0.8×7.5×20×9.5		7.5	5.9	20	9.5	9.26	20.17	1.88	磨平	
CGM 0.8×7.5×24×11		7.5	5.9	24	11	11.11	20.17	1.56	磨平	
CGM 0.8×7.5×28×12.5		7.5	5.9	28	12.5	12.96	20.17	1.34	磨平	
CGS 0.8×7.5×16×7.75	0.8	7.5	5.9	16	7.75	7.51	17.32	2.04	磨平	不锈钢
CGS 0.8×7.5×20×9.25		7.5	5.9	20	9.25	9.3	17.32	1.62	磨平	
CGS 0.8×7.5×24×10.75		7.5	5.9	24	10.75	11.09	17.32	1.34	磨平	
CGS 0.8×7.5×28×12.5		7.5	5.9	28	12.5	12.5	17.32	1.12	磨平	
CGM 0.9×7.5×16×8.25	0.9	7.5	5.7	16	8.25	8.52	28.26	3.78	磨平	碳钢
CGM 0.9×7.5×20×10		7.5	5.7	20	10	10.42	28.26	2.95	磨平	
CGM 0.9×7.5×24×11.5		7.5	5.7	24	11.5	12.62	28.26	2.48	磨平	
CGM 0.9×7.5×28×13.25		7.5	5.7	28	13.25	14.53	28.26	2.1	磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢




型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CGS 0.9×7.5×16×8	0.9	7.5	5.7	16	8	8.56	24.4	3.28	磨平	不锈钢
CGS 0.9×7.5×20×9.75		7.5	5.7	20	9.75	10.38	24.4	2.54	磨平	
CGS 0.9×7.5×24×11.5		7.5	5.7	24	11.5	12.21	24.4	2.07	磨平	
CGS 0.9×7.5×28×13		7.5	5.7	28	13	14.35	24.4	1.79	磨平	
CNM 0.7×8×16×6.5	0.7	8	6.6	16	6.5	6.99	12.78	1.42	不磨平	碳钢
CNM 0.7×8×20×8		8	6.6	20	8	7.99	12.78	1.06	不磨平	
CNM 0.7×8×24×9.25		8	6.6	24	9.25	9.48	12.78	0.88	不磨平	
CNM 0.7×8×28×10.5		8	6.6	28	10.5	10.98	12.78	0.75	不磨平	
CNS 0.7×8×16×6.5	0.7	8	6.6	16	6.5	6.74	10.95	1.18	不磨平	不锈钢
CNS 0.7×8×20×7.75		8	6.6	20	7.75	8.16	10.95	0.92	不磨平	
CNS 0.7×8×24×9		8	6.6	24	9	9.59	10.95	0.76	不磨平	
CNS 0.7×8×28×10.25		8	6.6	28	10.25	11.02	10.95	0.64	不磨平	
CGM 0.8×8×16×7.25	0.8	8	6.4	16	7.25	7.32	18.77	2.16	磨平	碳钢
CGM 0.8×8×20×8.75		8	6.4	20	8.75	8.83	18.77	1.68	磨平	
CGM 0.8×8×24×10.25		8	6.4	24	10.25	10.35	18.77	1.38	磨平	
CGM 0.8×8×28×11.5		8	6.4	28	11.5	12.29	18.77	1.19	磨平	
CGS 0.8×8×16×7.25	0.8	8	6.4	16	7.25	7.06	16.11	1.8	磨平	不锈钢
CGS 0.8×8×20×8.5		8	6.4	20	8.5	8.93	16.11	1.45	磨平	
CGS 0.8×8×24×10		8	6.4	24	10	10.37	16.11	1.18	磨平	
CGS 0.8×8×28×11.5		8	6.4	28	11.5	11.82	16.11	1	磨平	
CGM 0.9×8×16×7.75	0.9	8	6.2	16	7.75	8.03	26.27	3.3	磨平	碳钢
CGM 0.9×8×20×9.25		8	6.2	20	9.25	9.95	26.27	2.61	磨平	
CGM 0.9×8×24×10.75		8	6.2	24	10.75	11.87	26.27	2.17	磨平	
CGM 0.9×8×28×12.25		8	6.2	28	12.25	13.79	26.27	1.85	磨平	
CGS 0.9×8×16×7.5	0.9	8	6.2	16	7.5	8.1	22.68	2.87	磨平	不锈钢
CGS 0.9×8×20×9		8	6.2	20	9	9.95	22.68	2.26	磨平	
CGS 0.9×8×24×10.5		8	6.2	24	10.5	11.8	22.68	1.86	磨平	
CGS 0.9×8×28×12		8	6.2	28	12	13.64	22.68	1.58	磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢




型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CGM 1×8×16×8	1	8	6	16	8	8.87	35.85	5.02	磨平	碳钢
CGM 1×8×20×9.5		8	6	20	9.5	11.08	35.85	4.02	磨平	
CGM 1×8×24×11.25		8	6	24	11.25	13	35.85	3.26	磨平	
CGM 1×8×28×12.75		8	6	28	12.75	15.22	35.85	2.8	磨平	
CGS 1×8×16×7.75	1	8	6	16	7.75	8.91	30.98	4.37	磨平	不锈钢
CGS 1×8×20×9.5		8	6	20	9.5	10.75	30.98	3.35	磨平	
CGS 1×8×24×11		8	6	24	11	12.9	30.98	2.79	磨平	
CGS 1×8×28×12.5		8	6	28	12.5	15.05	30.98	2.39	磨平	
CNM 0.7×8.5×16×6.25	0.7	8.5	7.1	16	6.25	6.28	11.97	1.23	不磨平	碳钢
CNM 0.7×8.5×20×7.25		8.5	7.1	20	7.25	7.99	11.97	1	不磨平	
CNM 0.7×8.5×24×8.5		8.5	7.1	24	8.5	9.13	11.97	0.8	不磨平	
CNM 0.7×8.5×28×9.75		8.5	7.1	28	9.75	10.27	11.97	0.68	不磨平	
CNS 0.7×8.5×16×6	0.7	8.5	7.1	16	6	6.6	10.25	1.09	不磨平	不锈钢
CNS 0.7×8.5×20×7.25		8.5	7.1	20	7.25	7.66	10.25	0.83	不磨平	
CNS 0.7×8.5×24×8.25		8.5	7.1	24	8.25	9.31	10.25	0.7	不磨平	
CNS 0.7×8.5×28×9.5		8.5	7.1	28	9.5	10.37	10.25	0.58	不磨平	
CGM 0.8×8.5×16×6.75	0.8	8.5	6.9	16	6.75	7.01	17.55	1.95	磨平	碳钢
CGM 0.8×8.5×20×8		8.5	6.9	20	8	8.65	17.55	1.55	磨平	
CGM 0.8×8.5×24×9.5		8.5	6.9	24	9.5	9.81	17.55	1.24	磨平	
CGM 0.8×8.5×28×10.75		8.5	6.9	28	10.75	11.45	17.55	1.06	磨平	
CGS 0.8×8.5×16×6.75	0.8	8.5	6.9	16	6.75	6.74	15.07	1.63	磨平	不锈钢
CGS 0.8×8.5×20×8		8.5	6.9	20	8	8.3	15.07	1.29	磨平	
CGS 0.8×8.5×24×9.25		8.5	6.9	24	9.25	9.87	15.07	1.07	磨平	
CGS 0.8×8.5×28×10.5		8.5	6.9	28	10.5	11.43	15.07	0.91	磨平	
CGM 0.9×8.5×16×7.25	0.9	8.5	6.7	16	7.25	7.66	24.54	2.94	磨平	碳钢
CGM 0.9×8.5×20×8.5		8.5	6.7	20	8.5	9.68	24.54	2.38	磨平	
CGM 0.9×8.5×24×10		8.5	6.7	24	10	11.3	24.54	1.93	磨平	
CGM 0.9×8.5×28×11.5		8.5	6.7	28	11.5	12.92	24.54	1.63	磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢




型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CGS 0.9×8.5×16×7	0.9	8.5	6.7	16	7	7.77	21.19	2.58	磨平	不锈钢
CGS 0.9×8.5×20×8.5		8.5	6.7	20	8.5	9.31	21.19	1.98	磨平	
CGS 0.9×8.5×24×9.75		8.5	6.7	24	9.75	11.25	21.19	1.66	磨平	
CGS 0.9×8.5×28×11.25		8.5	6.7	28	11.25	12.78	21.19	1.39	磨平	
CGM 1×8.5×16×7.5	1	8.5	6.5	16	7.5	8.49	33.46	4.46	磨平	碳钢
CGM 1×8.5×20×9		8.5	6.5	20	9	10.44	33.46	3.5	磨平	
CGM 1×8.5×24×10.5		8.5	6.5	24	10.5	12.4	33.46	2.88	磨平	
CGM 1×8.5×28×12		8.5	6.5	28	12	14.35	33.46	2.45	磨平	
CGS 1×8.5×16×7.25	1	8.5	6.5	16	7.25	8.57	28.92	3.89	磨平	不锈钢
CGS 1×8.5×20×8.75		8.5	6.5	20	8.75	10.44	28.92	3.03	磨平	
CGS 1×8.5×24×10.25		8.5	6.5	24	10.25	12.32	28.92	2.48	磨平	
CGS 1×8.5×28×11.75		8.5	6.5	28	11.75	14.2	28.92	2.1	磨平	
CGM 1.1×8.5×16×7.5	1.1	8.5	6.3	16	7.5	9.4	44.85	6.79	磨平	碳钢
CGM 1.1×8.5×20×9.25		8.5	6.3	20	9.25	11.3	44.85	5.15	磨平	
CGM 1.1×8.5×24×10.75		8.5	6.3	24	10.75	13.5	44.85	4.27	磨平	
CGM 1.1×8.5×28×12.25		8.5	6.3	28	12.25	15.7	44.85	3.65	磨平	
CGS 1.1×8.5×16×7.5	1.1	8.5	6.3	16	7.5	9.16	38.71	5.66	磨平	不锈钢
CGS 1.1×8.5×20×9		8.5	6.3	20	9	11.3	38.71	4.45	磨平	
CGS 1.1×8.5×24×10.5		8.5	6.3	24	10.5	13.43	38.71	3.66	磨平	
CGS 1.1×8.5×28×12		8.5	6.3	28	12	15.57	38.71	3.11	磨平	
CNM 0.7×9×16×5.75	0.7	9	7.6	16	5.75	6.29	11.24	1.16	不磨平	碳钢
CNM 0.7×9×20×6.75		9	7.6	20	6.75	7.7	11.24	0.91	不磨平	
CNM 0.7×9×24×8		9	7.6	24	8	8.47	11.24	0.72	不磨平	
CNM 0.7×9×28×9		9	7.6	28	9	9.88	11.24	0.62	不磨平	
CNS 0.7×9×16×5.75	0.7	9	7.6	16	5.75	6.02	9.63	0.96	不磨平	不锈钢
CNS 0.7×9×20×6.75		9	7.6	20	6.75	7.36	9.63	0.76	不磨平	
CNS 0.7×9×24×7.75		9	7.6	24	7.75	8.7	9.63	0.63	不磨平	
CNS 0.7×9×28×8.75		9	7.6	28	8.75	10.04	9.63	0.54	不磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢



型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CNM 0.8×9×16×6.25	0.8	9	7.4	16	6.25	6.88	16.48	1.81	不磨平	碳钢
CNM 0.8×9×20×7.25		9	7.4	20	7.25	8.74	16.48	1.46	不磨平	
CNM 0.8×9×24×8.5		9	7.4	24	8.5	10.06	16.48	1.18	不磨平	
CNM 0.8×9×28×9.75		9	7.4	28	9.75	11.37	16.48	0.99	不磨平	
CNS 0.8×9×16×6	0.8	9	7.4	16	6	7.16	14.15	1.6	不磨平	不锈钢
CNS 0.8×9×20×7.25		9	7.4	20	7.25	8.39	14.15	1.22	不磨平	
CNS 0.8×9×24×8.5		9	7.4	24	8.5	9.63	14.15	0.98	不磨平	
CNS 0.8×9×28×9.5		9	7.4	28	9.5	11.42	14.15	0.85	不磨平	
CGM 0.9×9×16×6.75	0.9	9	7.2	16	6.75	7.43	23.03	2.69	磨平	碳钢
CGM 0.9×9×20×8		9	7.2	20	8	9.18	23.03	2.13	磨平	
CGM 0.9×9×24×9.25		9	7.2	24	9.25	10.92	23.03	1.76	磨平	
CGM 0.9×9×28×10.75		9	7.2	28	10.75	12.22	23.03	1.46	磨平	
CGS 0.9×9×16×6.75	0.9	9	7.2	16	6.75	7.12	19.88	2.24	磨平	不锈钢
CGS 0.9×9×20×8		9	7.2	20	8	8.79	19.88	1.77	磨平	
CGS 0.9×9×24×9.25		9	7.2	24	9.25	10.45	19.88	1.47	磨平	
CGS 0.9×9×28×10.5		9	7.2	28	10.5	12.12	19.88	1.25	磨平	
CGM 1×9×16×7	1	9	7	16	7	8.23	31.37	4.04	磨平	碳钢
CGM 1×9×20×8.5		9	7	20	8.5	9.9	31.37	3.11	磨平	
CGM 1×9×24×9.75		9	7	24	9.75	11.96	31.37	2.61	磨平	
CGM 1×9×28×11.25		9	7	28	11.25	13.63	31.37	2.18	磨平	
CGS 1×9×16×7	1	9	7	16	7	7.95	27.11	3.37	磨平	不锈钢
CGS 1×9×20×8.25		9	7	20	8.25	9.93	27.11	2.69	磨平	
CGS 1×9×24×9.75		9	7	24	9.75	11.52	27.11	2.17	磨平	
CGS 1×9×28×11		9	7	28	11	13.5	27.11	1.87	磨平	
CGM 1.1×9×16×7.25	1.1	9	6.8	16	7.25	8.82	42.01	5.85	磨平	碳钢
CGM 1.1×9×20×8.5		9	6.8	20	8.5	11.11	42.01	4.72	磨平	
CGM 1.1×9×24×10		9	6.8	24	10	13.06	42.01	3.84	磨平	
CGM 1.1×9×28×11.5		9	6.8	28	11.5	15	42.01	3.23	磨平	


G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢



型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CGS 1.1×9×16×7	1.1	9	6.8	16	7	8.91	36.26	5.12	磨平	不锈钢
CGS 1.1×9×20×8.5		9	6.8	20	8.5	10.79	36.26	3.94	磨平	
CGS 1.1×9×24×10		9	6.8	24	10	12.66	36.26	3.2	磨平	
CGS 1.1×9×28×11.25		9	6.8	28	11.25	14.89	36.26	2.77	磨平	
CGM 1.2×9×16×7.25	1.2	9	6.6	16	7.25	9.64	54.7	8.61	磨平	碳钢
CGM 1.2×9×20×8.75		9	6.6	20	8.75	11.83	54.7	6.69	磨平	
CGM 1.2×9×24×10.25		9	6.6	24	10.25	14.01	54.7	5.48	磨平	
CGM 1.2×9×28×11.75		9	6.6	28	11.75	16.2	54.7	4.63	磨平	
CGS 1.2×9×16×7.25	1.2	9	6.6	16	7.25	9.4	47.32	7.17	磨平	不锈钢
CGS 1.2×9×20×8.5		9	6.6	20	8.5	11.83	47.32	5.79	磨平	
CGS 1.2×9×24×10		9	6.6	24	10	13.95	47.32	4.71	磨平	
CGS 1.2×9×28×11.5		9	6.6	28	11.5	16.06	47.32	3.96	磨平	
CGM 1.3×9×16×7.25	1.3	9	6.4	16	7.25	10.32	69.99	12.32	磨平	碳钢
CGM 1.3×9×20×8.75		9	6.4	20	8.75	12.7	69.99	9.58	磨平	
CGM 1.3×9×24×10.25		9	6.4	24	10.25	15.07	69.99	7.84	磨平	
CGM 1.3×9×28×12		9	6.4	28	12	17.18	69.99	6.47	磨平	
CGS 1.3×9×16×7.25	1.3	9	6.4	16	7.25	10.11	60.49	10.27	磨平	不锈钢
CGS 1.3×9×20×8.75		9	6.4	20	8.75	12.43	60.49	7.99	磨平	
CGS 1.3×9×24×10.25		9	6.4	24	10.25	14.74	60.49	6.53	磨平	
CGS 1.3×9×28×11.75		9	6.4	28	11.75	17.06	60.49	5.53	磨平	
CNM 0.7×9.5×16×5.5	0.7	9.5	8.1	16	5.5	5.81	10.61	1.04	不磨平	碳钢
CNM 0.7×9.5×20×6.5		9.5	8.1	20	6.5	6.89	10.61	0.81	不磨平	
CNM 0.7×9.5×24×7.25		9.5	8.1	24	7.25	8.71	10.61	0.69	不磨平	
CNM 0.7×9.5×28×8.25		9.5	8.1	28	8.25	9.8	10.61	0.58	不磨平	
CNS 0.7×9.5×16×5.25	0.7	9.5	8.1	16	5.25	6.27	9.09	0.93	不磨平	不锈钢
CNS 0.7×9.5×20×6.25		9.5	8.1	20	6.25	7.28	9.09	0.71	不磨平	
CNS 0.7×9.5×24×7.25		9.5	8.1	24	7.25	8.28	9.09	0.58	不磨平	
CNS 0.7×9.5×28×8.25		9.5	8.1	28	8.25	9.29	9.09	0.49	不磨平	


G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢






型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CNM 0.8×9.5×16×5.75	0.8	9.5	7.9	16	5.75	6.94	15.54	1.72	不磨平	碳钢
CNM 0.8×9.5×20×7		9.5	7.9	20	7	7.92	15.54	1.29	不磨平	
CNM 0.8×9.5×24×8		9.5	7.9	24	8	9.5	15.54	1.07	不磨平	
CNM 0.8×9.5×28×9		9.5	7.9	28	9	11.09	15.54	0.92	不磨平	
CNS 0.8×9.5×16×5.75	0.8	9.5	7.9	16	5.75	6.67	13.34	1.43	不磨平	不锈钢
CNS 0.8×9.5×20×6.75		9.5	7.9	20	6.75	8.18	13.34	1.13	不磨平	
CNS 0.8×9.5×24×7.75		9.5	7.9	24	7.75	9.69	13.34	0.93	不磨平	
CNS 0.8×9.5×28×9		9.5	7.9	28	9	10.58	13.34	0.77	不磨平	
CGM 0.9×9.5×16×6.5	0.9	9.5	7.7	16	6.5	6.85	21.69	2.37	磨平	碳钢
CGM 0.9×9.5×20×7.5		9.5	7.7	20	7.5	8.82	21.69	1.94	磨平	
CGM 0.9×9.5×24×8.75		9.5	7.7	24	8.75	10.27	21.69	1.58	磨平	
CGM 0.9×9.5×28×10		9.5	7.7	28	10	11.73	21.69	1.33	磨平	
CGS 0.9×9.5×16×6.25	0.9	9.5	7.7	16	6.25	7.04	18.73	2.09	磨平	不锈钢
CGS 0.9×9.5×20×7.5		9.5	7.7	20	7.5	8.41	18.73	1.62	磨平	
CGS 0.9×9.5×24×8.5		9.5	7.7	24	8.5	10.3	18.73	1.37	磨平	
CGS 0.9×9.5×28×9.75		9.5	7.7	28	9.75	11.67	18.73	1.15	磨平	
CGM 1×9.5×16×6.75	1	9.5	7.5	16	6.75	7.67	29.53	3.54	磨平	碳钢
CGM 1×9.5×20×8		9.5	7.5	20	8	9.48	29.53	2.81	磨平	
CGM 1×9.5×24×9.25		9.5	7.5	24	9.25	11.29	29.53	2.32	磨平	
CGM 1×9.5×28×10.5		9.5	7.5	28	10.5	13.09	29.53	1.98	磨平	
CGS 1×9.5×16×6.5	1	9.5	7.5	16	6.5	7.82	25.51	3.12	磨平	不锈钢
CGS 1×9.5×20×7.75		9.5	7.5	20	7.75	9.55	25.51	2.44	磨平	
CGS 1×9.5×24×9		9.5	7.5	24	9	11.27	25.51	2	磨平	
CGS 1×9.5×28×10.25		9.5	7.5	28	10.25	13	25.51	1.7	磨平	
CGM 1.1×9.5×16×6.75	1.1	9.5	7.3	16	6.75	8.65	39.51	5.38	磨平	碳钢
CGM 1.1×9.5×20×8.25		9.5	7.3	20	8.25	10.33	39.51	4.09	磨平	
CGM 1.1×9.5×24×9.5		9.5	7.3	24	9.5	12.4	39.51	3.41	磨平	
CGM 1.1×9.5×28×10.75		9.5	7.3	28	10.75	14.47	39.51	2.92	磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢




型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CGS 1.1×9.5×16×6.75	1.1	9.5	7.3	16	6.75	8.39	34.11	4.48	磨平	不锈钢
CGS 1.1×9.5×20×8		9.5	7.3	20	8	10.39	34.11	3.55	磨平	
CGS 1.1×9.5×24×9.25		9.5	7.3	24	9.25	12.38	34.11	2.94	磨平	
CGS 1.1×9.5×28×10.75		9.5	7.3	28	10.75	13.98	34.11	2.43	磨平	
CGM 1.2×9.5×16×7	1.2	9.5	7.1	16	7	9.15	51.41	7.5	磨平	碳钢
CGM 1.2×9.5×20×8.25		9.5	7.1	20	8.25	11.43	51.41	6	磨平	
CGM 1.2×9.5×24×9.75		9.5	7.1	24	9.75	13.38	51.41	4.84	磨平	
CGM 1.2×9.5×28×11		9.5	7.1	28	11	15.66	51.41	4.17	磨平	
CGS 1.2×9.5×16×6.75	1.2	9.5	7.1	16	6.75	9.24	44.47	6.58	磨平	不锈钢
CGS 1.2×9.5×20×8.25		9.5	7.1	20	8.25	11.11	44.47	5	磨平	
CGS 1.2×9.5×24×9.5		9.5	7.1	24	9.5	13.33	44.47	4.17	磨平	
CGS 1.2×9.5×28×11		9.5	7.1	28	11	15.19	44.47	3.47	磨平	
CNM 0.8×10×15×5.25	0.8	10	8.4	15	5.25	6.22	14.69	1.67	不磨平	碳钢
CNM 0.8×10×20×6.5		10	8.4	20	6.5	7.85	14.69	1.21	不磨平	
CNM 0.8×10×25×7.75		10	8.4	25	7.75	9.47	14.69	0.95	不磨平	
CNM 0.8×10×30×9		10	8.4	30	9	11.09	14.69	0.78	不磨平	
CNS 0.8×10×15×5.25	0.8	10	8.4	15	5.25	5.96	12.61	1.39	不磨平	不锈钢
CNS 0.8×10×20×6.5		10	8.4	20	6.5	7.48	12.61	1.01	不磨平	
CNS 0.8×10×25×7.5		10	8.4	25	7.5	9.7	12.61	0.82	不磨平	
CNS 0.8×10×30×8.75		10	8.4	30	8.75	11.22	12.61	0.67	不磨平	
CNM 0.9×10×15×5.5	0.9	10	8.2	15	5.5	7.03	20.5	2.57	不磨平	碳钢
CNM 0.9×10×20×7		10	8.2	20	7	8.61	20.5	1.8	不磨平	
CNM 0.9×10×25×8.25		10	8.2	25	8.25	10.77	20.5	1.44	不磨平	
CNM 0.9×10×30×9.75		10	8.2	30	9.75	12.35	20.5	1.16	不磨平	
CNS 0.9×10×15×5.5	0.9	10	8.2	15	5.5	6.74	17.7	2.14	不磨平	不锈钢
CNS 0.9×10×20×6.75		10	8.2	20	6.75	8.79	17.7	1.58	不磨平	
CNS 0.9×10×25×8		10	8.2	25	8	10.84	17.7	1.25	不磨平	
CNS 0.9×10×30×9.5		10	8.2	30	9.5	12.31	17.7	1	不磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢




型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CGM 1×10×15×6	1	10	8	15	6	7.14	27.89	3.55	磨平	碳钢
CGM 1×10×20×7.5		10	8	20	7.5	9.19	27.89	2.58	磨平	
CGM 1×10×25×9		10	8	25	9	11.24	27.89	2.03	磨平	
CGM 1×10×30×10.5		10	8	30	10.5	13.29	27.89	1.67	磨平	
CGS 1×10×15×6	1	10	8	15	6	6.84	24.1	2.96	磨平	不锈钢
CGS 1×10×20×7.25		10	8	20	7.25	9.3	24.1	2.25	磨平	
CGS 1×10×25×8.75		10	8	25	8.75	11.24	24.1	1.75	磨平	
CGS 1×10×30×10.25		10	8	30	10.25	13.18	24.1	1.43	磨平	
CGM 1.1×10×15×6.25	1.1	10	7.8	15	6.25	7.62	37.29	5.05	磨平	碳钢
CGM 1.1×10×20×7.75		10	7.8	20	7.75	10.02	37.29	3.73	磨平	
CGM 1.1×10×25×9.25		10	7.8	25	9.25	12.41	37.29	2.96	磨平	
CGM 1.1×10×30×10.75		10	7.8	30	10.75	14.81	37.29	2.45	磨平	
CGS 1.1×10×15×6	1.1	10	7.8	15	6	7.81	32.19	4.47	磨平	不锈钢
CGS 1.1×10×20×7.5		10	7.8	20	7.5	10.11	32.19	3.25	磨平	
CGS 1.1×10×25×9		10	7.8	25	9	12.41	32.19	2.56	磨平	
CGS 1.1×10×30×10.75		10	7.8	30	10.75	14.26	32.19	2.05	磨平	
CGM 1.2×10×15×6.25	1.2	10	7.6	15	6.25	8.45	48.49	7.4	磨平	碳钢
CGM 1.2×10×20×8		10	7.6	20	8	10.75	48.49	5.24	磨平	
CGM 1.2×10×25×9.5		10	7.6	25	9.5	13.44	48.49	4.2	磨平	
CGM 1.2×10×30×11.25		10	7.6	30	11.25	15.74	48.49	3.4	磨平	
CGS 1.2×10×15×6.25	1.2	10	7.6	15	6.25	8.2	41.95	6.17	磨平	不锈钢
CGS 1.2×10×20×7.75		10	7.6	20	7.75	10.8	41.95	4.56	磨平	
CGS 1.2×10×25×9.25		10	7.6	25	9.25	13.4	41.95	3.62	磨平	
CGS 1.2×10×30×11		10	7.6	30	11	15.6	41.95	2.91	磨平	
CGM 1.3×10×15×6.25	1.3	10	7.4	15	6.25	9.13	61.94	10.55	磨平	碳钢
CGM 1.3×10×20×8		10	7.4	20	8	11.71	61.94	7.47	磨平	
CGM 1.3×10×25×9.75		10	7.4	25	9.75	14.3	61.94	5.79	磨平	
CGM 1.3×10×30×11.5		10	7.4	30	11.5	16.88	61.94	4.72	磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢



型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CGS 1.3×10×15×6.25	1.3	10	7.4	15	6.25	8.91	53.53	8.79	磨平	不锈钢
CGS 1.3×10×20×8		10	7.4	20	8	11.41	53.53	6.23	磨平	
CGS 1.3×10×25×9.5		10	7.4	25	9.5	14.26	53.53	4.98	磨平	
CGS 1.3×10×30×11.25		10	7.4	30	11.25	16.75	53.53	4.04	磨平	
CGM 1.4×10×15×6.25	1.4	10	7.2	15	6.25	9.71	77.75	14.7	磨平	碳钢
CGM 1.4×10×20×8		10	7.2	20	8	12.53	77.75	10.41	磨平	
CGM 1.4×10×25×9.75		10	7.2	25	9.75	15.35	77.75	8.06	磨平	
CGM 1.4×10×30×11.5		10	7.2	30	11.5	18.17	77.75	6.57	磨平	
CGS 1.4×10×15×6.25	1.4	10	7.2	15	6.25	9.52	67.12	12.25	磨平	不锈钢
CGS 1.4×10×20×8		10	7.2	20	8	12.26	67.12	8.67	磨平	
CGS 1.4×10×25×9.75		10	7.2	25	9.75	15.01	67.12	6.72	磨平	
CGS 1.4×10×30×11.25		10	7.2	30	11.25	18.07	67.12	5.63	磨平	
CNM 0.8×10.5×15×5	0.8	10.5	8.9	15	5	5.99	13.93	1.55	不磨平	碳钢
CNM 0.8×10.5×20×6		10.5	8.9	20	6	7.99	13.93	1.16	不磨平	
CNM 0.8×10.5×25×7.25		10.5	8.9	25	7.25	9.24	13.93	0.88	不磨平	
CNM 0.8×10.5×30×8.5		10.5	8.9	30	8.5	10.49	13.93	0.71	不磨平	
CNS 0.8×10.5×15×5	0.8	10.5	8.9	15	5	5.72	11.96	1.29	不磨平	不锈钢
CNS 0.8×10.5×20×6		10.5	8.9	20	6	7.63	11.96	0.97	不磨平	
CNS 0.8×10.5×25×7.25		10.5	8.9	25	7.25	8.76	11.96	0.74	不磨平	
CNS 0.8×10.5×30×8.25		10.5	8.9	30	8.25	10.67	11.96	0.62	不磨平	
CNM 0.9×10.5×15×5.25	0.9	10.5	8.7	15	5.25	6.77	19.43	2.36	不磨平	碳钢
CNM 0.9×10.5×20×6.5		10.5	8.7	20	6.5	8.6	19.43	1.7	不磨平	
CNM 0.9×10.5×25×7.75		10.5	8.7	25	7.75	10.43	19.43	1.33	不磨平	
CNM 0.9×10.5×30×9		10.5	8.7	30	9	12.26	19.43	1.1	不磨平	
CNS 0.9×10.5×15×5.25	0.9	10.5	8.7	15	5.25	6.47	16.78	1.97	不磨平	不锈钢
CNS 0.9×10.5×20×6.5		10.5	8.7	20	6.5	8.18	16.78	1.42	不磨平	
CNS 0.9×10.5×25×7.75		10.5	8.7	25	7.75	9.9	16.78	1.11	不磨平	
CNS 0.9×10.5×30×8.75		10.5	8.7	30	8.75	12.28	16.78	0.95	不磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢




型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CGM 1×10.5×15×5.75	1	10.5	8.5	15	5.75	6.79	26.42	3.22	磨平	碳钢
CGM 1×10.5×20×7		10.5	8.5	20	7	9.05	26.42	2.41	磨平	
CGM 1×10.5×25×8.5		10.5	8.5	25	8.5	10.76	26.42	1.86	磨平	
CGM 1×10.5×30×9.75		10.5	8.5	30	9.75	13.02	26.42	1.56	磨平	
CGS 1×10.5×15×5.5	1	10.5	8.5	15	5.5	7.05	22.83	2.87	磨平	不锈钢
CGS 1×10.5×20×7		10.5	8.5	20	7	8.64	22.83	2.01	磨平	
CGS 1×10.5×25×8.25		10.5	8.5	25	8.25	10.8	22.83	1.61	磨平	
CGS 1×10.5×30×9.75		10.5	8.5	30	9.75	12.4	22.83	1.3	磨平	
CGM 1.1×10.5×15×5.75	1.1	10.5	8.3	15	5.75	7.74	35.31	4.86	磨平	碳钢
CGM 1.1×10.5×20×7.25		10.5	8.3	20	7.25	9.83	35.31	3.47	磨平	
CGM 1.1×10.5×25×8.75		10.5	8.3	25	8.75	11.92	35.31	2.7	磨平	
CGM 1.1×10.5×30×10.25		10.5	8.3	30	10.25	14.02	35.31	2.21	磨平	
CGS 1.1×10.5×15×5.75	1.1	10.5	8.3	15	5.75	7.48	30.48	4.05	磨平	不锈钢
CGS 1.1×10.5×20×7.25		10.5	8.3	20	7.25	9.47	30.48	2.89	磨平	
CGS 1.1×10.5×25×8.5		10.5	8.3	25	8.5	11.96	30.48	2.34	磨平	
CGS 1.1×10.5×30×10		10.5	8.3	30	10	13.95	30.48	1.9	磨平	
CGM 1.2×10.5×15×6	1.2	10.5	8.1	15	6	8.12	45.88	6.66	磨平	碳钢
CGM 1.2×10.5×20×7.5		10.5	8.1	20	7.5	10.53	45.88	4.85	磨平	
CGM 1.2×10.5×25×9		10.5	8.1	25	9	12.95	45.88	3.81	磨平	
CGM 1.2×10.5×30×10.5		10.5	8.1	30	10.5	15.37	45.88	3.14	磨平	
CGS 1.2×10.5×15×6	1.2	10.5	8.1	15	6	7.85	39.69	5.55	磨平	不锈钢
CGS 1.2×10.5×20×7.5		10.5	8.1	20	7.5	10.17	39.69	4.04	磨平	
CGS 1.2×10.5×25×9		10.5	8.1	25	9	12.49	39.69	3.17	磨平	
CGS 1.2×10.5×30×10.5		10.5	8.1	30	10.5	14.81	39.69	2.61	磨平	
CGM 1.3×10.5×15×6	1.3	10.5	7.9	15	6	8.82	58.58	9.48	磨平	碳钢
CGM 1.3×10.5×20×7.75		10.5	7.9	20	7.75	11.12	58.58	6.6	磨平	
CGM 1.3×10.5×25×9.25		10.5	7.9	25	9.25	13.8	58.58	5.23	磨平	
CGM 1.3×10.5×30×10.75		10.5	7.9	30	10.75	16.49	58.58	4.33	磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢




型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CGS 1.3×10.5×15×6	1.3	10.5	7.9	15	6	8.59	50.62	7.9	磨平	不锈钢
CGS 1.3×10.5×20×7.5		10.5	7.9	20	7.5	11.19	50.62	5.75	磨平	
CGS 1.3×10.5×25×9		10.5	7.9	25	9	13.79	50.62	4.52	磨平	
CGS 1.3×10.5×30×10.75		10.5	7.9	30	10.75	15.99	50.62	3.61	磨平	
CGM 1.4×10.5×15×6	1.4	10.5	7.7	15	6	9.42	73.48	13.18	磨平	碳钢
CGM 1.4×10.5×20×7.75		10.5	7.7	20	7.75	11.98	73.48	9.17	磨平	
CGM 1.4×10.5×25×9.25		10.5	7.7	25	9.25	14.89	73.48	7.27	磨平	
CGM 1.4×10.5×30×11		10.5	7.7	30	11	17.45	73.48	5.86	磨平	
CGS 1.4×10.5×15×6	1.4	10.5	7.7	15	6	9.22	63.43	10.98	磨平	不锈钢
CGS 1.4×10.5×20×7.5		10.5	7.7	20	7.5	12.06	63.43	7.99	磨平	
CGS 1.4×10.5×25×9.25		10.5	7.7	25	9.25	14.53	63.43	6.06	磨平	
CGS 1.4×10.5×30×10.75		10.5	7.7	30	10.75	17.37	63.43	5.02	磨平	
CGM 1.5×10.5×15×6	1.5	10.5	7.5	15	6	9.96	90.46	17.95	磨平	碳钢
CGM 1.5×10.5×20×7.75		10.5	7.5	20	7.75	12.76	90.46	12.49	磨平	
CGM 1.5×10.5×25×9.5		10.5	7.5	25	9.5	15.55	90.46	9.57	磨平	
CGM 1.5×10.5×30×11		10.5	7.5	30	11	18.66	90.46	7.98	磨平	
CGS 1.5×10.5×15×6	1.5	10.5	7.5	15	6	9.77	78.28	14.96	磨平	不锈钢
CGS 1.5×10.5×20×7.75		10.5	7.5	20	7.75	12.48	78.28	10.41	磨平	
CGS 1.5×10.5×25×9.25		10.5	7.5	25	9.25	15.52	78.28	8.25	磨平	
CGS 1.5×10.5×30×11		10.5	7.5	30	11	18.23	78.28	6.65	磨平	
CNM 0.9×11×15×5	0.9	11	9.2	15	5	6.59	18.47	2.2	不磨平	碳钢
CNM 0.9×11×20×6.25		11	9.2	20	6.25	8.08	18.47	1.55	不磨平	
CNM 0.9×11×25×7.25		11	9.2	25	7.25	10.27	18.47	1.25	不磨平	
CNM 0.9×11×30×8.5		11	9.2	30	8.5	11.77	18.47	1.01	不磨平	
CNS 0.9×11×15×5	0.9	11	9.2	15	5	6.28	15.95	1.83	不磨平	不锈钢
CNS 0.9×11×20×6		11	9.2	20	6	8.37	15.95	1.37	不磨平	
CNS 0.9×11×25×7.25		11	9.2	25	7.25	9.74	15.95	1.05	不磨平	
CNS 0.9×11×30×8.25		11	9.2	30	8.25	11.83	15.95	0.88	不磨平	

G: 磨平    N: 不磨平  
M: 碳钢    S: 不锈钢



型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CGM 1×11×15×5.5	1	11	9	15	5.5	6.5	25.1	2.95	磨平	碳钢
CGM 1×11×20×6.75		11	9	20	6.75	8.47	25.1	2.18	磨平	
CGM 1×11×25×8		11	9	25	8	10.44	25.1	1.72	磨平	
CGM 1×11×30×9.25		11	9	30	9.25	12.4	25.1	1.43	磨平	
CGS 1×11×15×5.25	1	11	9	15	5.25	6.82	21.69	2.65	磨平	不锈钢
CGS 1×11×20×6.5		11	9	20	6.5	8.67	21.69	1.91	磨平	
CGS 1×11×25×7.75		11	9	25	7.75	10.53	21.69	1.5	磨平	
CGS 1×11×30×9		11	9	30	9	12.38	21.69	1.23	磨平	
CGM 1.1×11×15×5.5	1.1	11	8.8	15	5.5	7.48	33.52	4.46	磨平	碳钢
CGM 1.1×11×20×7		11	8.8	20	7	9.26	33.52	3.12	磨平	
CGM 1.1×11×25×8.25		11	8.8	25	8.25	11.57	33.52	2.5	磨平	
CGM 1.1×11×30×9.75		11	8.8	30	9.75	13.35	33.52	2.01	磨平	
CGS 1.1×11×15×5.5	1.1	11	8.8	15	5.5	7.21	28.94	3.72	磨平	不锈钢
CGS 1.1×11×20×6.75		11	8.8	20	6.75	9.43	28.94	2.74	磨平	
CGS 1.1×11×25×8.25		11	8.8	25	8.25	11.09	28.94	2.08	磨平	
CGS 1.1×11×30×9.5		11	8.8	30	9.5	13.31	28.94	1.73	磨平	
CGM 1.2×11×15×5.75	1.2	11	8.6	15	5.75	7.83	43.54	6.08	磨平	碳钢
CGM 1.2×11×20×7.25		11	8.6	20	7.25	9.97	43.54	4.34	磨平	
CGM 1.2×11×25×8.5		11	8.6	25	8.5	12.58	43.54	3.5	磨平	
CGM 1.2×11×30×10		11	8.6	30	10	14.71	43.54	2.85	磨平	
CGS 1.2×11×15×5.75	1.2	11	8.6	15	5.75	7.56	37.67	5.06	磨平	不锈钢
CGS 1.2×11×20×7		11	8.6	20	7	10.08	37.67	3.8	磨平	
CGS 1.2×11×25×8.5		11	8.6	25	8.5	12.1	37.67	2.92	磨平	
CGS 1.2×11×30×9.75		11	8.6	30	9.75	14.62	37.67	2.45	磨平	
CGM 1.3×11×15×5.75	1.3	11	8.4	15	5.75	8.56	55.56	8.63	磨平	碳钢
CGM 1.3×11×20×7.25		11	8.4	20	7.25	10.99	55.56	6.16	磨平	
CGM 1.3×11×25×8.75		11	8.4	25	8.75	13.41	55.56	4.79	磨平	
CGM 1.3×11×30×10.25		11	8.4	30	10.25	15.84	55.56	3.92	磨平	


G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢



型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CGS 1.3×11×15×5.75	1.3	11	8.4	15	5.75	8.32	48.02	7.19	磨平	不锈钢
CGS 1.3×11×20×7.25		11	8.4	20	7.25	10.65	48.02	5.14	磨平	
CGS 1.3×11×25×8.75		11	8.4	25	8.75	12.98	48.02	4	磨平	
CGS 1.3×11×30×10		11	8.4	30	10	15.75	48.02	3.37	磨平	
CGM 1.4×11×15×5.75	1.4	11	8.2	15	5.75	9.18	69.65	11.97	磨平	碳钢
CGM 1.4×11×20×7.5		11	8.2	20	7.5	11.47	69.65	8.16	磨平	
CGM 1.4×11×25×9		11	8.2	25	9	14.14	69.65	6.41	磨平	
CGM 1.4×11×30×10.5		11	8.2	30	10.5	16.81	69.65	5.28	磨平	
CGS 1.4×11×15×5.75	1.4	11	8.2	15	5.75	8.97	60.13	9.98	磨平	不锈钢
CGS 1.4×11×20×7.25		11	8.2	20	7.25	11.56	60.13	7.13	磨平	
CGS 1.4×11×25×8.75		11	8.2	25	8.75	14.15	60.13	5.54	磨平	
CGS 1.4×11×30×10.25		11	8.2	30	10.25	16.74	60.13	4.54	磨平	
CGM 1.5×11×15×6	1.5	11	8	15	6	9.39	85.7	15.26	磨平	碳钢
CGM 1.5×11×20×7.5		11	8	20	7.5	12.28	85.7	11.1	磨平	
CGM 1.5×11×25×9		11	8	25	9	15.17	85.7	8.72	磨平	
CGM 1.5×11×30×10.5		11	8	30	10.5	18.07	85.7	7.18	磨平	
CGS 1.5×11×15×5.75	1.5	11	8	15	5.75	9.53	74.16	13.57	磨平	不锈钢
CGS 1.5×11×20×7.25		11	8	20	7.25	12.35	74.16	9.69	磨平	
CGS 1.5×11×25×9		11	8	25	9	14.8	74.16	7.27	磨平	
CGS 1.5×11×30×10.5		11	8	30	10.5	17.61	74.16	5.99	磨平	
CNM 0.9×11.5×20×6	0.9	11.5	9.7	20	6	7.64	17.6	1.42	不磨平	碳钢
CNM 0.9×11.5×25×7		11.5	9.7	25	7	9.55	17.6	1.14	不磨平	
CNM 0.9×11.5×30×8		11.5	9.7	30	8	11.46	17.6	0.95	不磨平	
CNM 0.9×11.5×35×9.25		11.5	9.7	35	9.25	12.6	17.6	0.79	不磨平	
CNS 0.9×11.5×20×5.75	0.9	11.5	9.7	20	5.75	8	15.19	1.27	不磨平	不锈钢
CNS 0.9×11.5×25×6.75		11.5	9.7	25	6.75	9.8	15.19	1	不磨平	
CNS 0.9×11.5×30×8		11.5	9.7	30	8	10.8	15.19	0.79	不磨平	
CNS 0.9×11.5×35×9		11.5	9.7	35	9	12.6	15.19	0.68	不磨平	


G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢






型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CNM 1×11.5×20×6.25	1	11.5	9.5	20	6.25	8.63	23.9	2.1	不磨平	碳钢
CNM 1×11.5×25×7.25		11.5	9.5	25	7.25	10.95	23.9	1.7	不磨平	
CNM 1×11.5×30×8.5		11.5	9.5	30	8.5	12.61	23.9	1.37	不磨平	
CNM 1×11.5×35×9.75		11.5	9.5	35	9.75	14.26	23.9	1.15	不磨平	
CNS 1×11.5×20×6	1	11.5	9.5	20	6	8.9	20.65	1.86	不磨平	不锈钢
CNS 1×11.5×25×7.25		11.5	9.5	25	7.25	10.44	20.65	1.42	不磨平	
CNS 1×11.5×30×8.25		11.5	9.5	30	8.25	12.66	20.65	1.19	不磨平	
CNS 1×11.5×35×9.5		11.5	9.5	35	9.5	14.19	20.65	0.99	不磨平	
CGM 1.1×11.5×20×6.75	1.1	11.5	9.3	20	6.75	8.74	31.91	2.83	磨平	碳钢
CGM 1.1×11.5×25×8		11.5	9.3	25	8	10.77	31.91	2.24	磨平	
CGM 1.1×11.5×30×9.25		11.5	9.3	30	9.25	12.81	31.91	1.86	磨平	
CGM 1.1×11.5×35×10.5		11.5	9.3	35	10.5	14.85	31.91	1.58	磨平	
CGS 1.1×11.5×20×6.5	1.1	11.5	9.3	20	6.5	8.95	27.55	2.49	磨平	不锈钢
CGS 1.1×11.5×25×7.75		11.5	9.3	25	7.75	10.88	27.55	1.95	磨平	
CGS 1.1×11.5×30×9		11.5	9.3	30	9	12.81	27.55	1.6	磨平	
CGS 1.1×11.5×35×10.25		11.5	9.3	35	10.25	14.74	27.55	1.36	磨平	
CGM 1.2×11.5×20×6.75	1.2	11.5	9.1	20	6.75	9.97	41.42	4.13	磨平	碳钢
CGM 1.2×11.5×25×8.25		11.5	9.1	25	8.25	11.81	41.42	3.14	磨平	
CGM 1.2×11.5×30×9.5		11.5	9.1	30	9.5	14.17	41.42	2.62	磨平	
CGM 1.2×11.5×35×10.75		11.5	9.1	35	10.75	16.53	41.42	2.24	磨平	
CGS 1.2×11.5×20×6.75	1.2	11.5	9.1	20	6.75	9.59	35.84	3.44	磨平	不锈钢
CGS 1.2×11.5×25×8		11.5	9.1	25	8	11.85	35.84	2.73	磨平	
CGS 1.2×11.5×30×9.25		11.5	9.1	30	9.25	14.11	35.84	2.26	磨平	
CGS 1.2×11.5×35×10.75		11.5	9.1	35	10.75	15.82	35.84	1.87	磨平	
CGM 1.3×11.5×20×7	1.3	11.5	8.9	20	7	10.51	52.83	5.57	磨平	碳钢
CGM 1.3×11.5×25×8.5		11.5	8.9	25	8.5	12.66	52.83	4.28	磨平	
CGM 1.3×11.5×30×9.75		11.5	8.9	30	9.75	15.29	52.83	3.59	磨平	
CGM 1.3×11.5×35×11.25		11.5	8.9	35	11.25	17.44	52.83	3.01	磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢




型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CGS 1.3×11.5×20×7	1.3	11.5	8.9	20	7	10.16	45.66	4.64	磨平	不锈钢
CGS 1.3×11.5×25×8.25		11.5	8.9	25	8.25	12.7	45.66	3.71	磨平	
CGS 1.3×11.5×30×9.5		11.5	8.9	30	9.5	15.23	45.66	3.09	磨平	
CGS 1.3×11.5×35×11		11.5	8.9	35	11	17.28	45.66	2.58	磨平	
CGM 1.4×11.5×20×7	1.4	11.5	8.7	20	7	11.42	66.2	7.71	磨平	碳钢
CGM 1.4×11.5×25×8.5		11.5	8.7	25	8.5	13.84	66.2	5.93	磨平	
CGM 1.4×11.5×30×10		11.5	8.7	30	10	16.26	66.2	4.82	磨平	
CGM 1.4×11.5×35×11.5		11.5	8.7	35	11.5	18.69	66.2	4.06	磨平	
CGS 1.4×11.5×20×7	1.4	11.5	8.7	20	7	11.11	57.15	6.43	磨平	不锈钢
CGS 1.4×11.5×25×8.5		11.5	8.7	25	8.5	13.44	57.15	4.94	磨平	
CGS 1.4×11.5×30×9.75		11.5	8.7	30	9.75	16.21	57.15	4.15	磨平	
CGS 1.4×11.5×35×11.25		11.5	8.7	35	11.25	18.55	57.15	3.47	磨平	
CGM 1.5×11.5×20×7.25	1.5	11.5	8.5	20	7.25	11.83	81.42	9.97	磨平	碳钢
CGM 1.5×11.5×25×8.75		11.5	8.5	25	8.75	14.5	81.42	7.76	磨平	
CGM 1.5×11.5×30×10.25		11.5	8.5	30	10.25	17.17	81.42	6.35	磨平	
CGM 1.5×11.5×35×11.75		11.5	8.5	35	11.75	19.84	81.42	5.37	磨平	
CGS 1.5×11.5×20×7	1.5	11.5	8.5	20	7	11.93	70.45	8.72	磨平	不锈钢
CGS 1.5×11.5×25×8.5		11.5	8.5	25	8.5	14.5	70.45	6.71	磨平	
CGS 1.5×11.5×30×10		11.5	8.5	30	10	17.08	70.45	5.45	磨平	
CGS 1.5×11.5×35×11.5		11.5	8.5	35	11.5	19.66	70.45	4.59	磨平	
CNM 1×12×20×6	1	12	10	20	6	8.25	22.82	1.94	不磨平	碳钢
CNM 1×12×25×7		12	10	25	7	10.31	22.82	1.55	不磨平	
CNM 1×12×30×8		12	10	30	8	12.38	22.82	1.29	不磨平	
CNM 1×12×35×9.25		12	10	35	9.25	13.7	22.82	1.07	不磨平	
CNS 1×12×20×5.75	1	12	10	20	5.75	8.58	19.72	1.73	不磨平	不锈钢
CNS 1×12×25×6.75		12	10	25	6.75	10.53	19.72	1.36	不磨平	
CNS 1×12×30×8		12	10	30	8	11.72	19.72	1.08	不磨平	
CNS 1×12×35×9		12	10	35	9	13.68	19.72	0.92	不磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢




型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CGM 1.1×12×20×6.25	1.1	12	9.8	20	6.25	8.93	30.45	2.75	磨平	碳钢
CGM 1.1×12×25×7.5		12	9.8	25	7.5	10.67	30.45	2.13	磨平	
CGM 1.1×12×30×8.75		12	9.8	30	8.75	12.42	30.45	1.73	磨平	
CGM 1.1×12×35×10		12	9.8	35	10	14.16	30.45	1.46	磨平	
CGS 1.1×12×20×6.25	1.1	12	9.8	20	6.25	8.54	26.28	2.29	磨平	不锈钢
CGS 1.1×12×25×7.5		12	9.8	25	7.5	10.16	26.28	1.77	磨平	
CGS 1.1×12×30×8.5		12	9.8	30	8.5	12.47	26.28	1.5	磨平	
CGS 1.1×12×35×9.75		12	9.8	35	9.75	14.09	26.28	1.26	磨平	
CGM 1.2×12×20×6.5	1.2	12	9.6	20	6.5	9.55	39.51	3.78	磨平	碳钢
CGM 1.2×12×25×7.75		12	9.6	25	7.75	11.65	39.51	2.96	磨平	
CGM 1.2×12×30×9		12	9.6	30	9	13.75	39.51	2.43	磨平	
CGM 1.2×12×35×10.25		12	9.6	35	10.25	15.85	39.51	2.06	磨平	
CGS 1.2×12×20×6.5	1.2	12	9.6	20	6.5	9.16	34.18	3.15	磨平	不锈钢
CGS 1.2×12×25×7.75		12	9.6	25	7.75	11.14	34.18	2.47	磨平	
CGS 1.2×12×30×8.75		12	9.6	30	8.75	13.73	34.18	2.1	磨平	
CGS 1.2×12×35×10		12	9.6	35	10	15.72	34.18	1.77	磨平	
CGM 1.3×12×20×6.75	1.3	12	9.4	20	6.75	10.08	50.37	5.08	磨平	碳钢
CGM 1.3×12×25×8		12	9.4	25	8	12.46	50.37	4.02	磨平	
CGM 1.3×12×30×9.25		12	9.4	30	9.25	14.85	50.37	3.33	磨平	
CGM 1.3×12×35×10.75		12	9.4	35	10.75	16.72	50.37	2.76	磨平	
CGS 1.3×12×20×6.5	1.3	12	9.4	20	6.5	10.25	43.53	4.46	磨平	不锈钢
CGS 1.3×12×25×7.75		12	9.4	25	7.75	12.54	43.53	3.49	磨平	
CGS 1.3×12×30×9.25		12	9.4	30	9.25	14.29	43.53	2.77	磨平	
CGS 1.3×12×35×10.5		12	9.4	35	10.5	16.58	43.53	2.36	磨平	
CGM 1.4×12×20×6.75	1.4	12	9.2	20	6.75	11.02	63.08	7.02	磨平	碳钢
CGM 1.4×12×25×8.25		12	9.2	25	8.25	13.18	63.08	5.34	磨平	
CGM 1.4×12×30×9.5		12	9.2	30	9.5	15.82	63.08	4.45	磨平	
CGM 1.4×12×35×11		12	9.2	35	11	17.98	63.08	3.71	磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢



型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CGS 1.4×12×20×6.75	1.4	12	9.2	20	6.75	10.69	54.46	5.85	磨平	不锈钢
CGS 1.4×12×25×8		12	9.2	25	8	13.24	54.46	4.63	磨平	
CGS 1.4×12×30×9.5		12	9.2	30	9.5	15.3	54.46	3.71	磨平	
CGS 1.4×12×35×10.75		12	9.2	35	10.75	17.86	54.46	3.18	磨平	
CGM 1.5×12×20×7	1.5	12	9	20	7	11.43	77.54	9.04	磨平	碳钢
CGM 1.5×12×25×8.25		12	9	25	8.25	14.28	77.54	7.24	磨平	
CGM 1.5×12×30×9.75		12	9	30	9.75	16.71	77.54	5.84	磨平	
CGM 1.5×12×35×11		12	9	35	11	19.57	77.54	5.02	磨平	
CGS 1.5×12×20×6.75	1.5	12	9	20	6.75	11.54	67.1	7.93	磨平	不锈钢
CGS 1.5×12×25×8.25		12	9	25	8.25	13.87	67.1	6.03	磨平	
CGS 1.5×12×30×9.5		12	9	30	9.5	16.65	67.1	5.02	磨平	
CGS 1.5×12×35×11		12	9	35	11	18.97	67.1	4.19	磨平	
CGM 1.6×12×20×7	1.6	12	8.8	20	7	12.17	94.37	12.05	磨平	碳钢
CGM 1.6×12×25×8.5		12	8.8	25	8.5	14.82	94.37	9.27	磨平	
CGM 1.6×12×30×9.75		12	8.8	30	9.75	17.86	94.37	7.77	磨平	
CGM 1.6×12×35×11.25		12	8.8	35	11.25	20.51	94.37	6.51	磨平	
CGS 1.6×12×20×6.75	1.6	12	8.8	20	6.75	12.28	81.57	10.57	磨平	不锈钢
CGS 1.6×12×25×8.25		12	8.8	25	8.25	14.85	81.57	8.03	磨平	
CGS 1.6×12×30×9.75		12	8.8	30	9.75	17.41	81.57	6.48	磨平	
CGS 1.6×12×35×11		12	8.8	35	11	20.38	81.57	5.58	磨平	
CGM 1.7×12×20×7	1.7	12	8.6	20	7	12.82	113.52	15.81	磨平	碳钢
CGM 1.7×12×25×8.5		12	8.6	25	8.5	15.66	113.52	12.16	磨平	
CGM 1.7×12×30×10		12	8.6	30	10	18.51	113.52	9.88	磨平	
CGM 1.7×12×35×11.25		12	8.6	35	11.25	21.71	113.52	8.54	磨平	
CGS 1.7×12×20×7	1.7	12	8.6	20	7	12.56	98.02	13.17	磨平	不锈钢
CGS 1.7×12×25×8.25		12	8.6	25	8.25	15.7	98.02	10.54	磨平	
CGS 1.7×12×30×9.75		12	8.6	30	9.75	18.47	98.02	8.5	磨平	
CGS 1.7×12×35×11.25		12	8.6	35	11.25	21.23	98.02	7.12	磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢




型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CNM 0.9×12.5×20×5.25	0.9	12.5	10.7	20	5.25	7.98	16.08	1.34	不磨平	碳钢
CNM 0.9×12.5×25×6.25		12.5	10.7	25	6.25	9.28	16.08	1.02	不磨平	
CNM 0.9×12.5×30×7.25		12.5	10.7	30	7.25	10.58	16.08	0.83	不磨平	
CNM 0.9×12.5×35×8.25		12.5	10.7	35	8.25	11.88	16.08	0.7	不磨平	
CNS 0.9×12.5×20×5.25	0.9	12.5	10.7	20	5.25	7.55	13.88	1.11	不磨平	不锈钢
CNS 0.9×12.5×25×6.25		12.5	10.7	25	6.25	8.71	13.88	0.85	不磨平	
CNS 0.9×12.5×30×7		12.5	10.7	30	7	10.84	13.88	0.72	不磨平	
CNS 0.9×12.5×35×8		12.5	10.7	35	8	12.01	13.88	0.6	不磨平	
CNM 1×12.5×20×5.75	1	12.5	10.5	20	5.75	7.97	21.82	1.81	不磨平	碳钢
CNM 1×12.5×25×6.75		12.5	10.5	25	6.75	9.76	21.82	1.43	不磨平	
CNM 1×12.5×30×7.75		12.5	10.5	30	7.75	11.55	21.82	1.18	不磨平	
CNM 1×12.5×35×8.75		12.5	10.5	35	8.75	13.34	21.82	1.01	不磨平	
CNS 1×12.5×20×5.5	1	12.5	10.5	20	5.5	8.35	18.86	1.62	不磨平	不锈钢
CNS 1×12.5×25×6.5		12.5	10.5	25	6.5	10.02	18.86	1.26	不磨平	
CNS 1×12.5×30×7.5		12.5	10.5	30	7.5	11.69	18.86	1.03	不磨平	
CNS 1×12.5×35×8.5		12.5	10.5	35	8.5	13.36	18.86	0.87	不磨平	
CNM 1.1×12.5×20×5.75	1.1	12.5	10.3	20	5.75	9.32	29.11	2.73	不磨平	碳钢
CNM 1.1×12.5×25×7		12.5	10.3	25	7	10.76	29.11	2.04	不磨平	
CNM 1.1×12.5×30×8		12.5	10.3	30	8	12.91	29.11	1.7	不磨平	
CNM 1.1×12.5×35×9.25		12.5	10.3	35	9.25	14.35	29.11	1.41	不磨平	
CNS 1.1×12.5×20×5.75	1.1	12.5	10.3	20	5.75	8.93	25.13	2.27	不磨平	不锈钢
CNS 1.1×12.5×25×6.75		12.5	10.3	25	6.75	10.98	25.13	1.79	不磨平	
CNS 1.1×12.5×30×8		12.5	10.3	30	8	12.29	25.13	1.42	不磨平	
CNS 1.1×12.5×35×9		12.5	10.3	35	9	14.34	25.13	1.22	不磨平	
CGM 1.2×12.5×20×6.25	1.2	12.5	10.1	20	6.25	9.2	37.76	3.5	磨平	碳钢
CGM 1.2×12.5×25×7.5		12.5	10.1	25	7.5	11.02	37.76	2.7	磨平	
CGM 1.2×12.5×30×8.5		12.5	10.1	30	8.5	13.48	37.76	2.29	磨平	
CGM 1.2×12.5×35×9.75		12.5	10.1	35	9.75	15.31	37.76	1.92	磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢




型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CGS 1.2×12.5×20×6.25	1.2	12.5	10.1	20	6.25	8.79	32.67	2.91	磨平	不锈钢
CGS 1.2×12.5×25×7.25		12.5	10.1	25	7.25	11.15	32.67	2.36	磨平	
CGS 1.2×12.5×30×8.5		12.5	10.1	30	8.5	12.85	32.67	1.91	磨平	
CGS 1.2×12.5×35×9.5		12.5	10.1	35	9.5	15.21	32.67	1.65	磨平	
CGM 1.3×12.5×20×6.5	1.3	12.5	9.9	20	6.5	9.7	48.12	4.67	磨平	碳钢
CGM 1.3×12.5×25×7.75		12.5	9.9	25	7.75	11.84	48.12	3.66	磨平	
CGM 1.3×12.5×30×9		12.5	9.9	30	9	13.98	48.12	3	磨平	
CGM 1.3×12.5×35×10.25		12.5	9.9	35	10.25	16.12	48.12	2.55	磨平	
CGS 1.3×12.5×20×6.25	1.3	12.5	9.9	20	6.25	9.91	41.58	4.12	磨平	不锈钢
CGS 1.3×12.5×25×7.5		12.5	9.9	25	7.5	11.95	41.58	3.19	磨平	
CGS 1.3×12.5×30×8.75		12.5	9.9	30	8.75	13.98	41.58	2.6	磨平	
CGS 1.3×12.5×35×10		12.5	9.9	35	10	16.01	41.58	2.19	磨平	
CGM 1.4×12.5×20×6.5	1.4	12.5	9.7	20	6.5	10.67	60.24	6.45	磨平	碳钢
CGM 1.4×12.5×25×7.75		12.5	9.7	25	7.75	13.07	60.24	5.05	磨平	
CGM 1.4×12.5×30×9		12.5	9.7	30	9	15.48	60.24	4.15	磨平	
CGM 1.4×12.5×35×10.5		12.5	9.7	35	10.5	17.37	60.24	3.42	磨平	
CGS 1.4×12.5×20×6.5	1.4	12.5	9.7	20	6.5	10.33	52	5.38	磨平	不锈钢
CGS 1.4×12.5×25×7.75		12.5	9.7	25	7.75	12.65	52	4.21	磨平	
CGS 1.4×12.5×30×9		12.5	9.7	30	9	14.96	52	3.46	磨平	
CGS 1.4×12.5×35×10.25		12.5	9.7	35	10.25	17.28	52	2.93	磨平	
CGM 1.5×12.5×20×6.75	1.5	12.5	9.5	20	6.75	11.06	74.01	8.28	磨平	碳钢
CGM 1.5×12.5×25×8		12.5	9.5	25	8	13.71	74.01	6.56	磨平	
CGM 1.5×12.5×30×9.25		12.5	9.5	30	9.25	16.36	74.01	5.42	磨平	
CGM 1.5×12.5×35×10.75		12.5	9.5	35	10.75	18.53	74.01	4.49	磨平	
CGS 1.5×12.5×20×6.5	1.5	12.5	9.5	20	6.5	11.21	64.05	7.28	磨平	不锈钢
CGS 1.5×12.5×25×7.75		12.5	9.5	25	7.75	13.76	64.05	5.7	磨平	
CGS 1.5×12.5×30×9.25		12.5	9.5	30	9.25	15.83	64.05	4.52	磨平	
CGS 1.5×12.5×35×10.5		12.5	9.5	35	10.5	18.39	64.05	3.86	磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢



型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CGM 1.6×12.5×20×6.75	1.6	12.5	9.3	20	6.75	11.83	90.04	11.02	磨平	碳钢
CGM 1.6×12.5×25×8		12.5	9.3	25	8	14.68	90.04	8.72	磨平	
CGM 1.6×12.5×30×9.5		12.5	9.3	30	9.5	17.1	90.04	6.98	磨平	
CGM 1.6×12.5×35×10.75		12.5	9.3	35	10.75	19.94	90.04	5.98	磨平	
CGS 1.6×12.5×20×6.5	1.6	12.5	9.3	20	6.5	11.97	77.83	9.69	磨平	不锈钢
CGS 1.6×12.5×25×8		12.5	9.3	25	8	14.29	77.83	7.27	磨平	
CGS 1.6×12.5×30×9.25		12.5	9.3	30	9.25	17.06	77.83	6.01	磨平	
CGS 1.6×12.5×35×10.5		12.5	9.3	35	10.5	19.83	77.83	5.13	磨平	
CGM 1.7×12.5×20×6.75	1.7	12.5	9.1	20	6.75	12.5	108.26	14.43	磨平	碳钢
CGM 1.7×12.5×25×8.25		12.5	9.1	25	8.25	15.13	108.26	10.97	磨平	
CGM 1.7×12.5×30×9.5		12.5	9.1	30	9.5	18.16	108.26	9.14	磨平	
CGM 1.7×12.5×35×11		12.5	9.1	35	11	20.79	108.26	7.62	磨平	
CGS 1.7×12.5×20×6.75	1.7	12.5	9.1	20	6.75	12.23	93.48	12.03	磨平	不锈钢
CGS 1.7×12.5×25×8		12.5	9.1	25	8	15.18	93.48	9.52	磨平	
CGS 1.7×12.5×30×9.5		12.5	9.1	30	9.5	17.73	93.48	7.62	磨平	
CGS 1.7×12.5×35×10.75		12.5	9.1	35	10.75	20.68	93.48	6.53	磨平	
CNM 0.9×13×20×5.25	0.9	13	11.2	20	5.25	6.92	15.41	1.18	不磨平	碳钢
CNM 0.9×13×25×6		13	11.2	25	6	8.9	15.41	0.96	不磨平	
CNM 0.9×13×30×7		13	11.2	30	7	9.88	15.41	0.77	不磨平	
CNM 0.9×13×35×7.75		13	11.2	35	7.75	11.86	15.41	0.67	不磨平	
CNS 0.9×13×20×5	0.9	13	11.2	20	5	7.49	13.31	1.06	不磨平	不锈钢
CNS 0.9×13×25×6		13	11.2	25	6	8.32	13.31	0.8	不磨平	
CNS 0.9×13×30×6.75		13	11.2	30	6.75	10.19	13.31	0.67	不磨平	
CNS 0.9×13×35×7.5		13	11.2	35	7.5	12.06	13.31	0.58	不磨平	
CNM 1×13×20×5.5	1	13	11	20	5.5	7.77	20.91	1.71	不磨平	碳钢
CNM 1×13×25×6.25		13	11	25	6.25	10.15	20.91	1.41	不磨平	
CNM 1×13×30×7.25		13	11	30	7.25	11.65	20.91	1.14	不磨平	
CNM 1×13×35×8.25		13	11	35	8.25	13.16	20.91	0.96	不磨平	


G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢



型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CNS 1×13×20×5.25	1	13	11	20	5.25	8.22	18.07	1.53	不磨平	不锈钢
CNS 1×13×25×6.25		13	11	25	6.25	9.6	18.07	1.17	不磨平	
CNS 1×13×30×7.25		13	11	30	7.25	10.98	18.07	0.95	不磨平	
CNS 1×13×35×8		13	11	35	8	13.26	18.07	0.83	不磨平	
CNM 1.1×13×20×5.5	1.1	13	10.8	20	5.5	9.13	27.89	2.57	不磨平	碳钢
CNM 1.1×13×25×6.5		13	10.8	25	6.5	11.03	27.89	2	不磨平	
CNM 1.1×13×30×7.75		13	10.8	30	7.75	12.15	27.89	1.56	不磨平	
CNM 1.1×13×35×8.75		13	10.8	35	8.75	14.05	27.89	1.33	不磨平	
CNS 1.1×13×20×5.5	1.1	13	10.8	20	5.5	8.75	24.07	2.14	不磨平	不锈钢
CNS 1.1×13×25×6.5		13	10.8	25	6.5	10.53	24.07	1.66	不磨平	
CNS 1.1×13×30×7.5		13	10.8	30	7.5	12.32	24.07	1.36	不磨平	
CNS 1.1×13×35×8.5		13	10.8	35	8.5	14.1	24.07	1.15	不磨平	
CGM 1.2×13×20×6	1.2	13	10.6	20	6	8.92	36.16	3.26	磨平	碳钢
CGM 1.2×13×25×7		13	10.6	25	7	11.15	36.16	2.61	磨平	
CGM 1.2×13×30×8.25		13	10.6	30	8.25	12.68	36.16	2.09	磨平	
CGM 1.2×13×35×9.25		13	10.6	35	9.25	14.91	36.16	1.8	磨平	
CGS 1.2×13×20×6	1.2	13	10.6	20	6	8.49	31.28	2.72	磨平	不锈钢
CGS 1.2×13×25×7		13	10.6	25	7	10.62	31.28	2.18	磨平	
CGS 1.2×13×30×8		13	10.6	30	8	12.74	31.28	1.81	磨平	
CGS 1.2×13×35×9.25		13	10.6	35	9.25	14.15	31.28	1.5	磨平	
CGM 1.3×13×20×6.25	1.3	13	10.4	20	6.25	9.38	46.06	4.34	磨平	碳钢
CGM 1.3×13×25×7.25		13	10.4	25	7.25	11.89	46.06	3.51	磨平	
CGM 1.3×13×30×8.5		13	10.4	30	8.5	13.76	46.06	2.84	磨平	
CGM 1.3×13×35×9.75		13	10.4	35	9.75	15.64	46.06	2.38	磨平	
CGS 1.3×13×20×6	1.3	13	10.4	20	6	9.64	39.81	3.84	磨平	不锈钢
CGS 1.3×13×25×7.25		13	10.4	25	7.25	11.4	39.81	2.93	磨平	
CGS 1.3×13×30×8.25		13	10.4	30	8.25	13.81	39.81	2.46	磨平	
CGS 1.3×13×35×9.5		13	10.4	35	9.5	15.57	39.81	2.05	磨平	


G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢






型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CGM 1.4×13×20×6.25	1.4	13	10.2	20	6.25	10.37	57.64	5.99	磨平	碳钢
CGM 1.4×13×25×7.5		13	10.2	25	7.5	12.54	57.64	4.63	磨平	
CGM 1.4×13×30×8.75		13	10.2	30	8.75	14.71	57.64	3.77	磨平	
CGM 1.4×13×35×10		13	10.2	35	10	16.88	57.64	3.18	磨平	
CGS 1.4×13×20×6.25	1.4	13	10.2	20	6.25	10.03	49.76	4.99	磨平	不锈钢
CGS 1.4×13×25×7.5		13	10.2	25	7.5	12.1	49.76	3.86	磨平	
CGS 1.4×13×30×8.5		13	10.2	30	8.5	14.75	49.76	3.26	磨平	
CGS 1.4×13×35×9.75		13	10.2	35	9.75	16.82	49.76	2.74	磨平	
CGM 1.5×13×20×6.5	1.5	13	10	20	6.5	10.74	70.8	7.65	磨平	碳钢
CGM 1.5×13×25×7.75		13	10	25	7.75	13.17	70.8	5.99	磨平	
CGM 1.5×13×30×9		13	10	30	9	15.6	70.8	4.92	磨平	
CGM 1.5×13×35×10.25		13	10	35	10.25	18.03	70.8	4.17	磨平	
CGS 1.5×13×20×6.25	1.5	13	10	20	6.25	10.92	61.26	6.75	磨平	不锈钢
CGS 1.5×13×25×7.5		13	10	25	7.5	13.25	61.26	5.22	磨平	
CGS 1.5×13×30×8.75		13	10	30	8.75	15.58	61.26	4.25	磨平	
CGS 1.5×13×35×10		13	10	35	10	17.91	61.26	3.59	磨平	
CGM 1.6×13×20×6.5	1.6	13	9.8	20	6.5	11.53	86.09	10.16	磨平	碳钢
CGM 1.6×13×25×7.75		13	9.8	25	7.75	14.18	86.09	7.96	磨平	
CGM 1.6×13×30×9		13	9.8	30	9	16.83	86.09	6.53	磨平	
CGM 1.6×13×35×10.25		13	9.8	35	10.25	19.47	86.09	5.54	磨平	
CGS 1.6×13×20×6.5	1.6	13	9.8	20	6.5	11.21	74.42	8.47	磨平	不锈钢
CGS 1.6×13×25×7.75		13	9.8	25	7.75	13.77	74.42	6.63	磨平	
CGS 1.6×13×30×9		13	9.8	30	9	16.33	74.42	5.45	磨平	
CGS 1.6×13×35×10.25		13	9.8	35	10.25	18.89	74.42	4.62	磨平	
CGM 1.7×13×20×6.5	1.7	13	9.6	20	6.5	12.22	103.47	13.3	磨平	碳钢
CGM 1.7×13×25×7.75		13	9.6	25	7.75	15.06	103.47	10.41	磨平	
CGM 1.7×13×30×9.25		13	9.6	30	9.25	17.47	103.47	8.26	磨平	
CGM 1.7×13×35×10.5		13	9.6	35	10.5	20.31	103.47	7.04	磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢




型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CGS 1.7×13×20×6.5	1.7	13	9.6	20	6.5	11.94	89.34	11.08	磨平	不锈钢
CGS 1.7×13×25×7.75		13	9.6	25	7.75	14.7	89.34	8.67	磨平	
CGS 1.7×13×30×9		13	9.6	30	9	17.46	89.34	7.13	磨平	
CGS 1.7×13×35×10.25		13	9.6	35	10.25	20.22	89.34	6.05	磨平	
CGM 1.8×13×20×6.5	1.8	13	9.4	20	6.5	12.83	123.08	17.17	磨平	碳钢
CGM 1.8×13×25×8		13	9.4	25	8	15.44	123.08	12.88	磨平	
CGM 1.8×13×30×9.25		13	9.4	30	9.25	18.45	123.08	10.66	磨平	
CGM 1.8×13×35×10.5		13	9.4	35	10.5	21.46	123.08	9.09	磨平	
CGS 1.8×13×20×6.5	1.8	13	9.4	20	6.5	12.58	106.16	14.31	磨平	不锈钢
CGS 1.8×13×25×7.75		13	9.4	25	7.75	15.52	106.16	11.2	磨平	
CGS 1.8×13×30×9		13	9.4	30	9	18.46	106.16	9.2	磨平	
CGS 1.8×13×35×10.5		13	9.4	35	10.5	20.99	106.16	7.57	磨平	
CNM 1×13.5×25×6	1	13.5	11.5	25	6	9.83	20.08	1.32	不磨平	碳钢
CNM 1×13.5×30×7		13.5	11.5	30	7	11.04	20.08	1.06	不磨平	
CNM 1×13.5×35×8		13.5	11.5	35	8	12.24	20.08	0.88	不磨平	
CNM 1×13.5×40×8.75		13.5	11.5	40	8.75	14.4	20.08	0.78	不磨平	
CNS 1×13.5×25×6	1	13.5	11.5	25	6	9.27	17.35	1.1	不磨平	不锈钢
CNS 1×13.5×30×6.75		13.5	11.5	30	6.75	11.32	17.35	0.93	不磨平	
CNS 1×13.5×35×7.75		13.5	11.5	35	7.75	12.39	17.35	0.77	不磨平	
CNS 1×13.5×40×8.5		13.5	11.5	40	8.5	14.44	17.35	0.68	不磨平	
CNM 1.1×13.5×25×6.25	1.1	13.5	11.3	25	6.25	10.67	26.77	1.87	不磨平	碳钢
CNM 1.1×13.5×30×7.25		13.5	11.3	30	7.25	12.3	26.77	1.51	不磨平	
CNM 1.1×13.5×35×8.25		13.5	11.3	35	8.25	13.93	26.77	1.27	不磨平	
CNM 1.1×13.5×40×9.25		13.5	11.3	40	9.25	15.56	26.77	1.1	不磨平	
CNS 1.1×13.5×25×6.25	1.1	13.5	11.3	25	6.25	10.16	23.1	1.56	不磨平	不锈钢
CNS 1.1×13.5×30×7.25		13.5	11.3	30	7.25	11.67	23.1	1.26	不磨平	
CNS 1.1×13.5×35×8		13.5	11.3	35	8	14.06	23.1	1.1	不磨平	
CNS 1.1×13.5×40×9		13.5	11.3	40	9	15.56	23.1	0.95	不磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢




型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CNM 1.2×13.5×25×6.5	1.2	13.5	11.1	25	6.5	11.45	34.69	2.56	不磨平	碳钢
CNM 1.2×13.5×30×7.5		13.5	11.1	30	7.5	13.44	34.69	2.1	不磨平	
CNM 1.2×13.5×35×8.75		13.5	11.1	35	8.75	14.68	34.69	1.71	不磨平	
CNM 1.2×13.5×40×9.75		13.5	11.1	40	9.75	16.67	34.69	1.49	不磨平	
CNS 1.2×13.5×25×6.5	1.2	13.5	11.1	25	6.5	10.94	30.01	2.13	不磨平	不锈钢
CNS 1.2×13.5×30×7.5		13.5	11.1	30	7.5	12.81	30.01	1.75	不磨平	
CNS 1.2×13.5×35×8.5		13.5	11.1	35	8.5	14.69	30.01	1.48	不磨平	
CNS 1.2×13.5×40×9.5		13.5	11.1	40	9.5	16.56	30.01	1.28	不磨平	
CGM 1.3×13.5×25×7	1.3	13.5	10.9	25	7	11.42	44.17	3.25	磨平	碳钢
CGM 1.3×13.5×30×8.25		13.5	10.9	30	8.25	13.03	44.17	2.6	磨平	
CGM 1.3×13.5×35×9.25		13.5	10.9	35	9.25	15.31	44.17	2.24	磨平	
CGM 1.3×13.5×40×10.25		13.5	10.9	40	10.25	17.59	44.17	1.97	磨平	
CGS 1.3×13.5×25×7	1.3	13.5	10.9	25	7	10.92	38.18	2.71	磨平	不锈钢
CGS 1.3×13.5×30×8		13.5	10.9	30	8	13.1	38.18	2.26	磨平	
CGS 1.3×13.5×35×9		13.5	10.9	35	9	15.28	38.18	1.94	磨平	
CGS 1.3×13.5×40×10		13.5	10.9	40	10	17.46	38.18	1.69	磨平	
CGM 1.4×13.5×25×7.25	1.4	13.5	10.7	25	7.25	12.06	55.26	4.27	磨平	碳钢
CGM 1.4×13.5×30×8.25		13.5	10.7	30	8.25	14.6	55.26	3.59	磨平	
CGM 1.4×13.5×35×9.5		13.5	10.7	35	9.5	16.52	55.26	2.99	磨平	
CGM 1.4×13.5×40×10.75		13.5	10.7	40	10.75	18.44	55.26	2.56	磨平	
CGS 1.4×13.5×25×7	1.4	13.5	10.7	25	7	12.23	47.71	3.74	磨平	不锈钢
CGS 1.4×13.5×30×8.25		13.5	10.7	30	8.25	14.04	47.71	2.99	磨平	
CGS 1.4×13.5×35×9.25		13.5	10.7	35	9.25	16.49	47.71	2.58	磨平	
CGS 1.4×13.5×40×10.5		13.5	10.7	40	10.5	18.3	47.71	2.2	磨平	
CGM 1.5×13.5×25×7.5	1.5	13.5	10.5	25	7.5	12.68	67.85	5.51	磨平	碳钢
CGM 1.5×13.5×30×8.5		13.5	10.5	30	8.5	15.44	67.85	4.66	磨平	
CGM 1.5×13.5×35×9.75		13.5	10.5	35	9.75	17.64	67.85	3.91	磨平	
CGM 1.5×13.5×40×11		13.5	10.5	40	11	19.84	67.85	3.37	磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢



型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CGS 1.5×13.5×25×7.25	1.5	13.5	10.5	25	7.25	12.79	58.71	4.81	磨平	不锈钢
CGS 1.5×13.5×30×8.5		13.5	10.5	30	8.5	14.88	58.71	3.88	磨平	
CGS 1.5×13.5×35×9.5		13.5	10.5	35	9.5	17.56	58.71	3.37	磨平	
CGS 1.5×13.5×40×10.75		13.5	10.5	40	10.75	19.65	58.71	2.89	磨平	
CGM 1.6×13.5×25×7.5	1.6	13.5	10.3	25	7.5	13.72	82.47	7.31	磨平	碳钢
CGM 1.6×13.5×30×8.75		13.5	10.3	30	8.75	16.16	82.47	5.96	磨平	
CGM 1.6×13.5×35×10		13.5	10.3	35	10	18.59	82.47	5.03	磨平	
CGM 1.6×13.5×40×11.25		13.5	10.3	40	11.25	21.03	82.47	4.35	磨平	
CGS 1.6×13.5×25×7.25	1.6	13.5	10.3	25	7.25	13.83	71.29	6.38	磨平	不锈钢
CGS 1.6×13.5×30×8.5		13.5	10.3	30	8.5	16.17	71.29	5.16	磨平	
CGS 1.6×13.5×35×9.75		13.5	10.3	35	9.75	18.51	71.29	4.32	磨平	
CGS 1.6×13.5×40×11		13.5	10.3	40	11	20.85	71.29	3.72	磨平	
CGM 1.7×13.5×25×7.5	1.7	13.5	10.1	25	7.5	14.63	99.09	9.56	磨平	碳钢
CGM 1.7×13.5×30×8.75		13.5	10.1	30	8.75	17.28	99.09	7.79	磨平	
CGM 1.7×13.5×35×10		13.5	10.1	35	10	19.92	99.09	6.57	磨平	
CGM 1.7×13.5×40×11.25		13.5	10.1	40	11.25	22.56	99.09	5.68	磨平	
CGS 1.7×13.5×25×7.5	1.7	13.5	10.1	25	7.5	14.26	85.56	7.96	磨平	不锈钢
CGS 1.7×13.5×30×8.75		13.5	10.1	30	8.75	16.82	85.56	6.49	磨平	
CGS 1.7×13.5×35×10		13.5	10.1	35	10	19.37	85.56	5.48	磨平	
CGS 1.7×13.5×40×11.25		13.5	10.1	40	11.25	21.93	85.56	4.74	磨平	
CGM 1.8×13.5×25×7.75	1.8	13.5	9.9	25	7.75	15	117.82	11.79	磨平	碳钢
CGM 1.8×13.5×30×9		13.5	9.9	30	9	17.83	117.82	9.68	磨平	
CGM 1.8×13.5×35×10.25		13.5	9.9	35	10.25	20.66	117.82	8.22	磨平	
CGM 1.8×13.5×40×11.5		13.5	9.9	40	11.5	23.49	117.82	7.13	磨平	
CGS 1.8×13.5×25×7.5	1.8	13.5	9.9	25	7.5	15.1	101.62	10.27	磨平	不锈钢
CGS 1.8×13.5×30×8.75		13.5	9.9	30	8.75	17.86	101.62	8.37	磨平	
CGS 1.8×13.5×35×10		13.5	9.9	35	10	20.61	101.62	7.06	磨平	
CGS 1.8×13.5×40×11.25		13.5	9.9	40	11.25	23.36	101.62	6.11	磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢




型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CNM 1×14×25×5.75	1	14	12	25	5.75	9.61	19.31	1.26	不磨平	碳钢
CNM 1×14×30×6.75		14	12	30	6.75	10.51	19.31	0.99	不磨平	
CNM 1×14×35×7.5		14	12	35	7.5	12.44	19.31	0.86	不磨平	
CNM 1×14×40×8.25		14	12	40	8.25	14.36	19.31	0.75	不磨平	
CNS 1×14×25×5.75	1	14	12	25	5.75	9.05	16.68	1.05	不磨平	不锈钢
CNS 1×14×30×6.5		14	12	30	6.5	10.86	16.68	0.87	不磨平	
CNS 1×14×35×7.25		14	12	35	7.25	12.67	16.68	0.75	不磨平	
CNS 1×14×40×8.25		14	12	40	8.25	13.42	16.68	0.63	不磨平	
CNM 1.1×14×25×6	1.1	14	11.8	25	6	10.41	25.73	1.76	不磨平	碳钢
CNM 1.1×14×30×7		14	11.8	30	7	11.76	25.73	1.41	不磨平	
CNM 1.1×14×35×8		14	11.8	35	8	13.11	25.73	1.18	不磨平	
CNM 1.1×14×40×8.75		14	11.8	40	8.75	15.37	25.73	1.04	不磨平	
CNS 1.1×14×25×6	1.1	14	11.8	25	6	9.88	22.21	1.47	不磨平	不锈钢
CNS 1.1×14×30×6.75		14	11.8	30	6.75	12.05	22.21	1.24	不磨平	
CNS 1.1×14×35×7.75		14	11.8	35	7.75	13.27	22.21	1.02	不磨平	
CNS 1.1×14×40×8.75		14	11.8	40	8.75	14.49	22.21	0.87	不磨平	
CNM 1.2×14×25×6.25	1.2	14	11.6	25	6.25	11.15	33.33	2.41	不磨平	碳钢
CNM 1.2×14×30×7.25		14	11.6	30	7.25	12.89	33.33	1.95	不磨平	
CNM 1.2×14×35×8.25		14	11.6	35	8.25	14.63	33.33	1.64	不磨平	
CNM 1.2×14×40×9.25		14	11.6	40	9.25	16.37	33.33	1.41	不磨平	
CNS 1.2×14×25×6.25	1.2	14	11.6	25	6.25	10.61	28.84	2	不磨平	不锈钢
CNS 1.2×14×30×7.25		14	11.6	30	7.25	12.23	28.84	1.62	不磨平	
CNS 1.2×14×35×8		14	11.6	35	8	14.69	28.84	1.42	不磨平	
CNS 1.2×14×40×9		14	11.6	40	9	16.31	28.84	1.22	不磨平	
CGM 1.3×14×25×6.75	1.3	14	11.4	25	6.75	11.02	42.43	3.04	磨平	碳钢
CGM 1.3×14×30×7.75		14	11.4	30	7.75	13.08	42.43	2.51	磨平	
CGM 1.3×14×35×8.75		14	11.4	35	8.75	15.14	42.43	2.14	磨平	
CGM 1.3×14×40×9.75		14	11.4	40	9.75	17.19	42.43	1.86	磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢




型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CGS 1.3×14×25×6.75	1.3	14	11.4	25	6.75	10.5	36.67	2.53	磨平	不锈钢
CGS 1.3×14×30×7.75		14	11.4	30	7.75	12.45	36.67	2.09	磨平	
CGS 1.3×14×35×8.75		14	11.4	35	8.75	14.4	36.67	1.78	磨平	
CGS 1.3×14×40×9.75		14	11.4	40	9.75	16.35	36.67	1.55	磨平	
CGM 1.4×14×25×7	1.4	14	11.2	25	7	11.64	53.07	3.97	磨平	碳钢
CGM 1.4×14×30×8		14	11.2	30	8	13.97	53.07	3.31	磨平	
CGM 1.4×14×35×9		14	11.2	35	9	16.29	53.07	2.84	磨平	
CGM 1.4×14×40×10.25		14	11.2	40	10.25	17.95	53.07	2.41	磨平	
CGS 1.4×14×25×6.75	1.4	14	11.2	25	6.75	11.85	45.81	3.48	磨平	不锈钢
CGS 1.4×14×30×8		14	11.2	30	8	13.39	45.81	2.76	磨平	
CGS 1.4×14×35×9		14	11.2	35	9	15.62	45.81	2.36	磨平	
CGS 1.4×14×40×10		14	11.2	40	10	17.85	45.81	2.07	磨平	
CGM 1.5×14×25×7	1.5	14	11	25	7	12.85	65.13	5.36	磨平	碳钢
CGM 1.5×14×30×8.25		14	11	30	8.25	14.81	65.13	4.29	磨平	
CGM 1.5×14×35×9.25		14	11	35	9.25	17.38	65.13	3.7	磨平	
CGM 1.5×14×40×10.5		14	11	40	10.5	19.35	65.13	3.15	磨平	
CGS 1.5×14×25×7	1.5	14	11	25	7	12.38	56.36	4.47	磨平	不锈钢
CGS 1.5×14×30×8		14	11	30	8	14.86	56.36	3.72	磨平	
CGS 1.5×14×35×9.25		14	11	35	9.25	16.71	56.36	3.08	磨平	
CGS 1.5×14×40×10.25		14	11	40	10.25	19.18	56.36	2.71	磨平	
CGM 1.6×14×25×7.25	1.6	14	10.8	25	7.25	13.31	79.15	6.77	磨平	碳钢
CGM 1.6×14×30×8.5		14	10.8	30	8.5	15.53	79.15	5.47	磨平	
CGM 1.6×14×35×9.5		14	10.8	35	9.5	18.3	79.15	4.74	磨平	
CGM 1.6×14×40×10.75		14	10.8	40	10.75	20.52	79.15	4.06	磨平	
CGS 1.6×14×25×7	1.6	14	10.8	25	7	13.45	68.42	5.92	磨平	不锈钢
CGS 1.6×14×30×8.25		14	10.8	30	8.25	15.56	68.42	4.74	磨平	
CGS 1.6×14×35×9.5		14	10.8	35	9.5	17.68	68.42	3.95	磨平	
CGS 1.6×14×40×10.5		14	10.8	40	10.5	20.37	68.42	3.48	磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢



型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CGM 1.7×14×25×7.25	1.7	14	10.6	25	7.25	14.25	95.06	8.84	磨平	碳钢
CGM 1.7×14×30×8.5		14	10.6	30	8.5	16.69	95.06	7.14	磨平	
CGM 1.7×14×35×9.75		14	10.6	35	9.75	19.13	95.06	5.99	磨平	
CGM 1.7×14×40×11		14	10.6	40	11	21.57	95.06	5.16	磨平	
CGS 1.7×14×25×7.25	1.7	14	10.6	25	7.25	13.86	82.08	7.37	磨平	不锈钢
CGS 1.7×14×30×8.5		14	10.6	30	8.5	16.21	82.08	5.95	磨平	
CGS 1.7×14×35×9.5		14	10.6	35	9.5	19.08	82.08	5.16	磨平	
CGS 1.7×14×40×10.75		14	10.6	40	10.75	21.43	82.08	4.42	磨平	
CGM 1.8×14×25×7.5	1.8	14	10.4	25	7.5	14.6	112.99	10.87	磨平	碳钢
CGM 1.8×14×30×8.5		14	10.4	30	8.5	17.71	112.99	9.2	磨平	
CGM 1.8×14×35×9.75		14	10.4	35	9.75	20.35	112.99	7.71	磨平	
CGM 1.8×14×40×11		14	10.4	40	11	22.99	112.99	6.64	磨平	
CGS 1.8×14×25×7.25	1.8	14	10.4	25	7.25	14.73	97.46	9.49	磨平	不锈钢
CGS 1.8×14×30×8.5		14	10.4	30	8.5	17.28	97.46	7.66	磨平	
CGS 1.8×14×35×9.75		14	10.4	35	9.75	19.84	97.46	6.43	磨平	
CGS 1.8×14×40×11		14	10.4	40	11	22.39	97.46	5.54	磨平	
CGM 1.9×14×25×7.5	1.9	14	10.2	25	7.5	15.41	132.6	13.83	磨平	碳钢
CGM 1.9×14×30×8.75		14	10.2	30	8.75	18.23	132.6	11.27	磨平	
CGM 1.9×14×35×10		14	10.2	35	10	21.05	132.6	9.51	磨平	
CGM 1.9×14×40×11.25		14	10.2	40	11.25	23.88	132.6	8.22	磨平	
CGS 1.9×14×25×7.25	1.9	14	10.2	25	7.25	15.51	114.64	12.07	磨平	不锈钢
CGS 1.9×14×30×8.5		14	10.2	30	8.5	18.24	114.64	9.75	磨平	
CGS 1.9×14×35×9.75		14	10.2	35	9.75	20.98	114.64	8.18	磨平	
CGS 1.9×14×40×11		14	10.2	40	11	23.72	114.64	7.04	磨平	
CNM 1.1×14.5×25×5.75	1.1	14.5	12.3	25	5.75	10.24	24.77	1.68	不磨平	碳钢
CNM 1.1×14.5×30×6.75		14.5	12.3	30	6.75	11.3	24.77	1.32	不磨平	
CNM 1.1×14.5×35×7.5		14.5	12.3	35	7.5	13.35	24.77	1.14	不磨平	
CNM 1.1×14.5×40×8.5		14.5	12.3	40	8.5	14.41	24.77	0.97	不磨平	


G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢



型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CNS 1.1×14.5×25×5.75	1.1	14.5	12.3	25	5.75	9.71	21.38	1.4	不磨平	不锈钢
CNS 1.1×14.5×30×6.5		14.5	12.3	30	6.5	11.65	21.38	1.17	不磨平	
CNS 1.1×14.5×35×7.5		14.5	12.3	35	7.5	12.57	21.38	0.95	不磨平	
CNS 1.1×14.5×40×8.25		14.5	12.3	40	8.25	14.52	21.38	0.84	不磨平	
CNM 1.2×14.5×25×6	1.2	14.5	12.1	25	6	10.92	32.08	2.28	不磨平	碳钢
CNM 1.2×14.5×30×7		14.5	12.1	30	7	12.4	32.08	1.82	不磨平	
CNM 1.2×14.5×35×8		14.5	12.1	35	8	13.88	32.08	1.52	不磨平	
CNM 1.2×14.5×40×8.75		14.5	12.1	40	8.75	16.24	32.08	1.35	不磨平	
CNS 1.2×14.5×25×6	1.2	14.5	12.1	25	6	10.39	27.75	1.9	不磨平	不锈钢
CNS 1.2×14.5×30×6.75		14.5	12.1	30	6.75	12.65	27.75	1.6	不磨平	
CNS 1.2×14.5×35×7.75		14.5	12.1	35	7.75	13.99	27.75	1.32	不磨平	
CNS 1.2×14.5×40×8.75		14.5	12.1	40	8.75	15.34	27.75	1.13	不磨平	
CNM 1.3×14.5×25×6.25	1.3	14.5	11.9	25	6.25	11.49	40.83	3.02	不磨平	碳钢
CNM 1.3×14.5×30×7.25		14.5	11.9	30	7.25	13.31	40.83	2.45	不磨平	
CNM 1.3×14.5×35×8.25		14.5	11.9	35	8.25	15.13	40.83	2.05	不磨平	
CNM 1.3×14.5×40×9.25		14.5	11.9	40	9.25	16.95	40.83	1.77	不磨平	
CNS 1.3×14.5×25×6.25	1.3	14.5	11.9	25	6.25	10.99	35.28	2.52	不磨平	不锈钢
CNS 1.3×14.5×30×7		14.5	11.9	30	7	13.51	35.28	2.14	不磨平	
CNS 1.3×14.5×35×8		14.5	11.9	35	8	15.22	35.28	1.78	不磨平	
CNS 1.3×14.5×40×9		14.5	11.9	40	9	16.92	35.28	1.53	不磨平	
CGM 1.4×14.5×25×6.75	1.4	14.5	11.7	25	6.75	11.28	51.04	3.72	磨平	碳钢
CGM 1.4×14.5×30×7.75		14.5	11.7	30	7.75	13.39	51.04	3.07	磨平	
CGM 1.4×14.5×35×8.75		14.5	11.7	35	8.75	15.5	51.04	2.62	磨平	
CGM 1.4×14.5×40×9.75		14.5	11.7	40	9.75	17.61	51.04	2.28	磨平	
CGS 1.4×14.5×25×6.5	1.4	14.5	11.7	25	6.5	11.54	44.06	3.27	磨平	不锈钢
CGS 1.4×14.5×30×7.5		14.5	11.7	30	7.5	13.54	44.06	2.68	磨平	
CGS 1.4×14.5×35×8.5		14.5	11.7	35	8.5	15.55	44.06	2.27	磨平	
CGS 1.4×14.5×40×9.5		14.5	11.7	40	9.5	17.56	44.06	1.96	磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢






型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CGM 1.5×14.5×25×6.75	1.5	14.5	11.5	25	6.75	12.51	62.63	5.02	磨平	碳钢
CGM 1.5×14.5×30×8		14.5	11.5	30	8	14.23	62.63	3.97	磨平	
CGM 1.5×14.5×35×9		14.5	11.5	35	9	16.6	62.63	3.4	磨平	
CGM 1.5×14.5×40×10		14.5	11.5	40	10	18.97	62.63	2.98	磨平	
CGS 1.5×14.5×25×6.75	1.5	14.5	11.5	25	6.75	12.04	54.19	4.18	磨平	不锈钢
CGS 1.5×14.5×30×7.75		14.5	11.5	30	7.75	14.31	54.19	3.45	磨平	
CGS 1.5×14.5×35×8.75		14.5	11.5	35	8.75	16.58	54.19	2.94	磨平	
CGS 1.5×14.5×40×9.75		14.5	11.5	40	9.75	18.85	54.19	2.56	磨平	
CGM 1.6×14.5×25×7	1.6	14.5	11.3	25	7	12.95	76.08	6.31	磨平	碳钢
CGM 1.6×14.5×30×8		14.5	11.3	30	8	15.54	76.08	5.26	磨平	
CGM 1.6×14.5×35×9.25		14.5	11.3	35	9.25	17.53	76.08	4.35	磨平	
CGM 1.6×14.5×40×10.25		14.5	11.3	40	10.25	20.12	76.08	3.83	磨平	
CGS 1.6×14.5×25×6.75	1.6	14.5	11.3	25	6.75	13.13	65.76	5.54	磨平	不锈钢
CGS 1.6×14.5×30×8		14.5	11.3	30	8	15	65.76	4.38	磨平	
CGS 1.6×14.5×35×9		14.5	11.3	35	9	17.5	65.76	3.76	磨平	
CGS 1.6×14.5×40×10.25		14.5	11.3	40	10.25	19.38	65.76	3.19	磨平	
CGM 1.7×14.5×25×7	1.7	14.5	11.1	25	7	13.91	91.34	8.24	磨平	碳钢
CGM 1.7×14.5×30×8.25		14.5	11.1	30	8.25	16.14	91.34	6.59	磨平	
CGM 1.7×14.5×35×9.25		14.5	11.1	35	9.25	18.92	91.34	5.68	磨平	
CGM 1.7×14.5×40×10.5		14.5	11.1	40	10.5	21.15	91.34	4.85	磨平	
CGS 1.7×14.5×25×7	1.7	14.5	11.1	25	7	13.51	78.87	6.86	磨平	不锈钢
CGS 1.7×14.5×30×8		14.5	11.1	30	8	16.21	78.87	5.72	磨平	
CGS 1.7×14.5×35×9.25		14.5	11.1	35	9.25	18.34	78.87	4.73	磨平	
CGS 1.7×14.5×40×10.25		14.5	11.1	40	10.25	21.04	78.87	4.16	磨平	
CNM 1.1×15×25×5.75	1.1	15	12.8	25	5.75	9.11	23.88	1.5	不磨平	碳钢
CNM 1.1×15×30×6.5		15	12.8	30	6.5	10.94	23.88	1.25	不磨平	
CNM 1.1×15×35×7.25		15	12.8	35	7.25	12.76	23.88	1.07	不磨平	
CNM 1.1×15×40×8		15	12.8	40	8	14.58	23.88	0.94	不磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢




型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CNS 1.1×15×25×5.5	1.1	15	12.8	25	5.5	9.64	20.61	1.34	不磨平	不锈钢
CNS 1.1×15×30×6.25		15	12.8	30	6.25	11.36	20.61	1.11	不磨平	
CNS 1.1×15×35×7		15	12.8	35	7	13.06	20.61	0.94	不磨平	
CNS 1.1×15×40×8		15	12.8	40	8	13.68	20.61	0.78	不磨平	
CNM 1.2×15×25×5.75	1.2	15	12.6	25	5.75	10.79	30.92	2.18	不磨平	碳钢
CNM 1.2×15×30×6.75		15	12.6	30	6.75	12	30.92	1.72	不磨平	
CNM 1.2×15×35×7.5		15	12.6	35	7.5	14.16	30.92	1.48	不磨平	
CNM 1.2×15×40×8.5		15	12.6	40	8.5	15.37	30.92	1.26	不磨平	
CNS 1.2×15×25×5.75	1.2	15	12.6	25	5.75	10.25	26.75	1.81	不磨平	不锈钢
CNS 1.2×15×30×6.5		15	12.6	30	6.5	12.3	26.75	1.51	不磨平	
CNS 1.2×15×35×7.5		15	12.6	35	7.5	13.36	26.75	1.24	不磨平	
CNS 1.2×15×40×8.25		15	12.6	40	8.25	15.41	26.75	1.09	不磨平	
CNM 1.3×15×21×5.25	1.3	15	12.4	21	5.25	9.87	39.34	3.53	不磨平	碳钢
CNM 1.3×15×25×6		15	12.4	25	6	11.3	39.34	2.87	不磨平	
CNM 1.3×15×29×6.75		15	12.4	29	6.75	12.73	39.34	2.42	不磨平	
CNM 1.3×15×33×7.5		15	12.4	33	7.5	14.16	39.34	2.09	不磨平	
CNS 1.3×15×21×5.25	1.3	15	12.4	21	5.25	9.46	34	2.95	不磨平	不锈钢
CNS 1.3×15×25×6		15	12.4	25	6	10.79	34	2.39	不磨平	
CNS 1.3×15×29×6.75		15	12.4	29	6.75	12.13	34	2.02	不磨平	
CNS 1.3×15×33×7.25		15	12.4	33	7.25	14.35	34	1.82	不磨平	
CGM 1.4×15×23×6	1.4	15	12.2	23	6	10.55	49.16	3.95	磨平	碳钢
CGM 1.4×15×27×6.75		15	12.2	27	6.75	12.21	49.16	3.32	磨平	
CGM 1.4×15×31×7.5		15	12.2	31	7.5	13.88	49.16	2.87	磨平	
CGM 1.4×15×35×8.5		15	12.2	35	8.5	14.77	49.16	2.43	磨平	
CGS 1.4×15×23×6	1.4	15	12.2	23	6	10.1	42.44	3.29	磨平	不锈钢
CGS 1.4×15×27×6.75		15	12.2	27	6.75	11.68	42.44	2.77	磨平	
CGS 1.4×15×31×7.5		15	12.2	31	7.5	13.26	42.44	2.39	磨平	
CGS 1.4×15×35×8.25		15	12.2	35	8.25	14.84	42.44	2.11	磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢




型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CGM 1.5×15×23×6.25	1.5	15	12	23	6.25	10.95	60.31	5.01	磨平	碳钢
CGM 1.5×15×27×7		15	12	27	7	12.83	60.31	4.26	磨平	
CGM 1.5×15×31×7.75		15	12	31	7.75	14.7	60.31	3.7	磨平	
CGM 1.5×15×35×8.75		15	12	35	8.75	15.87	60.31	3.15	磨平	
CGS 1.5×15×23×6	1.5	15	12	23	6	11.23	52.19	4.43	磨平	不锈钢
CGS 1.5×15×27×7		15	12	27	7	12.28	52.19	3.55	磨平	
CGS 1.5×15×31×7.75		15	12	31	7.75	14.07	52.19	3.08	磨平	
CGS 1.5×15×35×8.5		15	12	35	8.5	15.87	52.19	2.73	磨平	
CGM 1.6×15×23×6.25	1.6	15	11.8	23	6.25	11.95	73.24	6.63	磨平	碳钢
CGM 1.6×15×27×7.25		15	11.8	27	7.25	13.35	73.24	5.36	磨平	
CGM 1.6×15×31×8		15	11.8	31	8	15.4	73.24	4.69	磨平	
CGM 1.6×15×35×8.75		15	11.8	35	8.75	17.45	73.24	4.17	磨平	
CGS 1.6×15×23×6.25	1.6	15	11.8	23	6.25	11.54	63.31	5.52	磨平	不锈钢
CGS 1.6×15×27×7		15	11.8	27	7	13.51	63.31	4.69	磨平	
CGS 1.6×15×31×7.75		15	11.8	31	7.75	15.49	63.31	4.08	磨平	
CGS 1.6×15×35×8.75		15	11.8	35	8.75	16.79	63.31	3.48	磨平	
CGM 1.7×15×23×6.5	1.7	15	11.6	23	6.5	12.22	87.91	8.16	磨平	碳钢
CGM 1.7×15×27×7.25		15	11.6	27	7.25	14.43	87.91	6.99	磨平	
CGM 1.7×15×31×8.25		15	11.6	31	8.25	16.03	87.91	5.87	磨平	
CGM 1.7×15×35×9		15	11.6	35	9	18.24	87.91	5.24	磨平	
CGS 1.7×15×23×6.25	1.7	15	11.6	23	6.25	12.45	75.91	7.2	磨平	不锈钢
CGS 1.7×15×27×7.25		15	11.6	27	7.25	13.97	75.91	5.83	磨平	
CGS 1.7×15×31×8		15	11.6	31	8	16.11	75.91	5.1	磨平	
CGS 1.7×15×35×9		15	11.6	35	9	17.63	75.91	4.37	磨平	
CGM 1.8×15×23×6.5	1.8	15	11.4	23	6.5	13.04	104.43	10.49	磨平	碳钢
CGM 1.8×15×27×7.5		15	11.4	27	7.5	14.83	104.43	8.58	磨平	
CGM 1.8×15×31×8.25		15	11.4	31	8.25	17.17	104.43	7.55	磨平	
CGM 1.8×15×35×9.25		15	11.4	35	9.25	18.96	104.43	6.51	磨平	

G: 磨平    N: 不磨平  
M: 碳钢    S: 不锈钢



型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CGS 1.8×15×23×6.5	1.8	15	11.4	23	6.5	12.69	90.07	8.74	磨平	不锈钢
CGS 1.8×15×27×7.25		15	11.4	27	7.25	14.98	90.07	7.49	磨平	
CGS 1.8×15×31×8.25		15	11.4	31	8.25	16.69	90.07	6.29	磨平	
CGS 1.8×15×35×9		15	11.4	35	9	18.97	90.07	5.62	磨平	
CGM 1.9×15×23×6.5	1.9	15	11.2	23	6.5	13.81	122.48	13.32	磨平	碳钢
CGM 1.9×15×27×7.5		15	11.2	27	7.5	15.76	122.48	10.9	磨平	
CGM 1.9×15×31×8.5		15	11.2	31	8.5	17.72	122.48	9.22	磨平	
CGM 1.9×15×35×9.25		15	11.2	35	9.25	20.19	122.48	8.27	磨平	
CGS 1.9×15×23×6.5	1.9	15	11.2	23	6.5	13.46	105.89	11.1	磨平	不锈钢
CGS 1.9×15×27×7.25		15	11.2	27	7.25	15.87	105.89	9.51	磨平	
CGS 1.9×15×31×8.25		15	11.2	31	8.25	17.75	105.89	7.99	磨平	
CGS 1.9×15×35×9.25		15	11.2	35	9.25	19.63	105.89	6.89	磨平	
CNM 1.2×15.5×25×5.75	1.2	15.5	13.1	25	5.75	9.74	29.84	1.96	不磨平	碳钢
CNM 1.2×15.5×30×6.5		15.5	13.1	30	6.5	11.69	29.84	1.63	不磨平	
CNM 1.2×15.5×35×7.25		15.5	13.1	35	7.25	13.64	29.84	1.4	不磨平	
CNM 1.2×15.5×40×8		15.5	13.1	40	8	15.58	29.84	1.22	不磨平	
CNS 1.2×15.5×25×5.5	1.2	15.5	13.1	25	5.5	10.22	25.81	1.75	不磨平	不锈钢
CNS 1.2×15.5×30×6.25		15.5	13.1	30	6.25	12.05	25.81	1.44	不磨平	
CNS 1.2×15.5×35×7.25		15.5	13.1	35	7.25	12.82	25.81	1.16	不磨平	
CNS 1.2×15.5×40×8		15.5	13.1	40	8	14.66	25.81	1.02	不磨平	
CNM 1.3×15.5×25×5.75	1.3	15.5	12.9	25	5.75	11.2	37.95	2.75	不磨平	碳钢
CNM 1.3×15.5×30×6.75		15.5	12.9	30	6.75	12.52	37.95	2.17	不磨平	
CNM 1.3×15.5×35×7.5		15.5	12.9	35	7.5	14.76	37.95	1.88	不磨平	
CNM 1.3×15.5×40×8.5		15.5	12.9	40	8.5	16.09	37.95	1.59	不磨平	
CNS 1.3×15.5×25×5.75	1.3	15.5	12.9	25	5.75	10.69	32.8	2.29	不磨平	不锈钢
CNS 1.3×15.5×30×6.5		15.5	12.9	30	6.5	12.83	32.8	1.91	不磨平	
CNS 1.3×15.5×35×7.5		15.5	12.9	35	7.5	14.01	32.8	1.56	不磨平	
CNS 1.3×15.5×40×8.25		15.5	12.9	40	8.25	16.15	32.8	1.38	不磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢




型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CNM 1.4×15.5×25×6	1.4	15.5	12.7	25	6	11.61	47.42	3.54	不磨平	碳钢
CNM 1.4×15.5×30×7		15.5	12.7	30	7	13.27	47.42	2.83	不磨平	
CNM 1.4×15.5×35×7.75		15.5	12.7	35	7.75	15.76	47.42	2.46	不磨平	
CNM 1.4×15.5×40×8.75		15.5	12.7	40	8.75	17.41	47.42	2.1	不磨平	
CNS 1.4×15.5×25×5.75	1.4	15.5	12.7	25	5.75	12	40.94	3.15	不磨平	不锈钢
CNS 1.4×15.5×30×6.75		15.5	12.7	30	6.75	13.53	40.94	2.49	不磨平	
CNS 1.4×15.5×35×7.75		15.5	12.7	35	7.75	15.07	40.94	2.05	不磨平	
CNS 1.4×15.5×40×8.5		15.5	12.7	40	8.5	17.47	40.94	1.82	不磨平	
CGM 1.5×15.5×25×6.5	1.5	15.5	12.5	25	6.5	11.28	58.15	4.24	磨平	碳钢
CGM 1.5×15.5×30×7.25		15.5	12.5	30	7.25	14	58.15	3.63	磨平	
CGM 1.5×15.5×35×8.25		15.5	12.5	35	8.25	15.95	58.15	3.05	磨平	
CGM 1.5×15.5×40×9.25		15.5	12.5	40	9.25	17.9	58.15	2.63	磨平	
CGS 1.5×15.5×25×6.25	1.5	15.5	12.5	25	6.25	11.55	50.32	3.74	磨平	不锈钢
CGS 1.5×15.5×30×7.25		15.5	12.5	30	7.25	13.38	50.32	3.03	磨平	
CGS 1.5×15.5×35×8.25		15.5	12.5	35	8.25	15.22	50.32	2.54	磨平	
CGS 1.5×15.5×40×9		15.5	12.5	40	9	17.84	50.32	2.27	磨平	
CGM 1.6×15.5×25×6.5	1.6	15.5	12.3	25	6.5	12.41	70.61	5.61	磨平	碳钢
CGM 1.6×15.5×30×7.5		15.5	12.3	30	7.5	14.61	70.61	4.59	磨平	
CGM 1.6×15.5×35×8.5		15.5	12.3	35	8.5	16.81	70.61	3.88	磨平	
CGM 1.6×15.5×40×9.5		15.5	12.3	40	9.5	19.01	70.61	3.36	磨平	
CGS 1.6×15.5×25×6.5	1.6	15.5	12.3	25	6.5	11.94	61.03	4.67	磨平	不锈钢
CGS 1.6×15.5×30×7.5		15.5	12.3	30	7.5	14.04	61.03	3.82	磨平	
CGS 1.6×15.5×35×8.5		15.5	12.3	35	8.5	16.14	61.03	3.24	磨平	
CGS 1.6×15.5×40×9.25		15.5	12.3	40	9.25	18.96	61.03	2.9	磨平	
CGM 1.7×15.5×25×6.75	1.7	15.5	12.1	25	6.75	12.75	84.73	6.92	磨平	碳钢
CGM 1.7×15.5×30×7.75		15.5	12.1	30	7.75	15.17	84.73	5.72	磨平	
CGM 1.7×15.5×35×8.75		15.5	12.1	35	8.75	17.6	84.73	4.87	磨平	
CGM 1.7×15.5×40×9.75		15.5	12.1	40	9.75	20.02	84.73	4.24	磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢




型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CGS 1.7×15.5×25×6.5	1.7	15.5	12.1	25	6.5	12.98	73.16	6.09	磨平	不锈钢
CGS 1.7×15.5×30×7.5		15.5	12.1	30	7.5	15.31	73.16	4.98	磨平	
CGS 1.7×15.5×35×8.5		15.5	12.1	35	8.5	17.64	73.16	4.21	磨平	
CGS 1.7×15.5×40×9.5		15.5	12.1	40	9.5	19.96	73.16	3.65	磨平	
CGM 1.8×15.5×25×6.75	1.8	15.5	11.9	25	6.75	13.68	100.62	8.89	磨平	碳钢
CGM 1.8×15.5×30×7.75		15.5	11.9	30	7.75	16.29	100.62	7.34	磨平	
CGM 1.8×15.5×35×8.75		15.5	11.9	35	8.75	18.91	100.62	6.25	磨平	
CGM 1.8×15.5×40×10		15.5	11.9	40	10	20.93	100.62	5.28	磨平	
CGS 1.8×15.5×25×6.5	1.8	15.5	11.9	25	6.5	13.9	86.79	7.82	磨平	不锈钢
CGS 1.8×15.5×30×7.75		15.5	11.9	30	7.75	15.81	86.79	6.12	磨平	
CGS 1.8×15.5×35×8.75		15.5	11.9	35	8.75	18.35	86.79	5.21	磨平	
CGS 1.8×15.5×40×9.75		15.5	11.9	40	9.75	20.88	86.79	4.54	磨平	
CNM 1.2×16×30×6.25	1.2	16	13.6	30	6.25	11.48	28.83	1.56	不磨平	碳钢
CNM 1.2×16×35×7		16	13.6	35	7	13.21	28.83	1.32	不磨平	
CNM 1.2×16×40×7.75		16	13.6	40	7.75	14.94	28.83	1.15	不磨平	
CNM 1.2×16×45×8.5		16	13.6	45	8.5	16.67	28.83	1.02	不磨平	
CNS 1.2×16×30×6	1.2	16	13.6	30	6	11.9	24.94	1.38	不磨平	不锈钢
CNS 1.2×16×35×6.75		16	13.6	35	6.75	13.51	24.94	1.16	不磨平	
CNS 1.2×16×40×7.5		16	13.6	40	7.5	15.11	24.94	1	不磨平	
CNS 1.2×16×45×8.25		16	13.6	45	8.25	16.72	24.94	0.88	不磨平	
CNM 1.3×16×30×6.5	1.3	16	13.4	30	6.5	12.26	36.66	2.07	不磨平	碳钢
CNM 1.3×16×35×7.25		16	13.4	35	7.25	14.3	36.66	1.77	不磨平	
CNM 1.3×16×40×8		16	13.4	40	8	16.34	36.66	1.55	不磨平	
CNM 1.3×16×45×9		16	13.4	45	9	17.4	36.66	1.33	不磨平	
CNS 1.3×16×30×6.25	1.3	16	13.4	30	6.25	12.62	31.68	1.82	不磨平	不锈钢
CNS 1.3×16×35×7.25		16	13.4	35	7.25	13.53	31.68	1.48	不磨平	
CNS 1.3×16×40×8		16	13.4	40	8	15.47	31.68	1.29	不磨平	
CNS 1.3×16×45×8.75		16	13.4	45	8.75	17.4	31.68	1.15	不磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢



型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CNM 1.4×16×30×6.75	1.4	16	13.2	30	6.75	12.96	45.8	2.69	不磨平	碳钢
CNM 1.4×16×35×7.5		16	13.2	35	7.5	15.27	45.8	2.32	不磨平	
CNM 1.4×16×40×8.5		16	13.2	40	8.5	16.68	45.8	1.96	不磨平	
CNM 1.4×16×45×9.25		16	13.2	45	9.25	18.99	45.8	1.76	不磨平	
CNS 1.4×16×30×6.5	1.4	16	13.2	30	6.5	13.27	39.54	2.36	不磨平	不锈钢
CNS 1.4×16×35×7.5		16	13.2	35	7.5	14.56	39.54	1.93	不磨平	
CNS 1.4×16×40×8.25		16	13.2	40	8.25	16.77	39.54	1.7	不磨平	
CNS 1.4×16×45×9		16	13.2	45	9	18.98	39.54	1.52	不磨平	
CGM 1.5×16×35×8	1.5	16	13	35	8	15.38	56.15	2.86	磨平	碳钢
CGM 1.5×16×40×9		16	13	40	9	17.11	56.15	2.45	磨平	
CGM 1.5×16×45×9.75		16	13	45	9.75	19.66	56.15	2.22	磨平	
CGM 1.5×16×50×10.75		16	13	50	10.75	21.39	56.15	1.96	磨平	
CGS 1.5×16×35×7.75	1.5	16	13	35	7.75	15.47	48.59	2.49	磨平	不锈钢
CGS 1.5×16×40×8.75		16	13	40	8.75	17.08	48.59	2.12	磨平	
CGS 1.5×16×45×9.75		16	13	45	9.75	18.68	48.59	1.85	磨平	
CGS 1.5×16×50×10.5		16	13	50	10.5	21.14	48.59	1.68	磨平	
CGM 1.6×16×35×8.25	1.6	16	12.8	35	8.25	16.23	68.16	3.63	磨平	碳钢
CGM 1.6×16×40×9.25		16	12.8	40	9.25	18.23	68.16	3.13	磨平	
CGM 1.6×16×45×10.25		16	12.8	45	10.25	20.22	68.16	2.75	磨平	
CGM 1.6×16×50×11		16	12.8	50	11	22.97	68.16	2.52	磨平	
CGS 1.6×16×35×8	1.6	16	12.8	35	8	16.31	58.91	3.15	磨平	不锈钢
CGS 1.6×16×40×9		16	12.8	40	9	18.2	58.91	2.7	磨平	
CGS 1.6×16×45×10		16	12.8	45	10	20.08	58.91	2.36	磨平	
CGS 1.6×16×50×11		16	12.8	50	11	21.97	58.91	2.1	磨平	
CGM 1.7×16×35×8.5	1.7	16	12.6	35	8.5	17.01	81.76	4.54	磨平	碳钢
CGM 1.7×16×40×9.5		16	12.6	40	9.5	19.24	81.76	3.94	磨平	
CGM 1.7×16×45×10.5		16	12.6	45	10.5	21.47	81.76	3.47	磨平	
CGM 1.7×16×50×11.5		16	12.6	50	11.5	23.7	81.76	3.11	磨平	


G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢



型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CGS 1.7×16×35×8.25	1.7	16	12.6	35	8.25	17.07	70.6	3.94	磨平	不锈钢
CGS 1.7×16×40×9.25		16	12.6	40	9.25	19.2	70.6	3.39	磨平	
CGS 1.7×16×45×10.25		16	12.6	45	10.25	21.33	70.6	2.98	磨平	
CGS 1.7×16×50×11.25		16	12.6	50	11.25	23.47	70.6	2.66	磨平	
CGM 1.8×16×35×8.5	1.8	16	12.4	35	8.5	18.36	97.07	5.83	磨平	碳钢
CGM 1.8×16×40×9.5		16	12.4	40	9.5	20.8	97.07	5.05	磨平	
CGM 1.8×16×45×10.5		16	12.4	45	10.5	23.24	97.07	4.46	磨平	
CGM 1.8×16×50×11.75		16	12.4	50	11.75	25.04	97.07	3.89	磨平	
CGS 1.8×16×35×8.5	1.8	16	12.4	35	8.5	17.77	83.73	4.86	磨平	不锈钢
CGS 1.8×16×40×9.5		16	12.4	40	9.5	20.12	83.73	4.21	磨平	
CGS 1.8×16×45×10.5		16	12.4	45	10.5	22.47	83.73	3.72	磨平	
CGS 1.8×16×50×11.5		16	12.4	50	11.5	24.82	83.73	3.33	磨平	
CGM 1.9×16×35×8.75	1.9	16	12.2	35	8.75	19.02	113.79	7.12	磨平	碳钢
CGM 1.9×16×40×9.75		16	12.2	40	9.75	21.66	113.79	6.2	磨平	
CGM 1.9×16×45×10.75		16	12.2	45	10.75	24.29	113.79	5.49	磨平	
CGM 1.9×16×50×11.75		16	12.2	50	11.75	26.92	113.79	4.93	磨平	
CGS 1.9×16×35×8.5	1.9	16	12.2	35	8.5	19.04	98.38	6.16	磨平	不锈钢
CGS 1.9×16×40×9.5		16	12.2	40	9.5	21.58	98.38	5.34	磨平	
CGS 1.9×16×45×10.75		16	12.2	45	10.75	23.51	98.38	4.58	磨平	
CGS 1.9×16×50×11.75		16	12.2	50	11.75	26.06	98.38	4.11	磨平	
CNM 1.2×16.5×35×6.75	1.2	16.5	14.1	35	6.75	12.87	27.89	1.26	不磨平	碳钢
CNM 1.2×16.5×40×7.5		16.5	14.1	40	7.5	14.38	27.89	1.09	不磨平	
CNM 1.2×16.5×45×8.25		16.5	14.1	45	8.25	15.88	27.89	0.96	不磨平	
CNM 1.2×16.5×50×9		16.5	14.1	50	9	17.39	27.89	0.86	不磨平	
CNS 1.2×16.5×35×6.5	1.2	16.5	14.1	35	6.5	13.24	24.13	1.11	不磨平	不锈钢
CNS 1.2×16.5×40×7.25		16.5	14.1	40	7.25	14.61	24.13	0.95	不磨平	
CNS 1.2×16.5×45×8		16.5	14.1	45	8	15.98	24.13	0.83	不磨平	
CNS 1.2×16.5×50×8.75		16.5	14.1	50	8.75	17.35	24.13	0.74	不磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢






型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CNM 1.3×16.5×35×7	1.3	16.5	13.9	35	7	13.92	35.45	1.68	不磨平	碳钢
CNM 1.3×16.5×40×7.75		16.5	13.9	40	7.75	15.76	35.45	1.46	不磨平	
CNM 1.3×16.5×45×8.5		16.5	13.9	45	8.5	17.6	35.45	1.29	不磨平	
CNM 1.3×16.5×50×9.25		16.5	13.9	50	9.25	19.44	35.45	1.16	不磨平	
CNS 1.3×16.5×35×7	1.3	16.5	13.9	35	7	13.14	30.64	1.4	不磨平	不锈钢
CNS 1.3×16.5×40×7.75		16.5	13.9	40	7.75	14.86	30.64	1.22	不磨平	
CNS 1.3×16.5×45×8.5		16.5	13.9	45	8.5	16.58	30.64	1.08	不磨平	
CNS 1.3×16.5×50×9.25		16.5	13.9	50	9.25	18.3	30.64	0.97	不磨平	
CNM 1.4×16.5×35×7.25	1.4	16.5	13.7	35	7.25	14.85	44.28	2.2	不磨平	碳钢
CNM 1.4×16.5×40×8		16.5	13.7	40	8	16.97	44.28	1.92	不磨平	
CNM 1.4×16.5×45×9		16.5	13.7	45	9	18.14	44.28	1.65	不磨平	
CNM 1.4×16.5×50×9.75		16.5	13.7	50	9.75	20.26	44.28	1.49	不磨平	
CNS 1.4×16.5×35×7	1.4	16.5	13.7	35	7	15.12	38.23	1.92	不磨平	不锈钢
CNS 1.4×16.5×40×8		16.5	13.7	40	8	16.14	38.23	1.6	不磨平	
CNS 1.4×16.5×45×8.75		16.5	13.7	45	8.75	18.16	38.23	1.42	不磨平	
CNS 1.4×16.5×50×9.5		16.5	13.7	50	9.5	20.18	38.23	1.28	不磨平	
CGM 1.5×16.5×35×7.75	1.5	16.5	13.5	35	7.75	14.88	54.28	2.7	磨平	碳钢
CGM 1.5×16.5×40×8.5		16.5	13.5	40	8.5	17.25	54.28	2.39	磨平	
CGM 1.5×16.5×45×9.5		16.5	13.5	45	9.5	18.75	54.28	2.07	磨平	
CGM 1.5×16.5×50×10.25		16.5	13.5	50	10.25	21.13	54.28	1.88	磨平	
CGS 1.5×16.5×35×7.5	1.5	16.5	13.5	35	7.5	15.01	46.97	2.35	磨平	不锈钢
CGS 1.5×16.5×40×8.5		16.5	13.5	40	8.5	16.38	46.97	1.99	磨平	
CGS 1.5×16.5×45×9.25		16.5	13.5	45	9.25	18.66	46.97	1.78	磨平	
CGS 1.5×16.5×50×10.25		16.5	13.5	50	10.25	20.02	46.97	1.57	磨平	
CGM 1.6×16.5×35×8	1.6	16.5	13.3	35	8	15.71	65.87	3.41	磨平	碳钢
CGM 1.6×16.5×40×8.75		16.5	13.3	40	8.75	18.3	65.87	3.04	磨平	
CGM 1.6×16.5×45×9.75		16.5	13.3	45	9.75	20.08	65.87	2.64	磨平	
CGM 1.6×16.5×50×10.75		16.5	13.3	50	10.75	21.87	65.87	2.34	磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢




型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CGS 1.6×16.5×35×7.75	1.6	16.5	13.3	35	7.75	15.82	56.94	2.97	磨平	不锈钢
CGS 1.6×16.5×40×8.75		16.5	13.3	40	8.75	17.49	56.94	2.53	磨平	
CGS 1.6×16.5×45×9.5		16.5	13.3	45	9.5	19.99	56.94	2.28	磨平	
CGS 1.6×16.5×50×10.5		16.5	13.3	50	10.5	21.65	56.94	2.01	磨平	
CGM 1.7×16.5×35×8.25	1.7	16.5	13.1	35	8.25	16.47	79	4.26	磨平	碳钢
CGM 1.7×16.5×40×9		16.5	13.1	40	9	19.24	79	3.81	磨平	
CGM 1.7×16.5×45×10		16.5	13.1	45	10	21.28	79	3.33	磨平	
CGM 1.7×16.5×50×11		16.5	13.1	50	11	23.31	79	2.96	磨平	
CGS 1.7×16.5×35×8	1.7	16.5	13.1	35	8	16.56	68.22	3.7	磨平	不锈钢
CGS 1.7×16.5×40×9		16.5	13.1	40	9	18.49	68.22	3.17	磨平	
CGS 1.7×16.5×45×9.75		16.5	13.1	45	9.75	21.19	68.22	2.86	磨平	
CGS 1.7×16.5×50×10.75		16.5	13.1	50	10.75	23.11	68.22	2.54	磨平	
CGM 1.8×16.5×35×8.25	1.8	16.5	12.9	35	8.25	17.85	93.77	5.47	磨平	碳钢
CGM 1.8×16.5×40×9.25		16.5	12.9	40	9.25	20.11	93.77	4.71	磨平	
CGM 1.8×16.5×45×10.25		16.5	12.9	45	10.25	22.36	93.77	4.14	磨平	
CGM 1.8×16.5×50×11.25		16.5	12.9	50	11.25	24.62	93.77	3.69	磨平	
CGS 1.8×16.5×35×8.25	1.8	16.5	12.9	35	8.25	17.25	80.88	4.56	磨平	不锈钢
CGS 1.8×16.5×40×9		16.5	12.9	40	9	20.12	80.88	4.07	磨平	
CGS 1.8×16.5×45×10		16.5	12.9	45	10	22.28	80.88	3.56	磨平	
CGS 1.8×16.5×50×11		16.5	12.9	50	11	24.44	80.88	3.16	磨平	
CGM 2×16.5×35×8.5	2	16.5	12.5	35	8.5	19.65	128.16	8.35	磨平	碳钢
CGM 2×16.5×40×9.5		16.5	12.5	40	9.5	22.29	128.16	7.24	磨平	
CGM 2×16.5×45×10.5		16.5	12.5	45	10.5	24.93	128.16	6.38	磨平	
CGM 2×16.5×50×11.75		16.5	12.5	50	11.75	26.98	128.16	5.57	磨平	
CGS 2×16.5×35×8.5	2	16.5	12.5	35	8.5	19.09	110.69	6.96	磨平	不锈钢
CGS 2×16.5×40×9.5		16.5	12.5	40	9.5	21.64	110.69	6.03	磨平	
CGS 2×16.5×45×10.5		16.5	12.5	45	10.5	24.2	110.69	5.32	磨平	
CGS 2×16.5×50×11.5		16.5	12.5	50	11.5	26.75	110.69	4.76	磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢




型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CNM 1.2×17×35×6.5	1.2	17	14.6	35	6.5	12.65	27	1.21	不磨平	碳钢
CNM 1.2×17×40×7.25		17	14.6	40	7.25	13.93	27	1.04	不磨平	
CNM 1.2×17×45×8		17	14.6	45	8	15.2	27	0.91	不磨平	
CNM 1.2×17×50×8.5		17	14.6	50	8.5	17.71	27	0.84	不磨平	
CNS 1.2×17×35×6.25	1.2	17	14.6	35	6.25	13.08	23.36	1.07	不磨平	不锈钢
CNS 1.2×17×40×7		17	14.6	40	7	14.22	23.36	0.91	不磨平	
CNS 1.2×17×45×7.75		17	14.6	45	7.75	15.35	23.36	0.79	不磨平	
CNS 1.2×17×50×8.5		17	14.6	50	8.5	16.48	23.36	0.7	不磨平	
CNM 1.3×17×35×6.75	1.3	17	14.4	35	6.75	13.63	34.33	1.61	不磨平	碳钢
CNM 1.3×17×40×7.5		17	14.4	40	7.5	15.26	34.33	1.39	不磨平	
CNM 1.3×17×45×8.25		17	14.4	45	8.25	16.89	34.33	1.22	不磨平	
CNM 1.3×17×50×9		17	14.4	50	9	18.51	34.33	1.09	不磨平	
CNS 1.3×17×35×6.75	1.3	17	14.4	35	6.75	12.84	29.67	1.34	不磨平	不锈钢
CNS 1.3×17×40×7.25		17	14.4	40	7.25	15.51	29.67	1.21	不磨平	
CNS 1.3×17×45×8		17	14.4	45	8	17.01	29.67	1.06	不磨平	
CNS 1.3×17×50×8.75		17	14.4	50	8.75	18.51	29.67	0.94	不磨平	
CNM 1.4×17×35×7	1.4	17	14.2	35	7	14.52	42.86	2.09	不磨平	碳钢
CNM 1.4×17×40×7.75		17	14.2	40	7.75	16.45	42.86	1.82	不磨平	
CNM 1.4×17×45×8.5		17	14.2	45	8.5	18.38	42.86	1.61	不磨平	
CNM 1.4×17×50×9.5		17	14.2	50	9.5	19.28	42.86	1.4	不磨平	
CNS 1.4×17×35×6.75	1.4	17	14.2	35	6.75	14.84	37	1.84	不磨平	不锈钢
CNS 1.4×17×40×7.75		17	14.2	40	7.75	15.6	37	1.52	不磨平	
CNS 1.4×17×45×8.5		17	14.2	45	8.5	17.42	37	1.34	不磨平	
CNS 1.4×17×50×9.25		17	14.2	50	9.25	19.24	37	1.2	不磨平	
CNM 1.5×17×35×7.25	1.5	17	14	35	7.25	15.38	52.53	2.68	不磨平	碳钢
CNM 1.5×17×40×8		17	14	40	8	17.58	52.53	2.34	不磨平	
CNM 1.5×17×45×9		17	14	45	9	18.84	52.53	2.01	不磨平	
CNM 1.5×17×50×9.75		17	14	50	9.75	21.04	52.53	1.81	不磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢




型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CNS 1.5×17×35×7	1.5	17	14	35	7	15.6	45.45	2.34	不磨平	不锈钢
CNS 1.5×17×40×8		17	14	40	8	16.72	45.45	1.95	不磨平	
CNS 1.5×17×45×8.75		17	14	45	8.75	18.81	45.45	1.74	不磨平	
CNS 1.5×17×50×9.5		17	14	50	9.5	20.9	45.45	1.56	不磨平	
CGM 1.6×17×35×7.75	1.6	17	13.8	35	7.75	15.25	63.73	3.23	磨平	碳钢
CGM 1.6×17×40×8.5		17	13.8	40	8.5	17.67	63.73	2.85	磨平	
CGM 1.6×17×45×9.5		17	13.8	45	9.5	19.24	63.73	2.47	磨平	
CGM 1.6×17×50×10.25		17	13.8	50	10.25	21.66	63.73	2.25	磨平	
CGS 1.6×17×35×7.5	1.6	17	13.8	35	7.5	15.4	55.09	2.81	磨平	不锈钢
CGS 1.6×17×40×8.5		17	13.8	40	8.5	16.84	55.09	2.38	磨平	
CGS 1.6×17×45×9.25		17	13.8	45	9.25	19.17	55.09	2.13	磨平	
CGS 1.6×17×50×10		17	13.8	50	10	21.5	55.09	1.93	磨平	
CGM 1.7×17×35×7.75	1.7	17	13.6	35	7.75	16.78	76.42	4.19	磨平	碳钢
CGM 1.7×17×40×8.75		17	13.6	40	8.75	18.61	76.42	3.57	磨平	
CGM 1.7×17×45×9.75		17	13.6	45	9.75	20.44	76.42	3.11	磨平	
CGM 1.7×17×50×10.5		17	13.6	50	10.5	23.06	76.42	2.84	磨平	
CGS 1.7×17×35×7.75	1.7	17	13.6	35	7.75	16.12	65.99	3.49	磨平	不锈钢
CGS 1.7×17×40×8.5		17	13.6	40	8.5	18.65	65.99	3.09	磨平	
CGS 1.7×17×45×9.5		17	13.6	45	9.5	20.37	65.99	2.68	磨平	
CGS 1.7×17×50×10.5		17	13.6	50	10.5	22.09	65.99	2.36	磨平	
CGM 1.8×17×35×8	1.8	17	13.4	35	8	17.4	90.69	5.15	磨平	碳钢
CGM 1.8×17×40×9		17	13.4	40	9	19.46	90.69	4.42	磨平	
CGM 1.8×17×45×10		17	13.4	45	10	21.53	90.69	3.86	磨平	
CGM 1.8×17×50×10.75		17	13.4	50	10.75	24.33	90.69	3.53	磨平	
CGS 1.8×17×35×8	1.8	17	13.4	35	8	16.78	78.22	4.29	磨平	不锈钢
CGS 1.8×17×40×8.75		17	13.4	40	8.75	19.5	78.22	3.82	磨平	
CGS 1.8×17×45×9.75		17	13.4	45	9.75	21.47	78.22	3.32	磨平	
CGS 1.8×17×50×10.75		17	13.4	50	10.75	23.43	78.22	2.94	磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢




型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CGM 1.9×17×35×8.25	1.9	17	13.2	35	8.25	18.03	106.26	6.26	磨平	碳钢
CGM 1.9×17×40×9.25		17	13.2	40	9.25	20.32	106.26	5.4	磨平	
CGM 1.9×17×45×10		17	13.2	45	10	23.28	106.26	4.89	磨平	
CGM 1.9×17×50×11		17	13.2	50	11	25.57	106.26	4.35	磨平	
CGS 1.9×17×35×8	1.9	17	13.2	35	8	18.1	91.87	5.44	磨平	不锈钢
CGS 1.9×17×40×9		17	13.2	40	9	20.28	91.87	4.66	磨平	
CGS 1.9×17×45×10		17	13.2	45	10	22.47	91.87	4.08	磨平	
CGS 1.9×17×50×11		17	13.2	50	11	24.65	91.87	3.62	磨平	
CGM 2×17×35×8.25	2	17	13	35	8.25	19.2	123.89	7.84	磨平	碳钢
CGM 2×17×40×9.25		17	13	40	9.25	21.68	123.89	6.76	磨平	
CGM 2×17×45×10.25		17	13	45	10.25	24.15	123.89	5.94	磨平	
CGM 2×17×50×11.25		17	13	50	11.25	26.62	123.89	5.3	磨平	
CGS 2×17×35×8.25	2	17	13	35	8.25	18.63	107	6.54	磨平	不锈钢
CGS 2×17×40×9		17	13	40	9	21.67	107	5.84	磨平	
CGS 2×17×45×10		17	13	45	10	24.05	107	5.11	磨平	
CGS 2×17×50×11		17	13	50	11	26.43	107	4.54	磨平	
CGM 2.1×17×35×8.25	2.1	17	12.8	35	8.25	20.26	143.37	9.73	磨平	碳钢
CGM 2.1×17×40×9.5		17	12.8	40	9.5	22.31	143.37	8.11	磨平	
CGM 2.1×17×45×10.5		17	12.8	45	10.5	24.95	143.37	7.15	磨平	
CGM 2.1×17×50×11.5		17	12.8	50	11.5	27.6	143.37	6.4	磨平	
CGS 2.1×17×35×8.25	2.1	17	12.8	35	8.25	19.74	123.68	8.11	磨平	不锈钢
CGS 2.1×17×40×9.25		17	12.8	40	9.25	22.3	123.68	6.99	磨平	
CGS 2.1×17×45×10.25		17	12.8	45	10.25	24.86	123.68	6.14	磨平	
CGS 2.1×17×50×11.25		17	12.8	50	11.25	27.42	123.68	5.48	磨平	
CGM 2.2×17×35×8.5	2.2	17	12.6	35	8.5	20.72	164.21	11.5	磨平	碳钢
CGM 2.2×17×40×9.5		17	12.6	40	9.5	23.52	164.21	9.96	磨平	
CGM 2.2×17×45×10.5		17	12.6	45	10.5	26.32	164.21	8.79	磨平	
CGM 2.2×17×50×11.5		17	12.6	50	11.5	29.12	164.21	7.87	磨平	

G: 磨平    N: 不磨平  
M: 碳钢    S: 不锈钢




型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CGS 2.2×17×35×8.25	2.2	17	12.6	35	8.25	20.75	142	9.96	磨平	不锈钢
CGS 2.2×17×40×9.25		17	12.6	40	9.25	23.47	142	8.59	磨平	
CGS 2.2×17×45×10.25		17	12.6	45	10.25	26.19	142	7.55	磨平	
CGS 2.2×17×50×11.25		17	12.6	50	11.25	28.91	142	6.73	磨平	
CGM 2.3×17×35×8.5	2.3	17	12.4	35	8.5	21.62	187.56	14.01	磨平	碳钢
CGM 2.3×17×40×9.5		17	12.4	40	9.5	24.56	187.56	12.15	磨平	
CGM 2.3×17×45×10.5		17	12.4	45	10.5	27.5	187.56	10.72	磨平	
CGM 2.3×17×50×11.75		17	12.4	50	11.75	29.93	187.56	9.34	磨平	
CGS 2.3×17×35×8.5	2.3	17	12.4	35	8.5	21.13	162.02	11.68	磨平	不锈钢
CGS 2.3×17×40×9.5		17	12.4	40	9.5	23.99	162.02	10.12	磨平	
CGS 2.3×17×45×10.5		17	12.4	45	10.5	26.86	162.02	8.93	磨平	
CGS 2.3×17×50×11.5		17	12.4	50	11.5	29.72	162.02	7.99	磨平	
CNM 1.3×17.5×35×6.5	1.3	17.5	14.9	35	6.5	13.45	33.27	1.54	不磨平	碳钢
CNM 1.3×17.5×40×7.25		17.5	14.9	40	7.25	14.86	33.27	1.32	不磨平	
CNM 1.3×17.5×45×8		17.5	14.9	45	8	16.26	33.27	1.16	不磨平	
CNM 1.3×17.5×50×8.75		17.5	14.9	50	8.75	17.67	33.27	1.03	不磨平	
CNS 1.3×17.5×35×6.5	1.3	17.5	14.9	35	6.5	12.65	28.75	1.29	不磨平	不锈钢
CNS 1.3×17.5×40×7		17.5	14.9	40	7	15.17	28.75	1.16	不磨平	
CNS 1.3×17.5×45×7.75		17.5	14.9	45	7.75	16.44	28.75	1.01	不磨平	
CNS 1.3×17.5×50×8.5		17.5	14.9	50	8.5	17.72	28.75	0.89	不磨平	
CNM 1.4×17.5×35×6.75	1.4	17.5	14.7	35	6.75	14.28	41.53	2	不磨平	碳钢
CNM 1.4×17.5×40×7.5		17.5	14.7	40	7.5	16	41.53	1.73	不磨平	
CNM 1.4×17.5×45×8.25		17.5	14.7	45	8.25	17.73	41.53	1.52	不磨平	
CNM 1.4×17.5×50×9		17.5	14.7	50	9	19.46	41.53	1.36	不磨平	
CNS 1.4×17.5×35×6.75	1.4	17.5	14.7	35	6.75	13.53	35.85	1.67	不磨平	不锈钢
CNS 1.4×17.5×40×7.25		17.5	14.7	40	7.25	16.27	35.85	1.51	不磨平	
CNS 1.4×17.5×45×8		17.5	14.7	45	8	17.88	35.85	1.32	不磨平	
CNS 1.4×17.5×50×8.75		17.5	14.7	50	8.75	19.49	35.85	1.18	不磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢



型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CNM 1.5×17.5×35×7	1.5	17.5	14.5	35	7	15.09	50.88	2.56	不磨平	碳钢
CNM 1.5×17.5×40×7.75		17.5	14.5	40	7.75	17.11	50.88	2.22	不磨平	
CNM 1.5×17.5×45×8.5		17.5	14.5	45	8.5	19.12	50.88	1.97	不磨平	
CNM 1.5×17.5×50×9.25		17.5	14.5	50	9.25	21.14	50.88	1.76	不磨平	
CNS 1.5×17.5×35×6.75	1.5	17.5	14.5	35	6.75	15.36	44.03	2.24	不磨平	不锈钢
CNS 1.5×17.5×40×7.5		17.5	14.5	40	7.5	17.26	44.03	1.94	不磨平	
CNS 1.5×17.5×45×8.5		17.5	14.5	45	8.5	18.13	44.03	1.64	不磨平	
CNS 1.5×17.5×50×9.25		17.5	14.5	50	9.25	20.03	44.03	1.47	不磨平	
CGM 1.6×17.5×35×7.5	1.6	17.5	14.3	35	7.5	14.86	61.73	3.07	磨平	碳钢
CGM 1.6×17.5×40×8.25		17.5	14.3	40	8.25	17.11	61.73	2.7	磨平	
CGM 1.6×17.5×45×9		17.5	14.3	45	9	19.37	61.73	2.41	磨平	
CGM 1.6×17.5×50×10		17.5	14.3	50	10	20.71	61.73	2.11	磨平	
CGS 1.6×17.5×35×7.25	1.6	17.5	14.3	35	7.25	15.06	53.36	2.68	磨平	不锈钢
CGS 1.6×17.5×40×8		17.5	14.3	40	8	17.21	53.36	2.34	磨平	
CGS 1.6×17.5×45×9		17.5	14.3	45	9	18.41	53.36	2.01	磨平	
CGS 1.6×17.5×50×9.75		17.5	14.3	50	9.75	20.56	53.36	1.81	磨平	
CGM 1.7×17.5×35×7.5	1.7	17.5	14.1	35	7.5	16.41	74	3.98	磨平	碳钢
CGM 1.7×17.5×40×8.5		17.5	14.1	40	8.5	18.03	74	3.37	磨平	
CGM 1.7×17.5×45×9.25		17.5	14.1	45	9.25	20.5	74	3.02	磨平	
CGM 1.7×17.5×50×10.25		17.5	14.1	50	10.25	22.12	74	2.65	磨平	
CGS 1.7×17.5×35×7.5	1.7	17.5	14.1	35	7.5	15.74	63.9	3.32	磨平	不锈钢
CGS 1.7×17.5×40×8.25		17.5	14.1	40	8.25	18.11	63.9	2.92	磨平	
CGS 1.7×17.5×45×9.25		17.5	14.1	45	9.25	19.61	63.9	2.52	磨平	
CGS 1.7×17.5×50×10		17.5	14.1	50	10	21.98	63.9	2.28	磨平	
CGM 1.8×17.5×35×7.75	1.8	17.5	13.9	35	7.75	17	87.8	4.88	磨平	碳钢
CGM 1.8×17.5×40×8.75		17.5	13.9	40	8.75	18.87	87.8	4.16	磨平	
CGM 1.8×17.5×45×9.5		17.5	13.9	45	9.5	21.52	87.8	3.74	磨平	
CGM 1.8×17.5×50×10.5		17.5	13.9	50	10.5	23.39	87.8	3.3	磨平	


G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢



型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CGS 1.8×17.5×35×7.75	1.8	17.5	13.9	35	7.75	16.37	75.73	4.07	磨平	不锈钢
CGS 1.8×17.5×40×8.5		17.5	13.9	40	8.5	18.94	75.73	3.6	磨平	
CGS 1.8×17.5×45×9.5		17.5	13.9	45	9.5	20.7	75.73	3.12	磨平	
CGS 1.8×17.5×50×10.25		17.5	13.9	50	10.25	23.27	75.73	2.83	磨平	
CGM 1.9×17.5×35×8	1.9	17.5	13.7	35	8	17.62	102.85	5.92	磨平	碳钢
CGM 1.9×17.5×40×8.75		17.5	13.7	40	8.75	20.44	102.85	5.26	磨平	
CGM 1.9×17.5×45×9.75		17.5	13.7	45	9.75	22.54	102.85	4.58	磨平	
CGM 1.9×17.5×50×10.75		17.5	13.7	50	10.75	24.65	102.85	4.06	磨平	
CGS 1.9×17.5×35×7.75	1.9	17.5	13.7	35	7.75	17.72	88.92	5.14	磨平	不锈钢
CGS 1.9×17.5×40×8.75		17.5	13.7	40	8.75	19.71	88.92	4.38	磨平	
CGS 1.9×17.5×45×9.5		17.5	13.7	45	9.5	22.45	88.92	3.94	磨平	
CGS 1.9×17.5×50×10.5		17.5	13.7	50	10.5	24.45	88.92	3.48	磨平	
CGM 2×17.5×35×8	2	17.5	13.5	35	8	18.81	119.9	7.4	磨平	碳钢
CGM 2×17.5×40×9		17.5	13.5	40	9	21.11	119.9	6.35	磨平	
CGM 2×17.5×45×10		17.5	13.5	45	10	23.41	119.9	5.55	磨平	
CGM 2×17.5×50×11		17.5	13.5	50	11	25.71	119.9	4.94	磨平	
CGS 2×17.5×35×8	2	17.5	13.5	35	8	18.22	103.55	6.17	磨平	不锈钢
CGS 2×17.5×40×8.75		17.5	13.5	40	8.75	21.12	103.55	5.49	磨平	
CGS 2×17.5×45×9.75		17.5	13.5	45	9.75	23.32	103.55	4.78	磨平	
CGS 2×17.5×50×10.75		17.5	13.5	50	10.75	25.53	103.55	4.23	磨平	
CGM 2.1×17.5×35×8.25	2.1	17.5	13.3	35	8.25	19.25	138.72	8.81	磨平	碳钢
CGM 2.1×17.5×40×9		17.5	13.3	40	9	22.36	138.72	7.87	磨平	
CGM 2.1×17.5×45×10		17.5	13.3	45	10	24.85	138.72	6.88	磨平	
CGM 2.1×17.5×50×11		17.5	13.3	50	11	27.33	138.72	6.12	磨平	
CGS 2.1×17.5×35×8	2.1	17.5	13.3	35	8	19.35	119.67	7.65	磨平	不锈钢
CGS 2.1×17.5×40×9		17.5	13.3	40	9	21.74	119.67	6.56	磨平	
CGS 2.1×17.5×45×10		17.5	13.3	45	10	24.14	119.67	5.74	磨平	
CGS 2.1×17.5×50×11		17.5	13.3	50	11	26.53	119.67	5.1	磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢






型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CGM 2.2×17.5×35×8.25	2.2	17.5	13.1	35	8.25	20.32	158.84	10.82	磨平	碳钢
CGM 2.2×17.5×40×9.25		17.5	13.1	40	9.25	22.97	158.84	9.33	磨平	
CGM 2.2×17.5×45×10.25		17.5	13.1	45	10.25	25.62	158.84	8.2	磨平	
CGM 2.2×17.5×50×11.25		17.5	13.1	50	11.25	28.28	158.84	7.31	磨平	
CGS 2.2×17.5×35×8	2.2	17.5	13.1	35	8	20.38	137.36	9.39	磨平	不锈钢
CGS 2.2×17.5×40×9		17.5	13.1	40	9	22.94	137.36	8.05	磨平	
CGS 2.2×17.5×45×10		17.5	13.1	45	10	25.5	137.36	7.05	磨平	
CGS 2.2×17.5×50×11		17.5	13.1	50	11	28.07	137.36	6.26	磨平	
CGM 2.3×17.5×35×8.25	2.3	17.5	12.9	35	8.25	21.24	181.39	13.18	磨平	碳钢
CGM 2.3×17.5×40×9.25		17.5	12.9	40	9.25	24.04	181.39	11.37	磨平	
CGM 2.3×17.5×45×10.25		17.5	12.9	45	10.25	26.84	181.39	9.99	磨平	
CGM 2.3×17.5×50×11.25		17.5	12.9	50	11.25	29.64	181.39	8.91	磨平	
CGS 2.3×17.5×35×8.25	2.3	17.5	12.9	35	8.25	20.74	156.69	10.99	磨平	不锈钢
CGS 2.3×17.5×40×9.25		17.5	12.9	40	9.25	23.46	156.69	9.47	磨平	
CGS 2.3×17.5×45×10.25		17.5	12.9	45	10.25	26.17	156.69	8.32	磨平	
CGS 2.3×17.5×50×11.25		17.5	12.9	50	11.25	28.89	156.69	7.42	磨平	
CNM 1.4×18×35×6.5	1.4	18	15.2	35	6.5	14.13	40.28	1.93	不磨平	碳钢
CNM 1.4×18×40×7.25		18	15.2	40	7.25	15.65	40.28	1.65	不磨平	
CNM 1.4×18×45×8		18	15.2	45	8	17.17	40.28	1.45	不磨平	
CNM 1.4×18×50×8.75		18	15.2	50	8.75	18.69	40.28	1.29	不磨平	
CNS 1.4×18×35×6.5	1.4	18	15.2	35	6.5	13.38	34.77	1.61	不磨平	不锈钢
CNS 1.4×18×40×7		18	15.2	40	7	15.98	34.77	1.45	不磨平	
CNS 1.4×18×45×7.75		18	15.2	45	7.75	17.37	34.77	1.26	不磨平	
CNS 1.4×18×50×8.5		18	15.2	50	8.5	18.77	34.77	1.11	不磨平	
CNM 1.5×18×35×6.75	1.5	18	15	35	6.75	14.89	49.34	2.45	不磨平	碳钢
CNM 1.5×18×40×7.5		18	15	40	7.5	16.71	49.34	2.12	不磨平	
CNM 1.5×18×45×8.25		18	15	45	8.25	18.54	49.34	1.86	不磨平	
CNM 1.5×18×50×9		18	15	50	9	20.36	49.34	1.66	不磨平	

G: 磨平    N: 不磨平  
M: 碳钢    S: 不锈钢




型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CNS 1.5×18×35×6.75	1.5	18	15	35	6.75	14.11	42.7	2.04	不磨平	不锈钢
CNS 1.5×18×40×7.25		18	15	40	7.25	16.92	42.7	1.85	不磨平	
CNS 1.5×18×45×8		18	15	45	8	18.62	42.7	1.62	不磨平	
CNS 1.5×18×50×8.75		18	15	50	8.75	20.32	42.7	1.44	不磨平	
CNM 1.6×18×35×7	1.6	18	14.8	35	7	15.53	59.84	3.07	不磨平	碳钢
CNM 1.6×18×40×7.75		18	14.8	40	7.75	17.6	59.84	2.67	不磨平	
CNM 1.6×18×45×8.5		18	14.8	45	8.5	19.68	59.84	2.36	不磨平	
CNM 1.6×18×50×9.25		18	14.8	50	9.25	21.76	59.84	2.12	不磨平	
CNS 1.6×18×35×6.75	1.6	18	14.8	35	6.75	15.81	51.73	2.7	不磨平	不锈钢
CNS 1.6×18×40×7.5		18	14.8	40	7.5	17.78	51.73	2.33	不磨平	
CNS 1.6×18×45×8.25		18	14.8	45	8.25	19.75	51.73	2.05	不磨平	
CNS 1.6×18×50×9.25		18	14.8	50	9.25	20.71	51.73	1.77	不磨平	
CGM 1.7×18×35×7.5	1.7	18	14.6	35	7.5	15.22	71.73	3.63	磨平	碳钢
CGM 1.7×18×40×8.25		18	14.6	40	8.25	17.52	71.73	3.19	磨平	
CGM 1.7×18×45×9		18	14.6	45	9	19.82	71.73	2.85	磨平	
CGM 1.7×18×50×9.75		18	14.6	50	9.75	22.12	71.73	2.57	磨平	
CGS 1.7×18×35×7.25	1.7	18	14.6	35	7.25	15.43	61.94	3.17	磨平	不锈钢
CGS 1.7×18×40×8		18	14.6	40	8	17.64	61.94	2.77	磨平	
CGS 1.7×18×45×8.75		18	14.6	45	8.75	19.84	61.94	2.46	磨平	
CGS 1.7×18×50×9.75		18	14.6	50	9.75	21.11	61.94	2.14	磨平	
CGM 1.8×18×35×7.5	1.8	18	14.4	35	7.5	16.67	85.09	4.64	磨平	碳钢
CGM 1.8×18×40×8.5		18	14.4	40	8.5	18.34	85.09	3.93	磨平	
CGM 1.8×18×45×9.25		18	14.4	45	9.25	20.84	85.09	3.52	磨平	
CGM 1.8×18×50×10.25		18	14.4	50	10.25	22.51	85.09	3.09	磨平	
CGS 1.8×18×35×7.5	1.8	18	14.4	35	7.5	16.03	73.39	3.87	磨平	不锈钢
CGS 1.8×18×40×8.25		18	14.4	40	8.25	18.44	73.39	3.4	磨平	
CGS 1.8×18×45×9		18	14.4	45	9	20.86	73.39	3.04	磨平	
CGS 1.8×18×50×10		18	14.4	50	10	22.41	73.39	2.66	磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢




型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CGM 1.9×18×35×7.75	1.9	18	14.2	35	7.75	17.25	99.66	5.62	磨平	碳钢
CGM 1.9×18×40×8.5		18	14.2	40	8.5	19.94	99.66	4.97	磨平	
CGM 1.9×18×45×9.5		18	14.2	45	9.5	21.85	99.66	4.31	磨平	
CGM 1.9×18×50×10.25		18	14.2	50	10.25	24.54	99.66	3.91	磨平	
CGS 1.9×18×35×7.5	1.9	18	14.2	35	7.5	17.39	86.16	4.89	磨平	不锈钢
CGS 1.9×18×40×8.5		18	14.2	40	8.5	19.19	86.16	4.14	磨平	
CGS 1.9×18×45×9.25		18	14.2	45	9.25	21.79	86.16	3.71	磨平	
CGS 1.9×18×50×10.25		18	14.2	50	10.25	23.58	86.16	3.26	磨平	
CGM 2×18×35×7.75	2	18	14	35	7.75	18.47	116.15	7.02	磨平	碳钢
CGM 2×18×40×8.75		18	14	40	8.75	20.59	116.15	5.98	磨平	
CGM 2×18×45×9.75		18	14	45	9.75	22.71	116.15	5.21	磨平	
CGM 2×18×50×10.5		18	14	50	10.5	25.56	116.15	4.75	磨平	
CGS 2×18×35×7.75	2	18	14	35	7.75	17.86	100.31	5.85	磨平	不锈钢
CGS 2×18×40×8.5		18	14	40	8.5	20.63	100.31	5.18	磨平	
CGS 2×18×45×9.5		18	14	45	9.5	22.65	100.31	4.49	磨平	
CGS 2×18×50×10.25		18	14	50	10.25	25.41	100.31	4.08	磨平	
CGM 2.1×18×35×8	2.1	18	13.8	35	8	18.89	134.36	8.34	磨平	碳钢
CGM 2.1×18×40×8.75		18	13.8	40	8.75	21.87	134.36	7.41	磨平	
CGM 2.1×18×45×9.75		18	13.8	45	9.75	24.19	134.36	6.46	磨平	
CGM 2.1×18×50×10.75		18	13.8	50	10.75	26.5	134.36	5.72	磨平	
CGS 2.1×18×35×7.75	2.1	18	13.8	35	7.75	19.01	115.91	7.25	磨平	不锈钢
CGS 2.1×18×40×8.75		18	13.8	40	8.75	21.23	115.91	6.18	磨平	
CGS 2.1×18×45×9.75		18	13.8	45	9.75	23.45	115.91	5.38	磨平	
CGS 2.1×18×50×10.5		18	13.8	50	10.5	26.37	115.91	4.9	磨平	
CGM 2.2×18×35×8	2.2	18	13.6	35	8	19.97	153.81	10.24	磨平	碳钢
CGM 2.2×18×40×9		18	13.6	40	9	22.47	153.81	8.77	磨平	
CGM 2.2×18×45×10		18	13.6	45	10	24.96	153.81	7.68	磨平	
CGM 2.2×18×50×11		18	13.6	50	11	27.46	153.81	6.82	磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢



型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CGS 2.2×18×35×8	2.2	18	13.6	35	8	19.41	133.01	8.53	磨平	不锈钢
CGS 2.2×18×40×8.75		18	13.6	40	8.75	22.46	133.01	7.58	磨平	
CGS 2.2×18×45×9.75		18	13.6	45	9.75	24.86	133.01	6.6	磨平	
CGS 2.2×18×50×10.75		18	13.6	50	10.75	27.26	133.01	5.85	磨平	
CGM 2.3×18×35×8	2.3	18	13.4	35	8	20.91	175.62	12.46	磨平	碳钢
CGM 2.3×18×40×9		18	13.4	40	9	23.56	175.62	10.68	磨平	
CGM 2.3×18×45×10		18	13.4	45	10	26.21	175.62	9.35	磨平	
CGM 2.3×18×50×11		18	13.4	50	11	28.86	175.62	8.31	磨平	
CGS 2.3×18×35×8	2.3	18	13.4	35	8	20.39	151.7	10.39	磨平	不锈钢
CGS 2.3×18×40×9		18	13.4	40	9	22.96	151.7	8.9	磨平	
CGS 2.3×18×45×9.75		18	13.4	45	9.75	26.13	151.7	8.04	磨平	
CGS 2.3×18×50×10.75		18	13.4	50	10.75	28.7	151.7	7.12	磨平	
CGM 2.4×18×35×8	2.4	18	13.2	35	8	21.76	199.37	15.06	磨平	碳钢
CGM 2.4×18×40×9		18	13.2	40	9	24.56	199.37	12.91	磨平	
CGM 2.4×18×45×10		18	13.2	45	10	27.35	199.37	11.3	磨平	
CGM 2.4×18×50×11		18	13.2	50	11	30.14	199.37	10.04	磨平	
CGS 2.4×18×35×8	2.4	18	13.2	35	8	21.29	172.02	12.55	磨平	不锈钢
CGS 2.4×18×40×9		18	13.2	40	9	24.01	172.02	10.76	磨平	
CGS 2.4×18×45×10		18	13.2	45	10	26.73	172.02	9.41	磨平	
CGS 2.4×18×50×11		18	13.2	50	11	29.44	172.02	8.37	磨平	
CGM 2.5×18×35×8.25	2.5	18	13	35	8.25	22.03	225.16	17.36	磨平	碳钢
CGM 2.5×18×40×9.25		18	13	40	9.25	24.95	225.16	14.96	磨平	
CGM 2.5×18×45×10.25		18	13	45	10.25	27.87	225.16	13.15	磨平	
CGM 2.5×18×50×11.25		18	13	50	11.25	30.8	225.16	11.73	磨平	
CGS 2.5×18×35×8	2.5	18	13	35	8	22.12	194.05	15.07	磨平	不锈钢
CGS 2.5×18×40×9		18	13	40	9	24.97	194.05	12.91	磨平	
CGS 2.5×18×45×10		18	13	45	10	27.83	194.05	11.3	磨平	
CGS 2.5×18×50×11		18	13	50	11	30.68	194.05	10.04	磨平	

G: 磨平    N: 不磨平  
M: 碳钢    S: 不锈钢




型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CNM 1.4×18.5×35×6.25	1.4	18.5	15.7	35	6.25	14.08	39.1	1.87	不磨平	碳钢
CNM 1.4×18.5×40×7				40	7	15.39	39.1	1.59	不磨平	
CNM 1.4×18.5×45×7.75				45	7.75	16.7	39.1	1.38	不磨平	
CNM 1.4×18.5×50×8.5				50	8.5	18.01	39.1	1.22	不磨平	
CNS 1.4×18.5×35×6.25	1.4	18.5	15.7	35	6.25	13.33	33.76	1.56	不磨平	不锈钢
CNS 1.4×18.5×40×7				40	7	14.5	33.76	1.32	不磨平	
CNS 1.4×18.5×45×7.5				45	7.5	16.95	33.76	1.2	不磨平	
CNS 1.4×18.5×50×8.25				50	8.25	18.13	33.76	1.06	不磨平	
CNM 1.5×18.5×35×6.5	1.5	18.5	15.5	35	6.5	14.77	47.89	2.37	不磨平	碳钢
CNM 1.5×18.5×40×7.25				40	7.25	16.4	47.89	2.03	不磨平	
CNM 1.5×18.5×45×8				45	8	18.03	47.89	1.78	不磨平	
CNM 1.5×18.5×50×8.75				50	8.75	19.66	47.89	1.58	不磨平	
CNS 1.5×18.5×35×6.5	1.5	18.5	15.5	35	6.5	14	41.44	1.97	不磨平	不锈钢
CNS 1.5×18.5×40×7				40	7	16.67	41.44	1.78	不磨平	
CNS 1.5×18.5×45×7.75				45	7.75	18.16	41.44	1.54	不磨平	
CNS 1.5×18.5×50×8.5				50	8.5	19.67	41.44	1.37	不磨平	
CNM 1.6×18.5×35×6.75	1.6	18.5	15.3	35	6.75	15.35	58.07	2.96	不磨平	碳钢
CNM 1.6×18.5×40×7.5				40	7.5	17.25	58.07	2.55	不磨平	
CNM 1.6×18.5×45×8.25				45	8.25	19.15	58.07	2.25	不磨平	
CNM 1.6×18.5×50×9				50	9	21.05	58.07	2.01	不磨平	
CNS 1.6×18.5×35×6.5	1.6	18.5	15.3	35	6.5	15.69	50.2	2.6	不磨平	不锈钢
CNS 1.6×18.5×40×7.25				40	7.25	17.47	50.2	2.23	不磨平	
CNS 1.6×18.5×45×8				45	8	19.26	50.2	1.95	不磨平	
CNS 1.6×18.5×50×8.75				50	8.75	21.04	50.2	1.73	不磨平	
CGM 1.7×18.5×35×7.25	1.7	18.5	15.1	35	7.25	14.94	69.6	3.47	磨平	碳钢
CGM 1.7×18.5×40×8				40	8	17.07	69.6	3.04	磨平	
CGM 1.7×18.5×45×8.75				45	8.75	19.21	69.6	2.7	磨平	
CGM 1.7×18.5×50×9.5				50	9.5	21.34	69.6	2.43	磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢




型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CGS 1.7×18.5×35×7	1.7	18.5	15.1	35	7	15.21	60.09	3.04	磨平	不锈钢
CGS 1.7×18.5×40×7.75		18.5	15.1	40	7.75	17.24	60.09	2.64	磨平	
CGS 1.7×18.5×45×8.5		18.5	15.1	45	8.5	19.27	60.09	2.34	磨平	
CGS 1.7×18.5×50×9.25		18.5	15.1	50	9.25	21.3	60.09	2.09	磨平	
CGM 1.8×18.5×35×7.25	1.8	18.5	14.9	35	7.25	16.41	82.54	4.44	磨平	碳钢
CGM 1.8×18.5×40×8.25		18.5	14.9	40	8.25	17.87	82.54	3.73	磨平	
CGM 1.8×18.5×45×9		18.5	14.9	45	9	20.21	82.54	3.33	磨平	
CGM 1.8×18.5×50×9.75		18.5	14.9	50	9.75	22.55	82.54	3.01	磨平	
CGS 1.8×18.5×35×7.25	1.8	18.5	14.9	35	7.25	15.75	71.2	3.7	磨平	不锈钢
CGS 1.8×18.5×40×8		18.5	14.9	40	8	18.01	71.2	3.24	磨平	
CGS 1.8×18.5×45×8.75		18.5	14.9	45	8.75	20.26	71.2	2.88	磨平	
CGS 1.8×18.5×50×9.5		18.5	14.9	50	9.5	22.51	71.2	2.59	磨平	
CGM 1.9×18.5×35×7.5	1.9	18.5	14.7	35	7.5	16.96	96.65	5.36	磨平	碳钢
CGM 1.9×18.5×40×8.25		18.5	14.7	40	8.25	19.5	96.65	4.71	磨平	
CGM 1.9×18.5×45×9.25		18.5	14.7	45	9.25	21.22	96.65	4.06	磨平	
CGM 1.9×18.5×50×10		18.5	14.7	50	10	23.75	96.65	3.68	磨平	
CGS 1.9×18.5×35×7.25	1.9	18.5	14.7	35	7.25	17.13	83.57	4.68	磨平	不锈钢
CGS 1.9×18.5×40×8.25		18.5	14.7	40	8.25	18.72	83.57	3.93	磨平	
CGS 1.9×18.5×45×9		18.5	14.7	45	9	21.17	83.57	3.51	磨平	
CGS 1.9×18.5×50×9.75		18.5	14.7	50	9.75	23.62	83.57	3.17	磨平	
CGM 2×18.5×35×7.5	2	18.5	14.5	35	7.5	18.18	112.63	6.7	磨平	碳钢
CGM 2×18.5×40×8.5		18.5	14.5	40	8.5	20.12	112.63	5.67	磨平	
CGM 2×18.5×45×9.25		18.5	14.5	45	9.25	22.83	112.63	5.08	磨平	
CGM 2×18.5×50×10.25		18.5	14.5	50	10.25	24.77	112.63	4.46	磨平	
CGS 2×18.5×35×7.5	2	18.5	14.5	35	7.5	17.57	97.27	5.58	磨平	不锈钢
CGS 2×18.5×40×8.25		18.5	14.5	40	8.25	20.19	97.27	4.91	磨平	
CGS 2×18.5×45×9.25		18.5	14.5	45	9.25	22.02	97.27	4.23	磨平	
CGS 2×18.5×50×10		18.5	14.5	50	10	24.65	97.27	3.84	磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢



型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CGM 2.1×18.5×35×7.75	2.1	18.5	14.3	35	7.75	18.57	130.26	7.93	磨平	碳钢
CGM 2.1×18.5×40×8.5		18.5	14.3	40	8.5	21.43	130.26	7.01	磨平	
CGM 2.1×18.5×45×9.5		18.5	14.3	45	9.5	23.57	130.26	6.08	磨平	
CGM 2.1×18.5×50×10.5		18.5	14.3	50	10.5	25.71	130.26	5.36	磨平	
CGS 2.1×18.5×35×7.5	2.1	18.5	14.3	35	7.5	18.73	112.37	6.91	磨平	不锈钢
CGS 2.1×18.5×40×8.5		18.5	14.3	40	8.5	20.78	112.37	5.85	磨平	
CGS 2.1×18.5×45×9.25		18.5	14.3	45	9.25	23.56	112.37	5.24	磨平	
CGS 2.1×18.5×50×10.25		18.5	14.3	50	10.25	25.6	112.37	4.61	磨平	
CGM 2.2×18.5×35×7.75	2.2	18.5	14.1	35	7.75	19.67	149.1	9.73	磨平	碳钢
CGM 2.2×18.5×40×8.75		18.5	14.1	40	8.75	22.01	149.1	8.29	磨平	
CGM 2.2×18.5×45×9.75		18.5	14.1	45	9.75	24.34	149.1	7.22	磨平	
CGM 2.2×18.5×50×10.5		18.5	14.1	50	10.5	27.34	149.1	6.58	磨平	
CGS 2.2×18.5×35×7.75	2.2	18.5	14.1	35	7.75	19.1	128.93	8.11	磨平	不锈钢
CGS 2.2×18.5×40×8.5		18.5	14.1	40	8.5	22.02	128.93	7.17	磨平	
CGS 2.2×18.5×45×9.5		18.5	14.1	45	9.5	24.25	128.93	6.21	磨平	
CGS 2.2×18.5×50×10.5		18.5	14.1	50	10.5	26.49	128.93	5.48	磨平	
CGM 2.3×18.5×35×7.75	2.3	18.5	13.9	35	7.75	20.62	170.2	11.84	磨平	碳钢
CGM 2.3×18.5×40×8.75		18.5	13.9	40	8.75	23.12	170.2	10.08	磨平	
CGM 2.3×18.5×45×9.75		18.5	13.9	45	9.75	25.62	170.2	8.78	磨平	
CGM 2.3×18.5×50×10.75		18.5	13.9	50	10.75	28.12	170.2	7.78	磨平	
CGS 2.3×18.5×35×7.75	2.3	18.5	13.9	35	7.75	20.1	147.02	9.86	磨平	不锈钢
CGS 2.3×18.5×40×8.75		18.5	13.9	40	8.75	22.5	147.02	8.4	磨平	
CGS 2.3×18.5×45×9.5		18.5	13.9	45	9.5	25.56	147.02	7.56	磨平	
CGS 2.3×18.5×50×10.5		18.5	13.9	50	10.5	27.97	147.02	6.67	磨平	
CGM 2.4×18.5×35×8	2.4	18.5	13.7	35	8	20.9	193.18	13.7	磨平	碳钢
CGM 2.4×18.5×40×8.75		18.5	13.7	40	8.75	24.14	193.18	12.18	磨平	
CGM 2.4×18.5×45×9.75		18.5	13.7	45	9.75	26.79	193.18	10.61	磨平	
CGM 2.4×18.5×50×10.75		18.5	13.7	50	10.75	29.44	193.18	9.4	磨平	


G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢



型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CGS 2.4×18.5×35×7.75	2.4	18.5	13.7	35	7.75	21.01	166.68	11.91	磨平	不锈钢
CGS 2.4×18.5×40×8.75		18.5	13.7	40	8.75	23.58	166.68	10.15	磨平	
CGS 2.4×18.5×45×9.75		18.5	13.7	45	9.75	26.14	166.68	8.84	磨平	
CGS 2.4×18.5×50×10.5		18.5	13.7	50	10.5	29.32	166.68	8.06	磨平	
CGM 2.5×18.5×35×8	2.5	18.5	13.5	35	8	21.73	218.13	16.44	磨平	碳钢
CGM 2.5×18.5×40×9		18.5	13.5	40	9	24.52	218.13	14.09	磨平	
CGM 2.5×18.5×45×10		18.5	13.5	45	10	27.3	218.13	12.33	磨平	
CGM 2.5×18.5×50×10.75		18.5	13.5	50	10.75	30.65	218.13	11.27	磨平	
CGS 2.5×18.5×35×7.75	2.5	18.5	13.5	35	7.75	21.85	187.99	14.29	磨平	不锈钢
CGS 2.5×18.5×40×8.75		18.5	13.5	40	8.75	24.56	187.99	12.17	磨平	
CGS 2.5×18.5×45×9.75		18.5	13.5	45	9.75	27.27	187.99	10.6	磨平	
CGS 2.5×18.5×50×10.75		18.5	13.5	50	10.75	29.98	187.99	9.39	磨平	
CGM 2.6×18.5×35×7.75	2.6	18.5	13.3	35	7.75	22.54	244.21	19.59	磨平	碳钢
CGM 2.6×18.5×40×8.75		18.5	13.3	40	8.75	25.37	244.21	16.69	磨平	
CGM 2.6×18.5×45×9.75		18.5	13.3	45	9.75	28.2	244.21	14.54	磨平	
CGM 2.6×18.5×50×10.75		18.5	13.3	50	10.75	31.03	244.21	12.88	磨平	
CGS 2.6×18.5×35×7.75	2.6	18.5	13.3	35	7.75	22.62	210.99	17.04	磨平	不锈钢
CGS 2.6×18.5×40×8.75		18.5	13.3	40	8.75	25.46	210.99	14.51	磨平	
CGS 2.6×18.5×45×9.75		18.5	13.3	45	9.75	28.31	210.99	12.64	磨平	
CGS 2.6×18.5×50×10.75		18.5	13.3	50	10.75	31.15	210.99	11.2	磨平	
CNM 1.4×19×35×6.25	1.4	19	16.2	35	6.25	12.84	37.99	1.71	不磨平	碳钢
CNM 1.4×19×40×6.75		19	16.2	40	6.75	15.23	37.99	1.53	不磨平	
CNM 1.4×19×45×7.5		19	16.2	45	7.5	16.32	37.99	1.32	不磨平	
CNM 1.4×19×50×8		19	16.2	50	8	18.72	37.99	1.21	不磨平	
CNS 1.4×19×35×6	1.4	19	16.2	35	6	13.39	32.8	1.52	不磨平	不锈钢
CNS 1.4×19×40×6.75		19	16.2	40	6.75	14.34	32.8	1.28	不磨平	
CNS 1.4×19×45×7.25		19	16.2	45	7.25	16.64	32.8	1.16	不磨平	
CNS 1.4×19×50×8		19	16.2	50	8	17.59	32.8	1.01	不磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢






型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CNM 1.5×19×35×6.25	1.5	19	16	35	6.25	14.76	46.52	2.3	不磨平	碳钢
CNM 1.5×19×40×7		19	16	40	7	16.19	46.52	1.95	不磨平	
CNM 1.5×19×45×7.75		19	16	45	7.75	17.61	46.52	1.7	不磨平	
CNM 1.5×19×50×8.5		19	16	50	8.5	19.04	46.52	1.5	不磨平	
CNS 1.5×19×35×6.25	1.5	19	16	35	6.25	13.98	40.26	1.92	不磨平	不锈钢
CNS 1.5×19×40×7		19	16	40	7	15.27	40.26	1.63	不磨平	
CNS 1.5×19×45×7.5		19	16	45	7.5	17.8	40.26	1.48	不磨平	
CNS 1.5×19×50×8.25		19	16	50	8.25	19.09	40.26	1.3	不磨平	
CNM 1.6×19×35×6.5	1.6	19	15.8	35	6.5	15.27	56.4	2.86	不磨平	碳钢
CNM 1.6×19×40×7.25		19	15.8	40	7.25	16.98	56.4	2.45	不磨平	
CNM 1.6×19×45×8		19	15.8	45	8	18.69	56.4	2.14	不磨平	
CNM 1.6×19×50×8.75		19	15.8	50	8.75	20.41	56.4	1.91	不磨平	
CNS 1.6×19×35×6.5	1.6	19	15.8	35	6.5	14.53	48.76	2.38	不磨平	不锈钢
CNS 1.6×19×40×7		19	15.8	40	7	17.26	48.76	2.14	不磨平	
CNS 1.6×19×45×7.75		19	15.8	45	7.75	18.85	48.76	1.86	不磨平	
CNS 1.6×19×50×8.5		19	15.8	50	8.5	20.43	48.76	1.65	不磨平	
CNM 1.7×19×35×6.75	1.7	19	15.6	35	6.75	15.76	67.58	3.51	不磨平	碳钢
CNM 1.7×19×40×7.5		19	15.6	40	7.5	17.72	67.58	3.03	不磨平	
CNM 1.7×19×45×8.25		19	15.6	45	8.25	19.68	67.58	2.67	不磨平	
CNM 1.7×19×50×9		19	15.6	50	9	21.64	67.58	2.38	不磨平	
CNS 1.7×19×35×6.5	1.7	19	15.6	35	6.5	16.11	58.36	3.09	不磨平	不锈钢
CNS 1.7×19×40×7.25		19	15.6	40	7.25	17.96	58.36	2.65	不磨平	
CNS 1.7×19×45×8		19	15.6	45	8	19.81	58.36	2.32	不磨平	
CNS 1.7×19×50×8.75		19	15.6	50	8.75	21.66	58.36	2.06	不磨平	
CGM 1.8×19×35×7	1.8	19	15.4	35	7	16.22	80.14	4.27	磨平	碳钢
CGM 1.8×19×40×8		19	15.4	40	8	17.46	80.14	3.56	磨平	
CGM 1.8×19×45×8.75		19	15.4	45	8.75	19.64	80.14	3.16	磨平	
CGM 1.8×19×50×9.5		19	15.4	50	9.5	21.83	80.14	2.84	磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢




型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CGS 1.8×19×35×7	1.8	19	15.4	35	7	15.56	69.13	3.56	磨平	不锈钢
CGS 1.8×19×40×7.75		19	15.4	40	7.75	17.64	69.13	3.09	磨平	
CGS 1.8×19×45×8.5		19	15.4	45	8.5	19.72	69.13	2.74	磨平	
CGS 1.8×19×50×9.25		19	15.4	50	9.25	21.81	69.13	2.45	磨平	
CGM 1.9×19×35×7.25	1.9	19	15.2	35	7.25	16.72	93.83	5.13	磨平	碳钢
CGM 1.9×19×40×8		19	15.2	40	8	19.11	93.83	4.49	磨平	
CGM 1.9×19×45×9		19	15.2	45	9	20.63	93.83	3.85	磨平	
CGM 1.9×19×50×9.75		19	15.2	50	9.75	23.02	93.83	3.48	磨平	
CGS 1.9×19×35×7.25	1.9	19	15.2	35	7.25	16.04	81.12	4.28	磨平	不锈钢
CGS 1.9×19×40×8		19	15.2	40	8	18.33	81.12	3.74	磨平	
CGS 1.9×19×45×8.75		19	15.2	45	8.75	20.62	81.12	3.33	磨平	
CGS 1.9×19×50×9.5		19	15.2	50	9.5	22.91	81.12	2.99	磨平	
CGM 2×19×35×7.5	2	19	15	35	7.5	17.15	109.32	6.12	磨平	碳钢
CGM 2×19×40×8.25		19	15	40	8.25	19.71	109.32	5.39	磨平	
CGM 2×19×45×9		19	15	45	9	22.28	109.32	4.81	磨平	
CGM 2×19×50×10		19	15	50	10	24.03	109.32	4.21	磨平	
CGS 2×19×35×7.25	2	19	15	35	7.25	17.34	94.41	5.35	磨平	不锈钢
CGS 2×19×40×8		19	15	40	8	19.81	94.41	4.68	磨平	
CGS 2×19×45×9		19	15	45	9	21.45	94.41	4.01	磨平	
CGS 2×19×50×9.75		19	15	50	9.75	23.93	94.41	3.62	磨平	
CGM 2.1×19×35×7.5	2.1	19	14.8	35	7.5	18.31	126.41	7.58	磨平	碳钢
CGM 2.1×19×40×8.25		19	14.8	40	8.25	21.04	126.41	6.67	磨平	
CGM 2.1×19×45×9.25		19	14.8	45	9.25	23	126.41	5.75	磨平	
CGM 2.1×19×50×10		19	14.8	50	10	25.73	126.41	5.21	磨平	
CGS 2.1×19×35×7.25	2.1	19	14.8	35	7.25	18.51	109.05	6.61	磨平	不锈钢
CGS 2.1×19×40×8.25		19	14.8	40	8.25	20.37	109.05	5.56	磨平	
CGS 2.1×19×45×9		19	14.8	45	9	23.01	109.05	4.96	磨平	
CGS 2.1×19×50×10		19	14.8	50	10	24.87	109.05	4.34	磨平	

G: 磨平    N: 不磨平  
M: 碳钢    S: 不锈钢




型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CGM 2.2×19×35×7.5	2.2	19	14.6	35	7.5	19.43	144.66	9.29	磨平	碳钢
CGM 2.2×19×40×8.5		19	14.6	40	8.5	21.59	144.66	7.86	磨平	
CGM 2.2×19×45×9.5		19	14.6	45	9.5	23.76	144.66	6.81	磨平	
CGM 2.2×19×50×10.25		19	14.6	50	10.25	26.64	144.66	6.19	磨平	
CGS 2.2×19×35×7.5	2.2	19	14.6	35	7.5	18.84	125.1	7.74	磨平	不锈钢
CGS 2.2×19×40×8.25		19	14.6	40	8.25	21.63	125.1	6.81	磨平	
CGS 2.2×19×45×9.25		19	14.6	45	9.25	23.7	125.1	5.87	磨平	
CGS 2.2×19×50×10		19	14.6	50	10	26.49	125.1	5.32	磨平	
CGM 2.3×19×35×7.75	2.3	19	14.4	35	7.75	19.72	165.1	10.81	磨平	碳钢
CGM 2.3×19×40×8.5		19	14.4	40	8.5	22.73	165.1	9.56	磨平	
CGM 2.3×19×45×9.5		19	14.4	45	9.5	25.07	165.1	8.28	磨平	
CGM 2.3×19×50×10.5		19	14.4	50	10.5	27.41	165.1	7.31	磨平	
CGS 2.3×19×35×7.5	2.3	19	14.4	35	7.5	19.85	142.61	9.41	磨平	不锈钢
CGS 2.3×19×40×8.5		19	14.4	40	8.5	22.1	142.61	7.97	磨平	
CGS 2.3×19×45×9.25		19	14.4	45	9.25	25.03	142.61	7.14	磨平	
CGS 2.3×19×50×10.25		19	14.4	50	10.25	27.28	142.61	6.28	磨平	
CGM 2.4×19×35×7.75	2.4	19	14.2	35	7.75	20.64	187.36	13.04	磨平	碳钢
CGM 2.4×19×40×8.75		19	14.2	40	8.75	23.14	187.36	11.11	磨平	
CGM 2.4×19×45×9.5		19	14.2	45	9.5	26.26	187.36	10	磨平	
CGM 2.4×19×50×10.5		19	14.2	50	10.5	28.77	187.36	8.82	磨平	
CGS 2.4×19×35×7.5	2.4	19	14.2	35	7.5	20.77	161.66	11.36	磨平	不锈钢
CGS 2.4×19×40×8.5		19	14.2	40	8.5	23.19	161.66	9.62	磨平	
CGS 2.4×19×45×9.5		19	14.2	45	9.5	25.6	161.66	8.33	磨平	
CGS 2.4×19×50×10.25		19	14.2	50	10.25	28.66	161.66	7.58	磨平	
CGM 2.5×19×35×7.75	2.5	19	14	35	7.75	21.47	211.52	15.64	磨平	碳钢
CGM 2.5×19×40×8.75		19	14	40	8.75	24.12	211.52	13.32	磨平	
CGM 2.5×19×45×9.75		19	14	45	9.75	26.77	211.52	11.6	磨平	
CGM 2.5×19×50×10.5		19	14	50	10.5	30.01	211.52	10.58	磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢




型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CGS 2.5×19×35×7.75	2.5	19	14	35	7.75	21.01	182.29	13.03	磨平	不锈钢
CGS 2.5×19×40×8.5		19	14	40	8.5	24.19	182.29	11.53	磨平	
CGS 2.5×19×45×9.5		19	14	45	9.5	26.75	182.29	9.99	磨平	
CGS 2.5×19×50×10.5		19	14	50	10.5	29.32	182.29	8.82	磨平	
CGM 2.6×19×35×7.75	2.6	19	13.8	35	7.75	21.74	236.77	17.85	磨平	碳钢
CGM 2.6×19×40×8.5		19	13.8	40	8.5	25.01	236.77	15.79	磨平	
CGM 2.6×19×45×9.5		19	13.8	45	9.5	27.7	236.77	13.69	磨平	
CGM 2.6×19×50×10.5		19	13.8	50	10.5	30.4	236.77	12.08	磨平	
CGS 2.6×19×35×7.75	2.6	19	13.8	35	7.75	21.82	204.56	15.53	磨平	不锈钢
CGS 2.6×19×40×8.75		19	13.8	40	8.75	24.53	204.56	13.23	磨平	
CGS 2.6×19×45×9.5		19	13.8	45	9.5	27.81	204.56	11.9	磨平	
CGS 2.6×19×50×10.5		19	13.8	50	10.5	30.52	204.56	10.5	磨平	
CNM 1.4×19.5×35×6	1.4	19.5	16.7	35	6	12.94	36.94	1.67	不磨平	碳钢
CNM 1.4×19.5×40×6.5		19.5	16.7	40	6.5	15.19	36.94	1.49	不磨平	
CNM 1.4×19.5×45×7.25		19.5	16.7	45	7.25	16.05	36.94	1.28	不磨平	
CNM 1.4×19.5×50×7.75		19.5	16.7	50	7.75	18.29	36.94	1.17	不磨平	
CNS 1.4×19.5×35×5.75	1.4	19.5	16.7	35	5.75	13.58	31.89	1.49	不磨平	不锈钢
CNS 1.4×19.5×40×6.5		19.5	16.7	40	6.5	14.29	31.89	1.24	不磨平	
CNS 1.4×19.5×45×7		19.5	16.7	45	7	16.44	31.89	1.12	不磨平	
CNS 1.4×19.5×50×7.75		19.5	16.7	50	7.75	17.15	31.89	0.97	不磨平	
CNM 1.5×19.5×35×6.25	1.5	19.5	16.5	35	6.25	13.58	45.23	2.11	不磨平	碳钢
CNM 1.5×19.5×40×6.75		19.5	16.5	40	6.75	16.06	45.23	1.89	不磨平	
CNM 1.5×19.5×45×7.5		19.5	16.5	45	7.5	17.29	45.23	1.63	不磨平	
CNM 1.5×19.5×50×8.25		19.5	16.5	50	8.25	18.51	45.23	1.44	不磨平	
CNS 1.5×19.5×35×6	1.5	19.5	16.5	35	6	14.07	39.14	1.87	不磨平	不锈钢
CNS 1.5×19.5×40×6.75		19.5	16.5	40	6.75	15.15	39.14	1.57	不磨平	
CNS 1.5×19.5×45×7.25		19.5	16.5	45	7.25	17.53	39.14	1.42	不磨平	
CNS 1.5×19.5×50×8		19.5	16.5	50	8	18.61	39.14	1.25	不磨平	

G: 磨平      N: 不磨平  
 M: 碳钢      S: 不锈钢




型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CNM 1.6×19.5×35×6.25	1.6	19.5	16.3	35	6.25	15.28	54.83	2.78	不磨平	碳钢
CNM 1.6×19.5×40×7		19.5	16.3	40	7	16.8	54.83	2.36	不磨平	
CNM 1.6×19.5×45×7.75		19.5	16.3	45	7.75	18.32	54.83	2.05	不磨平	
CNM 1.6×19.5×50×8.5		19.5	16.3	50	8.5	19.84	54.83	1.82	不磨平	
CNS 1.6×19.5×35×6.25	1.6	19.5	16.3	35	6.25	14.55	47.39	2.32	不磨平	不锈钢
CNS 1.6×19.5×40×7		19.5	16.3	40	7	15.94	47.39	1.97	不磨平	
CNS 1.6×19.5×45×7.5		19.5	16.3	45	7.5	18.53	47.39	1.79	不磨平	
CNS 1.6×19.5×50×8.25		19.5	16.3	50	8.25	19.92	47.39	1.58	不磨平	
CNM 1.7×19.5×35×6.5	1.7	19.5	16.1	35	6.5	15.7	65.69	3.4	不磨平	碳钢
CNM 1.7×19.5×40×7.25		19.5	16.1	40	7.25	17.48	65.69	2.92	不磨平	
CNM 1.7×19.5×45×8		19.5	16.1	45	8	19.26	65.69	2.55	不磨平	
CNM 1.7×19.5×50×8.75		19.5	16.1	50	8.75	21.05	65.69	2.27	不磨平	
CNS 1.7×19.5×35×6.5	1.7	19.5	16.1	35	6.5	15	56.72	2.84	不磨平	不锈钢
CNS 1.7×19.5×40×7		19.5	16.1	40	7	17.78	56.72	2.55	不磨平	
CNS 1.7×19.5×45×7.75		19.5	16.1	45	7.75	19.44	56.72	2.22	不磨平	
CNS 1.7×19.5×50×8.5		19.5	16.1	50	8.5	21.11	56.72	1.96	不磨平	
CGM 1.8×19.5×35×7	1.8	19.5	15.9	35	7	15.11	77.88	3.92	磨平	碳钢
CGM 1.8×19.5×40×7.75		19.5	15.9	40	7.75	17.12	77.88	3.4	磨平	
CGM 1.8×19.5×45×8.5		19.5	15.9	45	8.5	19.14	77.88	3.01	磨平	
CGM 1.8×19.5×50×9.25		19.5	15.9	50	9.25	21.16	77.88	2.7	磨平	
CGS 1.8×19.5×35×6.75	1.8	19.5	15.9	35	6.75	15.44	67.17	3.43	磨平	不锈钢
CGS 1.8×19.5×40×7.5		19.5	15.9	40	7.5	17.35	67.17	2.97	磨平	
CGS 1.8×19.5×45×8.25		19.5	15.9	45	8.25	19.27	67.17	2.61	磨平	
CGS 1.8×19.5×50×9		19.5	15.9	50	9	21.18	67.17	2.33	磨平	
CGM 1.9×19.5×35×7	1.9	19.5	15.7	35	7	16.56	91.16	4.94	磨平	碳钢
CGM 1.9×19.5×40×7.75		19.5	15.7	40	7.75	18.79	91.16	4.3	磨平	
CGM 1.9×19.5×45×8.75		19.5	15.7	45	8.75	20.11	91.16	3.66	磨平	
CGM 1.9×19.5×50×9.5		19.5	15.7	50	9.5	22.34	91.16	3.3	磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢




型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CGS 1.9×19.5×35×7	1.9	19.5	15.7	35	7	15.87	78.82	4.12	磨平	不锈钢
CGS 1.9×19.5×40×7.75		19.5	15.7	40	7.75	18	78.82	3.58	磨平	
CGS 1.9×19.5×45×8.5		19.5	15.7	45	8.5	20.13	78.82	3.17	磨平	
CGS 1.9×19.5×50×9.25		19.5	15.7	50	9.25	22.26	78.82	2.84	磨平	
CGM 2×19.5×35×7.25	2	19.5	15.5	35	7.25	16.94	106.19	5.88	磨平	碳钢
CGM 2×19.5×40×8		19.5	15.5	40	8	19.36	106.19	5.15	磨平	
CGM 2×19.5×45×8.75		19.5	15.5	45	8.75	21.78	106.19	4.57	磨平	
CGM 2×19.5×50×9.75		19.5	15.5	50	9.75	23.34	106.19	3.98	磨平	
CGS 2×19.5×35×7	2	19.5	15.5	35	7	17.18	91.71	5.15	磨平	不锈钢
CGS 2×19.5×40×7.75		19.5	15.5	40	7.75	19.5	91.71	4.47	磨平	
CGS 2×19.5×45×8.75		19.5	15.5	45	8.75	20.94	91.71	3.81	磨平	
CGS 2×19.5×50×9.5		19.5	15.5	50	9.5	23.26	91.71	3.43	磨平	
CGM 2.1×19.5×35×7.25	2.1	19.5	15.3	35	7.25	18.12	122.77	7.27	磨平	碳钢
CGM 2.1×19.5×40×8.25		19.5	15.3	40	8.25	19.9	122.77	6.11	磨平	
CGM 2.1×19.5×45×9		19.5	15.3	45	9	22.49	122.77	5.45	磨平	
CGM 2.1×19.5×50×9.75		19.5	15.3	50	9.75	25.08	122.77	4.93	磨平	
CGS 2.1×19.5×35×7.25	2.1	19.5	15.3	35	7.25	17.52	105.91	6.06	磨平	不锈钢
CGS 2.1×19.5×40×8		19.5	15.3	40	8	20.02	105.91	5.3	磨平	
CGS 2.1×19.5×45×8.75		19.5	15.3	45	8.75	22.53	105.91	4.71	磨平	
CGS 2.1×19.5×50×9.75		19.5	15.3	50	9.75	24.2	105.91	4.1	磨平	
CGM 2.2×19.5×35×7.5	2.2	19.5	15.1	35	7.5	18.48	140.48	8.51	磨平	碳钢
CGM 2.2×19.5×40×8.25		19.5	15.1	40	8.25	21.23	140.48	7.49	磨平	
CGM 2.2×19.5×45×9		19.5	15.1	45	9	23.98	140.48	6.68	磨平	
CGM 2.2×19.5×50×10		19.5	15.1	50	10	25.98	140.48	5.85	磨平	
CGS 2.2×19.5×35×7.25	2.2	19.5	15.1	35	7.25	18.64	121.48	7.43	磨平	不锈钢
CGS 2.2×19.5×40×8		19.5	15.1	40	8	21.3	121.48	6.5	磨平	
CGS 2.2×19.5×45×9		19.5	15.1	45	9	23.19	121.48	5.57	磨平	
CGS 2.2×19.5×50×9.75		19.5	15.1	50	9.75	25.85	121.48	5.03	磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢



型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CGM 2.3×19.5×35×7.5	2.3	19.5	14.9	35	7.5	19.5	160.3	10.34	磨平	碳钢
CGM 2.3×19.5×40×8.25		19.5	14.9	40	8.25	22.38	160.3	9.1	磨平	
CGM 2.3×19.5×45×9.25		19.5	14.9	45	9.25	24.56	160.3	7.84	磨平	
CGM 2.3×19.5×50×10		19.5	14.9	50	10	27.45	160.3	7.11	磨平	
CGS 2.3×19.5×35×7.25	2.3	19.5	14.9	35	7.25	19.66	138.47	9.03	磨平	不锈钢
CGS 2.3×19.5×40×8.25		19.5	14.9	40	8.25	21.74	138.47	7.58	磨平	
CGS 2.3×19.5×45×9		19.5	14.9	45	9	24.55	138.47	6.77	磨平	
CGS 2.3×19.5×50×10		19.5	14.9	50	10	26.62	138.47	5.92	磨平	
CGM 2.4×19.5×35×7.5	2.4	19.5	14.7	35	7.5	20.42	181.88	12.47	磨平	碳钢
CGM 2.4×19.5×40×8.5		19.5	14.7	40	8.5	22.77	181.88	10.56	磨平	
CGM 2.4×19.5×45×9.25		19.5	14.7	45	9.25	25.78	181.88	9.46	磨平	
CGM 2.4×19.5×50×10.25		19.5	14.7	50	10.25	28.13	181.88	8.32	磨平	
CGS 2.4×19.5×35×7.5	2.4	19.5	14.7	35	7.5	19.9	156.93	10.4	磨平	不锈钢
CGS 2.4×19.5×40×8.25		19.5	14.7	40	8.25	22.85	156.93	9.15	磨平	
CGS 2.4×19.5×45×9.25		19.5	14.7	45	9.25	25.1	156.93	7.89	磨平	
CGS 2.4×19.5×50×10		19.5	14.7	50	10	28.04	156.93	7.15	磨平	
CGM 2.5×19.5×35×7.5	2.5	19.5	14.5	35	7.5	21.27	205.3	14.95	磨平	碳钢
CGM 2.5×19.5×40×8.5		19.5	14.5	40	8.5	23.77	205.3	12.65	磨平	
CGM 2.5×19.5×45×9.5		19.5	14.5	45	9.5	26.27	205.3	10.96	磨平	
CGM 2.5×19.5×50×10.25		19.5	14.5	50	10.25	29.4	205.3	9.97	磨平	
CGS 2.5×19.5×35×7.5	2.5	19.5	14.5	35	7.5	20.8	176.93	12.46	磨平	不锈钢
CGS 2.5×19.5×40×8.5		19.5	14.5	40	8.5	23.21	176.93	10.54	磨平	
CGS 2.5×19.5×45×9.25		19.5	14.5	45	9.25	26.28	176.93	9.45	磨平	
CGS 2.5×19.5×50×10.25		19.5	14.5	50	10.25	28.7	176.93	8.3	磨平	
CGM 2.6×19.5×35×7.5	2.6	19.5	14.3	35	7.5	21.53	229.76	17.06	磨平	碳钢
CGM 2.6×19.5×40×8.5		19.5	14.3	40	8.5	24.08	229.76	14.43	磨平	
CGM 2.6×19.5×45×9.25		19.5	14.3	45	9.25	27.25	229.76	12.94	磨平	
CGM 2.6×19.5×50×10.25		19.5	14.3	50	10.25	29.8	229.76	11.37	磨平	


G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢



型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CGS 2.6×19.5×35×7.5	2.6	19.5	14.3	35	7.5	21.62	198.51	14.83	磨平	不锈钢
CGS 2.6×19.5×40×8.5		19.5	14.3	40	8.5	24.18	198.51	12.55	磨平	
CGS 2.6×19.5×45×9.25		19.5	14.3	45	9.25	27.36	198.51	11.25	磨平	
CGS 2.6×19.5×50×10.25		19.5	14.3	50	10.25	29.93	198.51	9.89	磨平	
CGM 2.7×19.5×35×7.5	2.7	19.5	14.1	35	7.5	22.28	256.94	20.19	磨平	碳钢
CGM 2.7×19.5×40×8.5		19.5	14.1	40	8.5	24.96	256.94	17.09	磨平	
CGM 2.7×19.5×45×9.25		19.5	14.1	45	9.25	28.23	256.94	15.32	磨平	
CGM 2.7×19.5×50×10.25		19.5	14.1	50	10.25	30.91	256.94	13.46	磨平	
CGS 2.7×19.5×35×7.5	2.7	19.5	14.1	35	7.5	22.37	221.73	17.56	磨平	不锈钢
CGS 2.7×19.5×40×8.5		19.5	14.1	40	8.5	25.08	221.73	14.86	磨平	
CGS 2.7×19.5×45×9.5		19.5	14.1	45	9.5	27.78	221.73	12.88	磨平	
CGS 2.7×19.5×50×10.25		19.5	14.1	50	10.25	31.06	221.73	11.71	磨平	
CNM 1.5×20×40×6.75	1.5	20	17	40	6.75	14.72	44.01	1.74	不磨平	碳钢
CNM 1.5×20×45×7.25		20	17	45	7.25	17.05	44.01	1.57	不磨平	
CNM 1.5×20×50×8		20	17	50	8	18.06	44.01	1.38	不磨平	
CNM 1.5×20×55×8.5		20	17	55	8.5	20.4	44.01	1.27	不磨平	
CNS 1.5×20×40×6.5	1.5	20	17	40	6.5	15.13	38.08	1.53	不磨平	不锈钢
CNS 1.5×20×45×7		20	17	45	7	17.37	38.08	1.38	不磨平	
CNS 1.5×20×50×7.75		20	17	50	7.75	18.22	38.08	1.2	不磨平	
CNS 1.5×20×55×8.25		20	17	55	8.25	20.46	38.08	1.1	不磨平	
CNM 1.6×20×40×6.75	1.6	20	16.8	40	6.75	16.71	53.34	2.29	不磨平	碳钢
CNM 1.6×20×45×7.5		20	16.8	45	7.5	18.03	53.34	1.98	不磨平	
CNM 1.6×20×50×8.25		20	16.8	50	8.25	19.36	53.34	1.74	不磨平	
CNM 1.6×20×55×8.75		20	16.8	55	8.75	21.9	53.34	1.61	不磨平	
CNS 1.6×20×40×6.75	1.6	20	16.8	40	6.75	15.84	46.11	1.91	不磨平	不锈钢
CNS 1.6×20×45×7.25		20	16.8	45	7.25	18.3	46.11	1.73	不磨平	
CNS 1.6×20×50×8		20	16.8	50	8	19.48	46.11	1.51	不磨平	
CNS 1.6×20×55×8.75		20	16.8	55	8.75	20.67	46.11	1.34	不磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢






型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CNM 1.7×20×40×7	1.7	20	16.6	40	7	17.33	63.89	2.82	不磨平	碳钢
CNM 1.7×20×45×7.75		20	16.6	45	7.75	18.93	63.89	2.45	不磨平	
CNM 1.7×20×50×8.5		20	16.6	50	8.5	20.53	63.89	2.17	不磨平	
CNM 1.7×20×55×9		20	16.6	55	9	23.26	63.89	2.01	不磨平	
CNS 1.7×20×40×7	1.7	20	16.6	40	7	16.51	55.17	2.35	不磨平	不锈钢
CNS 1.7×20×45×7.5		20	16.6	45	7.5	19.16	55.17	2.14	不磨平	
CNS 1.7×20×50×8.25		20	16.6	50	8.25	20.64	55.17	1.88	不磨平	
CNS 1.7×20×55×9		20	16.6	55	9	22.12	55.17	1.68	不磨平	
CNM 1.8×20×40×7.25	1.8	20	16.4	40	7.25	17.92	75.74	3.43	不磨平	碳钢
CNM 1.8×20×45×8		20	16.4	45	8	19.76	75.74	3	不磨平	
CNM 1.8×20×50×8.75		20	16.4	50	8.75	21.61	75.74	2.67	不磨平	
CNM 1.8×20×55×9.25		20	16.4	55	9.25	24.5	75.74	2.48	不磨平	
CNS 1.8×20×40×7	1.8	20	16.4	40	7	18.23	65.33	3	不磨平	不锈钢
CNS 1.8×20×45×7.75		20	16.4	45	7.75	19.97	65.33	2.61	不磨平	
CNS 1.8×20×50×8.5		20	16.4	50	8.5	21.7	65.33	2.31	不磨平	
CNS 1.8×20×55×9.25		20	16.4	55	9.25	23.44	65.33	2.07	不磨平	
CGM 1.9×20×40×7.75	1.9	20	16.2	40	7.75	17.57	88.64	3.95	磨平	碳钢
CGM 1.9×20×45×8.5		20	16.2	45	8.5	19.65	88.64	3.5	磨平	
CGM 1.9×20×50×9.25		20	16.2	50	9.25	21.72	88.64	3.13	磨平	
CGM 1.9×20×55×10		20	16.2	55	10	23.8	88.64	2.84	磨平	
CGS 1.9×20×40×7.5	1.9	20	16.2	40	7.5	17.74	76.64	3.44	磨平	不锈钢
CGS 1.9×20×45×8.25		20	16.2	45	8.25	19.71	76.64	3.03	磨平	
CGS 1.9×20×50×9		20	16.2	50	9	21.67	76.64	2.71	磨平	
CGS 1.9×20×55×9.75		20	16.2	55	9.75	23.64	76.64	2.44	磨平	
CGM 2×20×40×7.75	2	20	16	40	7.75	19.07	103.24	4.93	磨平	碳钢
CGM 2×20×45×8.5		20	16	45	8.5	21.35	103.24	4.36	磨平	
CGM 2×20×50×9.25		20	16	50	9.25	23.62	103.24	3.91	磨平	
CGM 2×20×55×10.25		20	16	55	10.25	24.98	103.24	3.44	磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢




型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CGS 2×20×35×7	2	20	16	35	7	16.14	89.16	4.73	磨平	不锈钢
CGS 2×20×40×7.75		20	16	40	7.75	18.31	89.16	4.11	磨平	
CGS 2×20×45×8.5		20	16	45	8.5	20.49	89.16	3.64	磨平	
CGS 2×20×50×9.25		20	16	50	9.25	22.66	89.16	3.26	磨平	
CGM 2.1×20×40×8	2.1	20	15.8	40	8	19.58	119.34	5.84	磨平	碳钢
CGM 2.1×20×45×8.75		20	15.8	45	8.75	22.03	119.34	5.19	磨平	
CGM 2.1×20×50×9.5		20	15.8	50	9.5	24.47	119.34	4.68	磨平	
CGM 2.1×20×55×10.25		20	15.8	55	10.25	26.92	119.34	4.25	磨平	
CGS 2.1×20×40×7.75	2.1	20	15.8	40	7.75	19.74	102.96	5.08	磨平	不锈钢
CGS 2.1×20×45×8.5		20	15.8	45	8.5	22.1	102.96	4.5	磨平	
CGS 2.1×20×50×9.25		20	15.8	50	9.25	24.45	102.96	4.03	磨平	
CGS 2.1×20×55×10.25		20	15.8	55	10.25	25.93	102.96	3.54	磨平	
CGM 2.2×20×40×8	2.2	20	15.6	40	8	20.93	136.53	7.16	磨平	碳钢
CGM 2.2×20×45×9		20	15.6	45	9	22.75	136.53	6.14	磨平	
CGM 2.2×20×50×9.75		20	15.6	50	9.75	25.36	136.53	5.54	磨平	
CGM 2.2×20×55×10.5		20	15.6	55	10.5	27.98	136.53	5.05	磨平	
CGS 2.2×20×40×8	2.2	20	15.6	40	8	20.21	118.07	5.97	磨平	不锈钢
CGS 2.2×20×45×8.75		20	15.6	45	8.75	22.73	118.07	5.3	磨平	
CGS 2.2×20×50×9.5		20	15.6	50	9.5	25.26	118.07	4.77	磨平	
CGS 2.2×20×55×10.25		20	15.6	55	10.25	27.79	118.07	4.34	磨平	
CGM 2.3×20×40×8.25	2.3	20	15.4	40	8.25	21.34	155.77	8.35	磨平	碳钢
CGM 2.3×20×45×9		20	15.4	45	9	24.1	155.77	7.45	磨平	
CGM 2.3×20×50×9.75		20	15.4	50	9.75	26.87	155.77	6.73	磨平	
CGM 2.3×20×55×10.75		20	15.4	55	10.75	28.88	155.77	5.96	磨平	
CGS 2.3×20×40×8	2.3	20	15.4	40	8	21.43	134.56	7.25	磨平	不锈钢
CGS 2.3×20×45×8.75		20	15.4	45	8.75	24.11	134.56	6.44	磨平	
CGS 2.3×20×50×9.75		20	15.4	50	9.75	26.02	134.56	5.61	磨平	
CGS 2.3×20×55×10.5		20	15.4	55	10.5	28.7	134.56	5.12	磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢




型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CGM 2.4×20×35×7.25	2.4	20	15.2	35	7.25	20.26	176.72	11.99	磨平	碳钢
CGM 2.4×20×40×8.25		20	15.2	40	8.25	22.45	176.72	10.07	磨平	
CGM 2.4×20×45×9		20	15.2	45	9	25.34	176.72	8.99	磨平	
CGM 2.4×20×50×10		20	15.2	50	10	27.53	176.72	7.87	磨平	
CGS 2.4×20×40×8	2.4	20	15.2	40	8	22.56	152.47	8.74	磨平	不锈钢
CGS 2.4×20×45×9		20	15.2	45	9	24.65	152.47	7.49	磨平	
CGS 2.4×20×50×9.75		20	15.2	50	9.75	27.47	152.47	6.77	磨平	
CGS 2.4×20×55×10.75		20	15.2	55	10.75	29.56	152.47	5.99	磨平	
CGM 2.5×20×40×8.25	2.5	20	15	40	8.25	23.46	199.43	12.06	磨平	碳钢
CGM 2.5×20×45×9.25		20	15	45	9.25	25.82	199.43	10.4	磨平	
CGM 2.5×20×50×10		20	15	50	10	28.83	199.43	9.42	磨平	
CGM 2.5×20×55×11		20	15	55	11	31.19	199.43	8.37	磨平	
CGS 2.5×20×40×8.25	2.5	20	15	40	8.25	22.9	171.87	10.05	磨平	不锈钢
CGS 2.5×20×45×9		20	15	45	9	25.84	171.87	8.97	磨平	
CGS 2.5×20×50×10		20	15	50	10	28.11	171.87	7.85	磨平	
CGS 2.5×20×55×10.75		20	15	55	10.75	31.06	171.87	7.18	磨平	
CGM 2.6×20×40×8.25	2.6	20	14.8	40	8.25	23.77	223.16	13.75	磨平	碳钢
CGM 2.6×20×45×9		20	14.8	45	9	26.83	223.16	12.28	磨平	
CGM 2.6×20×50×10		20	14.8	50	10	29.23	223.16	10.75	磨平	
CGM 2.6×20×55×10.75		20	14.8	55	10.75	32.28	223.16	9.82	磨平	
CGS 2.6×20×40×8.25	2.6	20	14.8	40	8.25	23.88	192.8	11.96	磨平	不锈钢
CGS 2.6×20×45×9		20	14.8	45	9	26.95	192.8	10.68	磨平	
CGS 2.6×20×50×10		20	14.8	50	10	29.37	192.8	9.34	磨平	
CGS 2.6×20×55×10.75		20	14.8	55	10.75	32.43	192.8	8.54	磨平	
CGM 2.7×20×40×8.25	2.7	20	14.6	40	8.25	24.67	249.51	16.27	磨平	碳钢
CGM 2.7×20×45×9.25		20	14.6	45	9.25	27.22	249.51	14.03	磨平	
CGM 2.7×20×50×10		20	14.6	50	10	30.38	249.51	12.71	磨平	
CGM 2.7×20×55×11		20	14.6	55	11	32.92	249.51	11.3	磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢




型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CGS 2.7×20×40×8.25	2.7	20	14.6	40	8.25	24.78	215.32	14.15	磨平	不锈钢
CGS 2.7×20×45×9.25		20	14.6	45	9.25	27.35	215.32	12.2	磨平	
CGS 2.7×20×50×10		20	14.6	50	10	30.52	215.32	11.06	磨平	
CGS 2.7×20×55×11		20	14.6	55	11	33.09	215.32	9.83	磨平	
CNM 1.5×20.5×40×6.5	1.5	20.5	17.5	40	6.5	14.73	42.85	1.7	不磨平	碳钢
CNM 1.5×20.5×45×7		20.5	17.5	45	7	16.93	42.85	1.53	不磨平	
CNM 1.5×20.5×50×7.75		20.5	17.5	50	7.75	17.72	42.85	1.33	不磨平	
CNM 1.5×20.5×55×8.25		20.5	17.5	55	8.25	19.91	42.85	1.22	不磨平	
CNS 1.5×20.5×40×6.25	1.5	20.5	17.5	40	6.25	15.22	37.08	1.5	不磨平	不锈钢
CNS 1.5×20.5×45×7		20.5	17.5	45	7	15.85	37.08	1.27	不磨平	
CNS 1.5×20.5×50×7.5		20.5	17.5	50	7.5	17.93	37.08	1.16	不磨平	
CNS 1.5×20.5×55×8		20.5	17.5	55	8	20.02	37.08	1.06	不磨平	
CNM 1.6×20.5×40×6.75	1.6	20.5	17.3	40	6.75	15.43	51.93	2.11	不磨平	碳钢
CNM 1.6×20.5×45×7.25		20.5	17.3	45	7.25	17.84	51.93	1.91	不磨平	
CNM 1.6×20.5×50×8		20.5	17.3	50	8	18.96	51.93	1.67	不磨平	
CNM 1.6×20.5×55×8.5		20.5	17.3	55	8.5	21.37	51.93	1.54	不磨平	
CNS 1.6×20.5×40×6.5	1.6	20.5	17.3	40	6.5	15.85	44.89	1.86	不磨平	不锈钢
CNS 1.6×20.5×45×7.25		20.5	17.3	45	7.25	16.83	44.89	1.59	不磨平	
CNS 1.6×20.5×50×7.75		20.5	17.3	50	7.75	19.14	44.89	1.45	不磨平	
CNS 1.6×20.5×55×8.25		20.5	17.3	55	8.25	21.46	44.89	1.34	不磨平	
CNM 1.7×20.5×40×6.75	1.7	20.5	17.1	40	6.75	17.27	62.19	2.74	不磨平	碳钢
CNM 1.7×20.5×45×7.5		20.5	17.1	45	7.5	18.68	62.19	2.36	不磨平	
CNM 1.7×20.5×50×8.25		20.5	17.1	50	8.25	20.1	62.19	2.08	不磨平	
CNM 1.7×20.5×55×8.75		20.5	17.1	55	8.75	22.7	62.19	1.93	不磨平	
CNS 1.7×20.5×40×6.75	1.7	20.5	17.1	40	6.75	16.45	53.7	2.28	不磨平	不锈钢
CNS 1.7×20.5×45×7.25		20.5	17.1	45	7.25	18.97	53.7	2.06	不磨平	
CNS 1.7×20.5×50×8		20.5	17.1	50	8	20.25	53.7	1.81	不磨平	
CNS 1.7×20.5×55×8.75		20.5	17.1	55	8.75	21.54	53.7	1.6	不磨平	

G: 磨平    N: 不磨平  
M: 碳钢    S: 不锈钢




型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CNM 1.8×20.5×40×7	1.8	20.5	16.9	40	7	17.8	73.71	3.32	不磨平	碳钢
CNM 1.8×20.5×45×7.75		20.5	16.9	45	7.75	19.47	73.71	2.89	不磨平	
CNM 1.8×20.5×50×8.5		20.5	16.9	50	8.5	21.14	73.71	2.55	不磨平	
CNM 1.8×20.5×55×9		20.5	16.9	55	9	23.92	73.71	2.37	不磨平	
CNS 1.8×20.5×40×6.75	1.8	20.5	16.9	40	6.75	18.17	63.58	2.91	不磨平	不锈钢
CNS 1.8×20.5×45×7.5		20.5	16.9	45	7.5	19.72	63.58	2.52	不磨平	
CNS 1.8×20.5×50×8.25		20.5	16.9	50	8.25	21.27	63.58	2.21	不磨平	
CNS 1.8×20.5×55×9		20.5	16.9	55	9	22.83	63.58	1.98	不磨平	
CGM 1.9×20.5×40×7.5	1.9	20.5	16.7	40	7.5	17.35	86.26	3.81	磨平	碳钢
CGM 1.9×20.5×45×8.25		20.5	16.7	45	8.25	19.26	86.26	3.35	磨平	
CGM 1.9×20.5×50×9		20.5	16.7	50	9	21.17	86.26	2.99	磨平	
CGM 1.9×20.5×55×9.5		20.5	16.7	55	9.5	24.11	86.26	2.79	磨平	
CGS 1.9×20.5×40×7.25	1.9	20.5	16.7	40	7.25	17.56	74.58	3.32	磨平	不锈钢
CGS 1.9×20.5×45×8		20.5	16.7	45	8	19.36	74.58	2.91	磨平	
CGS 1.9×20.5×50×8.75		20.5	16.7	50	8.75	21.15	74.58	2.59	磨平	
CGS 1.9×20.5×55×9.5		20.5	16.7	55	9.5	22.95	74.58	2.33	磨平	
CGM 2×20.5×40×7.5	2	20.5	16.5	40	7.5	18.86	100.45	4.75	磨平	碳钢
CGM 2×20.5×45×8.25		20.5	16.5	45	8.25	20.97	100.45	4.18	磨平	
CGM 2×20.5×50×9		20.5	16.5	50	9	23.09	100.45	3.73	磨平	
CGM 2×20.5×55×9.75		20.5	16.5	55	9.75	25.21	100.45	3.37	磨平	
CGS 2×20.5×40×7.5	2	20.5	16.5	40	7.5	18.09	86.75	3.96	磨平	不锈钢
CGS 2×20.5×45×8.25		20.5	16.5	45	8.25	20.1	86.75	3.48	磨平	
CGS 2×20.5×50×9		20.5	16.5	50	9	22.11	86.75	3.11	磨平	
CGS 2×20.5×55×9.75		20.5	16.5	55	9.75	24.12	86.75	2.81	磨平	
CGM 2.1×20.5×40×7.75	2.1	20.5	16.3	40	7.75	19.32	116.1	5.61	磨平	碳钢
CGM 2.1×20.5×45×8.5		20.5	16.3	45	8.5	21.62	116.1	4.97	磨平	
CGM 2.1×20.5×50×9.25		20.5	16.3	50	9.25	23.93	116.1	4.45	磨平	
CGM 2.1×20.5×55×10		20.5	16.3	55	10	26.23	116.1	4.04	磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢




型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CGS 2.1×20.5×40×7.5	2.1	20.5	16.3	40	7.5	19.52	100.16	4.89	磨平	不锈钢
CGS 2.1×20.5×45×8.25		20.5	16.3	45	8.25	21.73	100.16	4.3	磨平	
CGS 2.1×20.5×50×9		20.5	16.3	50	9	23.94	100.16	3.84	磨平	
CGS 2.1×20.5×55×9.75		20.5	16.3	55	9.75	26.15	100.16	3.47	磨平	
CGM 2.2×20.5×40×7.75	2.2	20.5	16.1	40	7.75	20.68	132.8	6.87	磨平	碳钢
CGM 2.2×20.5×45×8.75		20.5	16.1	45	8.75	22.32	132.8	5.86	磨平	
CGM 2.2×20.5×50×9.5		20.5	16.1	50	9.5	24.8	132.8	5.27	磨平	
CGM 2.2×20.5×55×10.25		20.5	16.1	55	10.25	27.28	132.8	4.79	磨平	
CGS 2.2×20.5×40×7.75	2.2	20.5	16.1	40	7.75	19.95	114.84	5.73	磨平	不锈钢
CGS 2.2×20.5×45×8.5		20.5	16.1	45	8.5	22.34	114.84	5.07	磨平	
CGS 2.2×20.5×50×9.25		20.5	16.1	50	9.25	24.72	114.84	4.54	磨平	
CGS 2.2×20.5×55×10		20.5	16.1	55	10	27.11	114.84	4.12	磨平	
CGM 2.3×20.5×40×8	2.3	20.5	15.9	40	8	21.06	151.49	8	磨平	碳钢
CGM 2.3×20.5×45×8.75		20.5	15.9	45	8.75	23.7	151.49	7.11	磨平	
CGM 2.3×20.5×50×9.5		20.5	15.9	50	9.5	26.33	151.49	6.4	磨平	
CGM 2.3×20.5×55×10.5		20.5	15.9	55	10.5	28.17	151.49	5.65	磨平	
CGS 2.3×20.5×40×7.75	2.3	20.5	15.9	40	7.75	21.19	130.86	6.96	磨平	不锈钢
CGS 2.3×20.5×45×8.5		20.5	15.9	45	8.5	23.74	130.86	6.15	磨平	
CGS 2.3×20.5×50×9.5		20.5	15.9	50	9.5	25.46	130.86	5.33	磨平	
CGS 2.3×20.5×55×10.25		20.5	15.9	55	10.25	28.01	130.86	4.85	磨平	
CGM 2.4×20.5×40×8	2.4	20.5	15.7	40	8	22.18	171.84	9.64	磨平	碳钢
CGM 2.4×20.5×45×8.75		20.5	15.7	45	8.75	24.95	171.84	8.57	磨平	
CGM 2.4×20.5×50×9.75		20.5	15.7	50	9.75	26.98	171.84	7.47	磨平	
CGM 2.4×20.5×55×10.5		20.5	15.7	55	10.5	29.75	171.84	6.81	磨平	
CGS 2.4×20.5×40×8	2.4	20.5	15.7	40	8	21.55	148.26	8.04	磨平	不锈钢
CGS 2.4×20.5×45×8.75		20.5	15.7	45	8.75	24.24	148.26	7.14	磨平	
CGS 2.4×20.5×50×9.5		20.5	15.7	50	9.5	26.94	148.26	6.43	磨平	
CGS 2.4×20.5×55×10.25		20.5	15.7	55	10.25	29.63	148.26	5.84	磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢



型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CGM 2.5×20.5×40×8	2.5	20.5	15.5	40	8	23.2	193.89	11.54	磨平	碳钢
CGM 2.5×20.5×45×9		20.5	15.5	45	9	25.4	193.89	9.89	磨平	
CGM 2.5×20.5×50×9.75		20.5	15.5	50	9.75	28.3	193.89	8.94	磨平	
CGM 2.5×20.5×55×10.75		20.5	15.5	55	10.75	30.51	193.89	7.92	磨平	
CGS 2.5×20.5×40×8	2.5	20.5	15.5	40	8	22.63	167.1	9.62	磨平	不锈钢
CGS 2.5×20.5×45×8.75		20.5	15.5	45	8.75	25.46	167.1	8.55	磨平	
CGS 2.5×20.5×50×9.75		20.5	15.5	50	9.75	27.56	167.1	7.45	磨平	
CGS 2.5×20.5×55×10.5		20.5	15.5	55	10.5	30.39	167.1	6.79	磨平	
CGM 2.6×20.5×40×8	2.6	20.5	15.3	40	8	23.52	216.93	13.16	磨平	碳钢
CGM 2.6×20.5×45×8.75		20.5	15.3	45	8.75	26.45	216.93	11.7	磨平	
CGM 2.6×20.5×50×9.75		20.5	15.3	50	9.75	28.71	216.93	10.19	磨平	
CGM 2.6×20.5×55×10.5		20.5	15.3	55	10.5	31.65	216.93	9.29	磨平	
CGS 2.6×20.5×40×8	2.6	20.5	15.3	40	8	23.62	187.42	11.44	磨平	不锈钢
CGS 2.6×20.5×45×9		20.5	15.3	45	9	25.89	187.42	9.81	磨平	
CGS 2.6×20.5×50×9.75		20.5	15.3	50	9.75	28.84	187.42	8.86	磨平	
CGS 2.6×20.5×55×10.5		20.5	15.3	55	10.5	31.8	187.42	8.08	磨平	
CGM 2.7×20.5×40×8	2.7	20.5	15.1	40	8	24.42	242.5	15.56	磨平	碳钢
CGM 2.7×20.5×45×9		20.5	15.1	45	9	26.82	242.5	13.34	磨平	
CGM 2.7×20.5×50×9.75		20.5	15.1	50	9.75	29.87	242.5	12.05	磨平	
CGM 2.7×20.5×55×10.75		20.5	15.1	55	10.75	32.28	242.5	10.67	磨平	
CGS 2.7×20.5×40×8	2.7	20.5	15.1	40	8	24.54	209.27	13.53	磨平	不锈钢
CGS 2.7×20.5×45×9		20.5	15.1	45	9	26.96	209.27	11.6	磨平	
CGS 2.7×20.5×50×9.75		20.5	15.1	50	9.75	30.03	209.27	10.48	磨平	
CGS 2.7×20.5×55×10.75		20.5	15.1	55	10.75	32.45	209.27	9.28	磨平	
CNM 1.5×21×40×6.25	1.5	21	18	40	6.25	14.87	41.75	1.66	不磨平	碳钢
CNM 1.5×21×45×6.75		21	18	45	6.75	16.91	41.75	1.49	不磨平	
CNM 1.5×21×50×7.5		21	18	50	7.5	17.47	41.75	1.28	不磨平	
CNM 1.5×21×55×8		21	18	55	8	19.52	41.75	1.18	不磨平	


G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢



型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CNS 1.5×21×40×6.25	1.5	21	18	40	6.25	13.9	36.13	1.38	不磨平	不锈钢
CNS 1.5×21×45×6.75		21	18	45	6.75	15.83	36.13	1.24	不磨平	
CNS 1.5×21×50×7.25		21	18	50	7.25	17.76	36.13	1.12	不磨平	
CNS 1.5×21×55×7.75		21	18	55	7.75	19.69	36.13	1.02	不磨平	
CNM 1.6×21×40×6.5	1.6	21	17.8	40	6.5	15.47	50.59	2.06	不磨平	碳钢
CNM 1.6×21×45×7		21	17.8	45	7	17.75	50.59	1.86	不磨平	
CNM 1.6×21×50×7.75		21	17.8	50	7.75	18.66	50.59	1.61	不磨平	
CNM 1.6×21×55×8.25		21	17.8	55	8.25	20.93	50.59	1.49	不磨平	
CNS 1.6×21×40×6.25	1.6	21	17.8	40	6.25	15.97	43.73	1.82	不磨平	不锈钢
CNS 1.6×21×45×7		21	17.8	45	7	16.73	43.73	1.55	不磨平	
CNS 1.6×21×50×7.5		21	17.8	50	7.5	18.9	43.73	1.41	不磨平	
CNS 1.6×21×55×8		21	17.8	55	8	21.08	43.73	1.29	不磨平	
CNM 1.7×21×40×6.75	1.7	21	17.6	40	6.75	16.05	60.58	2.53	不磨平	碳钢
CNM 1.7×21×45×7.25		21	17.6	45	7.25	18.53	60.58	2.29	不磨平	
CNM 1.7×21×50×8		21	17.6	50	8	19.74	60.58	2	不磨平	
CNM 1.7×21×55×8.5		21	17.6	55	8.5	22.22	60.58	1.85	不磨平	
CNS 1.7×21×40×6.5	1.7	21	17.6	40	6.5	16.49	52.31	2.22	不磨平	不锈钢
CNS 1.7×21×45×7.25		21	17.6	45	7.25	17.57	52.31	1.91	不磨平	
CNS 1.7×21×50×7.75		21	17.6	50	7.75	19.96	52.31	1.74	不磨平	
CNS 1.7×21×55×8.5		21	17.6	55	8.5	21.04	52.31	1.54	不磨平	
CNM 1.8×21×40×6.75	1.8	21	17.4	40	6.75	17.77	71.79	3.23	不磨平	碳钢
CNM 1.8×21×45×7.5		21	17.4	45	7.5	19.25	71.79	2.79	不磨平	
CNM 1.8×21×50×8.25		21	17.4	50	8.25	20.74	71.79	2.45	不磨平	
CNM 1.8×21×55×8.75		21	17.4	55	8.75	23.4	71.79	2.27	不磨平	
CNS 1.8×21×40×6.75	1.8	21	17.4	40	6.75	16.98	61.93	2.69	不磨平	不锈钢
CNS 1.8×21×45×7.25		21	17.4	45	7.25	19.56	61.93	2.43	不磨平	
CNS 1.8×21×50×8		21	17.4	50	8	20.93	61.93	2.13	不磨平	
CNS 1.8×21×55×8.75		21	17.4	55	8.75	22.29	61.93	1.89	不磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢






型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CNM 1.9×21×40×7	1.9	21	17.2	40	7	18.28	84	3.87	不磨平	碳钢
CNM 1.9×21×45×7.75		21	17.2	45	7.75	20.03	84	3.36	不磨平	
CNM 1.9×21×50×8.25		21	17.2	50	8.25	22.85	84	3.09	不磨平	
CNM 1.9×21×55×9		21	17.2	55	9	24.6	84	2.76	不磨平	
CNS 1.9×21×40×6.75	1.9	21	17.2	40	6.75	18.59	72.63	3.39	不磨平	不锈钢
CNS 1.9×21×45×7.5		21	17.2	45	7.5	20.21	72.63	2.93	不磨平	
CNS 1.9×21×50×8.25		21	17.2	50	8.25	21.83	72.63	2.58	不磨平	
CNS 1.9×21×55×8.75		21	17.2	55	8.75	24.58	72.63	2.39	不磨平	
CGM 2×21×40×7.25	2	21	17	40	7.25	18.71	97.81	4.59	磨平	碳钢
CGM 2×21×45×8		21	17	45	8	20.67	97.81	4.02	磨平	
CGM 2×21×50×8.75		21	17	50	8.75	22.63	97.81	3.57	磨平	
CGM 2×21×55×9.5		21	17	55	9.5	24.59	97.81	3.22	磨平	
CGS 2×21×40×7.25	2	21	17	40	7.25	17.94	84.47	3.83	磨平	不锈钢
CGS 2×21×45×8		21	17	45	8	19.79	84.47	3.35	磨平	
CGS 2×21×50×8.75		21	17	50	8.75	21.64	84.47	2.98	磨平	
CGS 2×21×55×9.25		21	17	55	9.25	24.53	84.47	2.77	磨平	
CGM 2.1×21×40×7.5	2.1	21	16.8	40	7.5	19.13	113.03	5.42	磨平	碳钢
CGM 2.1×21×45×8.25		21	16.8	45	8.25	21.28	113.03	4.77	磨平	
CGM 2.1×21×50×9		21	16.8	50	9	23.44	113.03	4.26	磨平	
CGM 2.1×21×55×9.75		21	16.8	55	9.75	25.59	113.03	3.84	磨平	
CGS 2.1×21×40×7.5	2.1	21	16.8	40	7.5	18.39	97.51	4.51	磨平	不锈钢
CGS 2.1×21×45×8		21	16.8	45	8	21.43	97.51	4.14	磨平	
CGS 2.1×21×50×8.75		21	16.8	50	8.75	23.48	97.51	3.68	磨平	
CGS 2.1×21×55×9.5		21	16.8	55	9.5	25.54	97.51	3.31	磨平	
CGM 2.2×21×40×7.75	2.2	21	16.6	40	7.75	19.61	129.27	6.34	磨平	碳钢
CGM 2.2×21×45×8.5		21	16.6	45	8.5	21.95	129.27	5.61	磨平	
CGM 2.2×21×50×9.25		21	16.6	50	9.25	24.29	129.27	5.03	磨平	
CGM 2.2×21×55×10		21	16.6	55	10	26.63	129.27	4.56	磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢




型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CGS 2.2×21×40×7.5	2.2	21	16.6	40	7.5	19.76	111.79	5.52	磨平	不锈钢
CGS 2.2×21×45×8.25		21	16.6	45	8.25	22	111.79	4.86	磨平	
CGS 2.2×21×50×9		21	16.6	50	9	24.24	111.79	4.34	磨平	
CGS 2.2×21×55×9.75		21	16.6	55	9.75	26.48	111.79	3.92	磨平	
CGM 2.3×21×40×7.75	2.3	21	16.4	40	7.75	20.84	147.44	7.7	磨平	碳钢
CGM 2.3×21×45×8.5		21	16.4	45	8.5	23.34	147.44	6.81	磨平	
CGM 2.3×21×50×9.25		21	16.4	50	9.25	25.84	147.44	6.1	磨平	
CGM 2.3×21×55×10.25		21	16.4	55	10.25	27.51	147.44	5.36	磨平	
CGS 2.3×21×40×7.5	2.3	21	16.4	40	7.5	21	127.36	6.7	磨平	不锈钢
CGS 2.3×21×45×8.5		21	16.4	45	8.5	22.55	127.36	5.67	磨平	
CGS 2.3×21×50×9.25		21	16.4	50	9.25	24.96	127.36	5.09	磨平	
CGS 2.3×21×55×10		21	16.4	55	10	27.37	127.36	4.61	磨平	
CGM 2.4×21×40×7.75	2.4	21	16.2	40	7.75	21.97	167.22	9.27	磨平	碳钢
CGM 2.4×21×45×8.75		21	16.2	45	8.75	23.83	167.22	7.9	磨平	
CGM 2.4×21×50×9.5		21	16.2	50	9.5	26.48	167.22	7.11	磨平	
CGM 2.4×21×55×10.25		21	16.2	55	10.25	29.12	167.22	6.46	磨平	
CGS 2.4×21×40×7.75	2.4	21	16.2	40	7.75	21.33	144.28	7.73	磨平	不锈钢
CGS 2.4×21×45×8.5		21	16.2	45	8.5	23.89	144.28	6.84	磨平	
CGS 2.4×21×50×9.25		21	16.2	50	9.25	26.46	144.28	6.13	磨平	
CGS 2.4×21×55×10		21	16.2	55	10	29.02	144.28	5.55	磨平	
CGM 2.5×21×40×8	2.5	21	16	40	8	22.26	188.65	10.63	磨平	碳钢
CGM 2.5×21×45×8.75		21	16	45	8.75	25.04	188.65	9.45	磨平	
CGM 2.5×21×50×9.5		21	16	50	9.5	27.82	188.65	8.51	磨平	
CGM 2.5×21×55×10.5		21	16	55	10.5	29.86	188.65	7.51	磨平	
CGS 2.5×21×40×7.75	2.5	21	16	40	7.75	22.42	162.58	9.25	磨平	不锈钢
CGS 2.5×21×45×8.5		21	16	45	8.5	25.12	162.58	8.18	磨平	
CGS 2.5×21×50×9.5		21	16	50	9.5	27.06	162.58	7.09	磨平	
CGS 2.5×21×55×10.25		21	16	55	10.25	29.77	162.58	6.44	磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢




型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CGM 2.6×21×40×7.75	2.6	21	15.8	40	7.75	23.31	211.03	12.64	磨平	碳钢
CGM 2.6×21×45×8.75		21	15.8	45	8.75	25.4	211.03	10.77	磨平	
CGM 2.6×21×50×9.5		21	15.8	50	9.5	28.23	211.03	9.69	磨平	
CGM 2.6×21×55×10.25		21	15.8	55	10.25	31.05	211.03	8.81	磨平	
CGS 2.6×21×40×7.75	2.6	21	15.8	40	7.75	23.41	182.33	10.99	磨平	不锈钢
CGS 2.6×21×45×8.75		21	15.8	45	8.75	25.53	182.33	9.36	磨平	
CGS 2.6×21×50×9.5		21	15.8	50	9.5	28.37	182.33	8.43	磨平	
CGS 2.6×21×55×10.25		21	15.8	55	10.25	31.2	182.33	7.66	磨平	
CGM 2.7×21×40×8	2.7	21	15.6	40	8	23.53	235.88	14.32	磨平	碳钢
CGM 2.7×21×45×8.75		21	15.6	45	8.75	26.47	235.88	12.73	磨平	
CGM 2.7×21×50×9.5		21	15.6	50	9.5	29.41	235.88	11.46	磨平	
CGM 2.7×21×55×10.5		21	15.6	55	10.5	31.67	235.88	10.11	磨平	
CGS 2.7×21×40×8	2.7	21	15.6	40	8	23.66	203.55	12.45	磨平	不锈钢
CGS 2.7×21×45×8.75		21	15.6	45	8.75	26.61	203.55	11.07	磨平	
CGS 2.7×21×50×9.5		21	15.6	50	9.5	29.57	203.55	9.96	磨平	
CGS 2.7×21×55×10.5		21	15.6	55	10.5	31.85	203.55	8.79	磨平	
CGM 2.8×21×40×8	2.8	21	15.4	40	8	24.41	262.55	16.84	磨平	碳钢
CGM 2.8×21×45×8.75		21	15.4	45	8.75	27.46	262.55	14.97	磨平	
CGM 2.8×21×50×9.75		21	15.4	50	9.75	29.86	262.55	13.04	磨平	
CGM 2.8×21×55×10.5		21	15.4	55	10.5	32.91	262.55	11.89	磨平	
CGS 2.8×21×40×8	2.8	21	15.4	40	8	24.55	226.3	14.64	磨平	不锈钢
CGS 2.8×21×45×8.75		21	15.4	45	8.75	27.61	226.3	13.02	磨平	
CGS 2.8×21×50×9.75		21	15.4	50	9.75	30.04	226.3	11.34	磨平	
CGS 2.8×21×55×10.5		21	15.4	55	10.5	33.11	226.3	10.34	磨平	
CNM 1.6×21.5×40×6.25	1.6	21.5	18.3	40	6.25	15.63	49.32	2.02	不磨平	碳钢
CNM 1.6×21.5×45×6.75		21.5	18.3	45	6.75	17.76	49.32	1.81	不磨平	
CNM 1.6×21.5×50×7.5		21.5	18.3	50	7.5	18.46	49.32	1.56	不磨平	
CNM 1.6×21.5×55×8		21.5	18.3	55	8	20.59	49.32	1.43	不磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢



型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CNS 1.6×21.5×40×6.25	1.6	21.5	18.3	40	6.25	14.72	42.63	1.69	不磨平	不锈钢
CNS 1.6×21.5×45×6.75		21.5	18.3	45	6.75	16.74	42.63	1.51	不磨平	
CNS 1.6×21.5×50×7.25		21.5	18.3	50	7.25	18.77	42.63	1.37	不磨平	
CNS 1.6×21.5×55×7.75		21.5	18.3	55	7.75	20.79	42.63	1.25	不磨平	
CNM 1.7×21.5×40×6.5	1.7	21.5	18.1	40	6.5	16.12	59.05	2.47	不磨平	碳钢
CNM 1.7×21.5×45×7		21.5	18.1	45	7	18.46	59.05	2.23	不磨平	
CNM 1.7×21.5×50×7.75		21.5	18.1	50	7.75	19.48	59.05	1.94	不磨平	
CNM 1.7×21.5×55×8.25		21.5	18.1	55	8.25	21.83	59.05	1.78	不磨平	
CNS 1.7×21.5×40×6.25	1.7	21.5	18.1	40	6.25	16.63	50.99	2.18	不磨平	不锈钢
CNS 1.7×21.5×45×7		21.5	18.1	45	7	17.5	50.99	1.85	不磨平	
CNS 1.7×21.5×50×7.5		21.5	18.1	50	7.5	19.75	50.99	1.69	不磨平	
CNS 1.7×21.5×55×8.25		21.5	18.1	55	8.25	20.63	50.99	1.48	不磨平	
CNM 1.8×21.5×40×6.5	1.8	21.5	17.9	40	6.5	17.82	69.97	3.16	不磨平	碳钢
CNM 1.8×21.5×45×7.25		21.5	17.9	45	7.25	19.13	69.97	2.7	不磨平	
CNM 1.8×21.5×50×8		21.5	17.9	50	8	20.43	69.97	2.37	不磨平	
CNM 1.8×21.5×55×8.5		21.5	17.9	55	8.5	22.97	69.97	2.18	不磨平	
CNS 1.8×21.5×40×6.5	1.8	21.5	17.9	40	6.5	17.05	60.35	2.63	不磨平	不锈钢
CNS 1.8×21.5×45×7		21.5	17.9	45	7	19.5	60.35	2.37	不磨平	
CNS 1.8×21.5×50×7.75		21.5	17.9	50	7.75	20.67	60.35	2.06	不磨平	
CNS 1.8×21.5×55×8.5		21.5	17.9	55	8.5	21.85	60.35	1.82	不磨平	
CNM 1.9×21.5×40×6.75	1.9	21.5	17.7	40	6.75	18.27	81.86	3.77	不磨平	碳钢
CNM 1.9×21.5×45×7.5		21.5	17.7	45	7.5	19.84	81.86	3.25	不磨平	
CNM 1.9×21.5×50×8		21.5	17.7	50	8	22.56	81.86	2.98	不磨平	
CNM 1.9×21.5×55×8.75		21.5	17.7	55	8.75	24.13	81.86	2.65	不磨平	
CNS 1.9×21.5×40×6.75	1.9	21.5	17.7	40	6.75	17.46	70.78	3.14	不磨平	不锈钢
CNS 1.9×21.5×45×7.25		21.5	17.7	45	7.25	20.09	70.78	2.84	不磨平	
CNS 1.9×21.5×50×8		21.5	17.7	50	8	21.53	70.78	2.49	不磨平	
CNS 1.9×21.5×55×8.5		21.5	17.7	55	8.5	24.15	70.78	2.29	不磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢




型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CGM 2×21.5×40×7.25	2	21.5	17.5	40	7.25	17.58	95.3	4.25	磨平	碳钢
CGM 2×21.5×45×8		21.5	17.5	45	8	19.37	95.3	3.72	磨平	
CGM 2×21.5×50×8.5		21.5	17.5	50	8.5	22.24	95.3	3.43	磨平	
CGM 2×21.5×55×9.25		21.5	17.5	55	9.25	24.04	95.3	3.08	磨平	
CGS 2×21.5×40×7	2	21.5	17.5	40	7	17.87	82.31	3.72	磨平	不锈钢
CGS 2×21.5×45×7.75		21.5	17.5	45	7.75	19.55	82.31	3.23	磨平	
CGS 2×21.5×50×8.5		21.5	17.5	50	8.5	21.23	82.31	2.86	磨平	
CGS 2×21.5×55×9		21.5	17.5	55	9	24.01	82.31	2.66	磨平	
CGM 2.1×21.5×40×7.25	2.1	21.5	17.3	40	7.25	19.01	110.12	5.25	磨平	碳钢
CGM 2.1×21.5×45×8		21.5	17.3	45	8	21.01	110.12	4.59	磨平	
CGM 2.1×21.5×50×8.75		21.5	17.3	50	8.75	23.01	110.12	4.08	磨平	
CGM 2.1×21.5×55×9.5		21.5	17.3	55	9.5	25.01	110.12	3.67	磨平	
CGS 2.1×21.5×40×7.25	2.1	21.5	17.3	40	7.25	18.27	94.99	4.37	磨平	不锈钢
CGS 2.1×21.5×45×8		21.5	17.3	45	8	20.17	94.99	3.83	磨平	
CGS 2.1×21.5×50×8.5		21.5	17.3	50	8.5	23.1	94.99	3.53	磨平	
CGS 2.1×21.5×55×9.25		21.5	17.3	55	9.25	25	94.99	3.17	磨平	
CGM 2.2×21.5×40×7.5	2.2	21.5	17.1	40	7.5	19.45	125.92	6.13	磨平	碳钢
CGM 2.2×21.5×45×8.25		21.5	17.1	45	8.25	21.64	125.92	5.39	磨平	
CGM 2.2×21.5×50×9		21.5	17.1	50	9	23.84	125.92	4.81	磨平	
CGM 2.2×21.5×55×9.75		21.5	17.1	55	9.75	26.04	125.92	4.35	磨平	
CGS 2.2×21.5×40×7.25	2.2	21.5	17.1	40	7.25	19.64	108.89	5.35	磨平	不锈钢
CGS 2.2×21.5×45×8		21.5	17.1	45	8	21.73	108.89	4.68	磨平	
CGS 2.2×21.5×50×8.75		21.5	17.1	50	8.75	23.82	108.89	4.16	磨平	
CGS 2.2×21.5×55×9.5		21.5	17.1	55	9.5	25.92	108.89	3.74	磨平	
CGM 2.3×21.5×40×7.5	2.3	21.5	16.9	40	7.5	20.68	143.6	7.43	磨平	碳钢
CGM 2.3×21.5×45×8.25		21.5	16.9	45	8.25	23.05	143.6	6.54	磨平	
CGM 2.3×21.5×50×9		21.5	16.9	50	9	25.41	143.6	5.84	磨平	
CGM 2.3×21.5×55×9.75		21.5	16.9	55	9.75	27.78	143.6	5.28	磨平	

G: 磨平    N: 不磨平  
M: 碳钢    S: 不锈钢




型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CGS 2.3×21.5×40×7.5	2.3	21.5	16.9	40	7.5	19.98	124.04	6.19	磨平	不锈钢
CGS 2.3×21.5×45×8.25		21.5	16.9	45	8.25	22.25	124.04	5.45	磨平	
CGS 2.3×21.5×50×9		21.5	16.9	50	9	24.51	124.04	4.87	磨平	
CGS 2.3×21.5×55×9.75		21.5	16.9	55	9.75	26.78	124.04	4.4	磨平	
CGM 2.4×21.5×40×7.75	2.4	21.5	16.7	40	7.75	20.98	162.84	8.56	磨平	碳钢
CGM 2.4×21.5×45×8.5		21.5	16.7	45	8.5	23.5	162.84	7.57	磨平	
CGM 2.4×21.5×50×9.25		21.5	16.7	50	9.25	26.02	162.84	6.79	磨平	
CGM 2.4×21.5×55×10		21.5	16.7	55	10	28.54	162.84	6.15	磨平	
CGS 2.4×21.5×40×7.5	2.4	21.5	16.7	40	7.5	21.17	140.5	7.46	磨平	不锈钢
CGS 2.4×21.5×45×8.25		21.5	16.7	45	8.25	23.6	140.5	6.56	磨平	
CGS 2.4×21.5×50×9		21.5	16.7	50	9	26.03	140.5	5.86	磨平	
CGS 2.4×21.5×55×9.75		21.5	16.7	55	9.75	28.46	140.5	5.29	磨平	
CGM 2.5×21.5×40×7.75	2.5	21.5	16.5	40	7.75	22.06	183.69	10.24	磨平	碳钢
CGM 2.5×21.5×45×8.5		21.5	16.5	45	8.5	24.73	183.69	9.06	磨平	
CGM 2.5×21.5×50×9.25		21.5	16.5	50	9.25	27.39	183.69	8.12	磨平	
CGM 2.5×21.5×55×10.25		21.5	16.5	55	10.25	29.27	183.69	7.14	磨平	
CGS 2.5×21.5×40×7.5	2.5	21.5	16.5	40	7.5	22.26	158.3	8.92	磨平	不锈钢
CGS 2.5×21.5×45×8.5		21.5	16.5	45	8.5	24.03	158.3	7.55	磨平	
CGS 2.5×21.5×50×9.25		21.5	16.5	50	9.25	26.61	158.3	6.77	磨平	
CGS 2.5×21.5×55×10		21.5	16.5	55	10	29.19	158.3	6.13	磨平	
CGM 2.6×21.5×40×7.75	2.6	21.5	16.3	40	7.75	22.39	205.45	11.67	磨平	碳钢
CGM 2.6×21.5×45×8.5		21.5	16.3	45	8.5	25.09	205.45	10.32	磨平	
CGM 2.6×21.5×50×9.25		21.5	16.3	50	9.25	27.79	205.45	9.25	磨平	
CGM 2.6×21.5×55×10		21.5	16.3	55	10	30.5	205.45	8.38	磨平	
CGS 2.6×21.5×40×7.75	2.6	21.5	16.3	40	7.75	22.5	177.5	10.14	磨平	不锈钢
CGS 2.6×21.5×45×8.5		21.5	16.3	45	8.5	25.22	177.5	8.97	磨平	
CGS 2.6×21.5×50×9.25		21.5	16.3	50	9.25	27.94	177.5	8.05	磨平	
CGS 2.6×21.5×55×10		21.5	16.3	55	10	30.65	177.5	7.29	磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢



型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CGM 2.7×21.5×40×7.75	2.7	21.5	16.1	40	7.75	23.34	229.6	13.78	磨平	碳钢
CGM 2.7×21.5×45×8.5		21.5	16.1	45	8.5	26.17	229.6	12.19	磨平	
CGM 2.7×21.5×50×9.25		21.5	16.1	50	9.25	29	229.6	10.93	磨平	
CGM 2.7×21.5×55×10.25		21.5	16.1	55	10.25	31.1	229.6	9.61	磨平	
CGS 2.7×21.5×40×7.75	2.7	21.5	16.1	40	7.75	23.47	198.14	11.99	磨平	不锈钢
CGS 2.7×21.5×45×8.5		21.5	16.1	45	8.5	26.31	198.14	10.6	磨平	
CGS 2.7×21.5×50×9.5		21.5	16.1	50	9.5	28.44	198.14	9.19	磨平	
CGS 2.7×21.5×55×10.25		21.5	16.1	55	10.25	31.28	198.14	8.35	磨平	
CGM 2.8×21.5×40×7.75	2.8	21.5	15.9	40	7.75	24.23	255.53	16.2	磨平	碳钢
CGM 2.8×21.5×45×8.5		21.5	15.9	45	8.5	27.17	255.53	14.33	磨平	
CGM 2.8×21.5×50×9.5		21.5	15.9	50	9.5	29.43	255.53	12.42	磨平	
CGM 2.8×21.5×55×10.25		21.5	15.9	55	10.25	32.37	255.53	11.29	磨平	
CGS 2.8×21.5×40×7.75	2.8	21.5	15.9	40	7.75	24.36	220.25	14.09	磨平	不锈钢
CGS 2.8×21.5×45×8.5		21.5	15.9	45	8.5	27.32	220.25	12.46	磨平	
CGS 2.8×21.5×50×9.5		21.5	15.9	50	9.5	29.61	220.25	10.8	磨平	
CGS 2.8×21.5×55×10.25		21.5	15.9	55	10.25	32.57	220.25	9.82	磨平	
CGM 2.9×21.5×40×7.75	2.9	21.5	15.7	40	7.75	25.1	282.23	18.94	磨平	碳钢
CGM 2.9×21.5×45×8.75		21.5	15.7	45	8.75	27.51	282.23	16.14	磨平	
CGM 2.9×21.5×50×9.5		21.5	15.7	50	9.5	30.57	282.23	14.52	磨平	
CGM 2.9×21.5×55×10.25		21.5	15.7	55	10.25	33.62	282.23	13.2	磨平	
CGS 2.9×21.5×40×7.75	2.9	21.5	15.7	40	7.75	25.19	243.89	16.47	磨平	不锈钢
CGS 2.9×21.5×45×8.75		21.5	15.7	45	8.75	27.62	243.89	14.03	磨平	
CGS 2.9×21.5×50×9.5		21.5	15.7	50	9.5	30.69	243.89	12.63	磨平	
CGS 2.9×21.5×55×10.25		21.5	15.7	55	10.25	33.76	243.89	11.48	磨平	
CNM 1.7×22×40×6.25	1.7	22	18.6	40	6.25	16.29	57.6	2.43	不磨平	碳钢
CNM 1.7×22×45×7		22	18.6	45	7	17.1	57.6	2.06	不磨平	
CNM 1.7×22×50×7.5		22	18.6	50	7.5	19.31	57.6	1.88	不磨平	
CNM 1.7×22×55×8		22	18.6	55	8	21.53	57.6	1.72	不磨平	


G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢



型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CNS 1.7×22×40×6.25	1.7	22	18.6	40	6.25	15.43	49.73	2.02	不磨平	不锈钢
CNS 1.7×22×45×6.75		22	18.6	45	6.75	17.54	49.73	1.81	不磨平	
CNS 1.7×22×50×7.25		22	18.6	50	7.25	19.65	49.73	1.64	不磨平	
CNS 1.7×22×55×8		22	18.6	55	8	20.32	49.73	1.43	不磨平	
CNM 1.8×22×40×6.5	1.8	22	18.4	40	6.5	16.68	68.24	2.93	不磨平	碳钢
CNM 1.8×22×45×7		22	18.4	45	7	19.09	68.24	2.63	不磨平	
CNM 1.8×22×50×7.75		22	18.4	50	7.75	20.21	68.24	2.29	不磨平	
CNM 1.8×22×55×8.25		22	18.4	55	8.25	22.62	68.24	2.11	不磨平	
CNS 1.8×22×40×6.25	1.8	22	18.4	40	6.25	17.21	58.86	2.58	不磨平	不锈钢
CNS 1.8×22×45×7		22	18.4	45	7	18.18	58.86	2.2	不磨平	
CNS 1.8×22×50×7.5		22	18.4	50	7.5	20.5	58.86	2	不磨平	
CNS 1.8×22×55×8.25		22	18.4	55	8.25	21.48	58.86	1.76	不磨平	
CNM 1.9×22×40×6.5	1.9	22	18.2	40	6.5	18.36	79.82	3.69	不磨平	碳钢
CNM 1.9×22×45×7.25		22	18.2	45	7.25	19.75	79.82	3.16	不磨平	
CNM 1.9×22×50×8		22	18.2	50	8	21.14	79.82	2.77	不磨平	
CNM 1.9×22×55×8.5		22	18.2	55	8.5	23.73	79.82	2.55	不磨平	
CNS 1.9×22×40×6.5	1.9	22	18.2	40	6.5	17.54	69.01	3.07	不磨平	不锈钢
CNS 1.9×22×45×7		22	18.2	45	7	20.05	69.01	2.77	不磨平	
CNS 1.9×22×50×7.75		22	18.2	50	7.75	21.31	69.01	2.41	不磨平	
CNS 1.9×22×55×8.25		22	18.2	55	8.25	23.81	69.01	2.21	不磨平	
CGM 2×22×40×7	2	22	18	40	7	17.53	92.92	4.14	磨平	碳钢
CGM 2×22×45×7.75		22	18	45	7.75	19.17	92.92	3.6	磨平	
CGM 2×22×50×8.25		22	18	50	8.25	21.92	92.92	3.31	磨平	
CGM 2×22×55×9		22	18	55	9	23.55	92.92	2.95	磨平	
CGS 2×22×40×6.75	2	22	18	40	6.75	17.88	80.25	3.63	磨平	不锈钢
CGS 2×22×45×7.5		22	18	45	7.5	19.39	80.25	3.13	磨平	
CGS 2×22×50×8.25		22	18	50	8.25	20.9	80.25	2.76	磨平	
CGS 2×22×55×8.75		22	18	55	8.75	23.57	80.25	2.55	磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢






型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CGM 2.1×22×40×7.25	2.1	22	17.8	40	7.25	17.91	107.35	4.86	磨平	碳钢
CGM 2.1×22×45×7.75		22	17.8	45	7.75	20.81	107.35	4.44	磨平	
CGM 2.1×22×50×8.5		22	17.8	50	8.5	22.66	107.35	3.93	磨平	
CGM 2.1×22×55×9.25		22	17.8	55	9.25	24.5	107.35	3.52	磨平	
CGS 2.1×22×40×7	2.1	22	17.8	40	7	18.23	92.61	4.25	磨平	不锈钢
CGS 2.1×22×45×7.75		22	17.8	45	7.75	19.96	92.61	3.7	磨平	
CGS 2.1×22×50×8.5		22	17.8	50	8.5	21.69	92.61	3.27	磨平	
CGS 2.1×22×55×9		22	17.8	55	9	24.52	92.61	3.04	磨平	
CGM 2.2×22×40×7.25	2.2	22	17.6	40	7.25	19.35	122.74	5.94	磨平	碳钢
CGM 2.2×22×45×8		22	17.6	45	8	21.4	122.74	5.2	磨平	
CGM 2.2×22×50×8.75		22	17.6	50	8.75	23.45	122.74	4.62	磨平	
CGM 2.2×22×55×9.5		22	17.6	55	9.5	25.5	122.74	4.16	磨平	
CGS 2.2×22×40×7.25	2.2	22	17.6	40	7.25	18.57	106.14	4.95	磨平	不锈钢
CGS 2.2×22×45×7.75		22	17.6	45	7.75	21.53	106.14	4.52	磨平	
CGS 2.2×22×50×8.5		22	17.6	50	8.5	23.47	106.14	4	磨平	
CGS 2.2×22×55×9.25		22	17.6	55	9.25	25.41	106.14	3.59	磨平	
CGM 2.3×22×40×7.5	2.3	22	17.4	40	7.5	19.66	139.96	6.88	磨平	碳钢
CGM 2.3×22×45×8		22	17.4	45	8	22.81	139.96	6.31	磨平	
CGM 2.3×22×50×8.75		22	17.4	50	8.75	25.04	139.96	5.61	磨平	
CGM 2.3×22×55×9.5		22	17.4	55	9.5	27.27	139.96	5.05	磨平	
CGS 2.3×22×40×7.25	2.3	22	17.4	40	7.25	19.88	120.9	6.01	磨平	不锈钢
CGS 2.3×22×45×8		22	17.4	45	8	22	120.9	5.26	磨平	
CGS 2.3×22×50×8.75		22	17.4	50	8.75	24.13	120.9	4.67	磨平	
CGS 2.3×22×55×9.5		22	17.4	55	9.5	26.25	120.9	4.21	磨平	
CGM 2.4×22×40×7.5	2.4	22	17.2	40	7.5	20.84	158.69	8.28	磨平	碳钢
CGM 2.4×22×45×8.25		22	17.2	45	8.25	23.23	158.69	7.29	磨平	
CGM 2.4×22×50×9		22	17.2	50	9	25.62	158.69	6.51	磨平	
CGM 2.4×22×55×9.75		22	17.2	55	9.75	28.01	158.69	5.88	磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢




型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CGS 2.4×22×40×7.25	2.4	22	17.2	40	7.25	21.07	136.92	7.23	磨平	不锈钢
CGS 2.4×22×45×8		22	17.2	45	8	23.36	136.92	6.33	磨平	
CGS 2.4×22×50×8.75		22	17.2	50	8.75	25.66	136.92	5.63	磨平	
CGS 2.4×22×55×9.5		22	17.2	55	9.5	27.96	136.92	5.06	磨平	
CGM 2.5×22×40×7.5	2.5	22	17	40	7.5	21.93	178.98	9.9	磨平	碳钢
CGM 2.5×22×45×8.25		22	17	45	8.25	24.47	178.98	8.72	磨平	
CGM 2.5×22×50×9		22	17	50	9	27	178.98	7.78	磨平	
CGM 2.5×22×55×10		22	17	55	10	28.72	178.98	6.81	磨平	
CGS 2.5×22×40×7.5	2.5	22	17	40	7.5	21.31	154.25	8.25	磨平	不锈钢
CGS 2.5×22×45×8.25		22	17	45	8.25	23.76	154.25	7.26	磨平	
CGS 2.5×22×50×9		22	17	50	9	26.22	154.25	6.49	磨平	
CGS 2.5×22×55×9.75		22	17	55	9.75	28.67	154.25	5.86	磨平	
CGM 2.6×22×40×7.5	2.6	22	16.8	40	7.5	22.25	200.15	11.28	磨平	碳钢
CGM 2.6×22×45×8.25		22	16.8	45	8.25	24.83	200.15	9.92	磨平	
CGM 2.6×22×50×9		22	16.8	50	9	27.41	200.15	8.86	磨平	
CGM 2.6×22×55×9.75		22	16.8	55	9.75	29.99	200.15	8	磨平	
CGS 2.6×22×40×7.5	2.6	22	16.8	40	7.5	22.36	172.93	9.81	磨平	不锈钢
CGS 2.6×22×45×8.25		22	16.8	45	8.25	24.96	172.93	8.63	磨平	
CGS 2.6×22×50×9		22	16.8	50	9	27.55	172.93	7.7	磨平	
CGS 2.6×22×55×9.75		22	16.8	55	9.75	30.15	172.93	6.96	磨平	
CGM 2.7×22×40×7.5	2.7	22	16.6	40	7.5	23.21	223.65	13.32	磨平	碳钢
CGM 2.7×22×45×8.25		22	16.6	45	8.25	25.92	223.65	11.72	磨平	
CGM 2.7×22×50×9.25		22	16.6	50	9.25	27.87	223.65	10.1	磨平	
CGM 2.7×22×55×10		22	16.6	55	10	30.58	223.65	9.16	磨平	
CGS 2.7×22×40×7.5	2.7	22	16.6	40	7.5	23.34	193	11.58	磨平	不锈钢
CGS 2.7×22×45×8.5		22	16.6	45	8.5	25.31	193	9.8	磨平	
CGS 2.7×22×50×9.25		22	16.6	50	9.25	28.03	193	8.79	磨平	
CGS 2.7×22×55×10		22	16.6	55	10	30.76	193	7.96	磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢




型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CGM 2.8×22×40×7.5	2.8	22	16.4	40	7.5	24.09	248.88	15.65	磨平	碳钢
CGM 2.8×22×45×8.5		22	16.4	45	8.5	26.2	248.88	13.24	磨平	
CGM 2.8×22×50×9.25		22	16.4	50	9.25	29.03	248.88	11.87	磨平	
CGM 2.8×22×55×10		22	16.4	55	10	31.86	248.88	10.76	磨平	
CGS 2.8×22×40×7.75	2.8	22	16.4	40	7.75	23.52	214.52	13.01	磨平	不锈钢
CGS 2.8×22×45×8.5		22	16.4	45	8.5	26.37	214.52	11.51	磨平	
CGS 2.8×22×50×9.25		22	16.4	50	9.25	29.22	214.52	10.32	磨平	
CGS 2.8×22×55×10		22	16.4	55	10	32.07	214.52	9.35	磨平	
CGM 2.9×22×40×7.75	2.9	22	16.2	40	7.75	24.29	274.84	17.49	磨平	碳钢
CGM 2.9×22×45×8.5		22	16.2	45	8.5	27.24	274.84	15.48	磨平	
CGM 2.9×22×50×9.25		22	16.2	50	9.25	30.19	274.84	13.87	磨平	
CGM 2.9×22×55×10		22	16.2	55	10	33.14	274.84	12.57	磨平	
CGS 2.9×22×40×7.75	2.9	22	16.2	40	7.75	24.39	237.51	15.21	磨平	不锈钢
CGS 2.9×22×45×8.5		22	16.2	45	8.5	27.35	237.51	13.46	磨平	
CGS 2.9×22×50×9.25		22	16.2	50	9.25	30.31	237.51	12.06	磨平	
CGS 2.9×22×55×10		22	16.2	55	10	33.28	237.51	10.93	磨平	
CNM 1.7×22.5×40×6	1.7	22.5	19.1	40	6	16.57	56.21	2.4	不磨平	碳钢
CNM 1.7×22.5×45×6.75		22.5	19.1	45	6.75	17.18	56.21	2.02	不磨平	
CNM 1.7×22.5×50×7.25		22.5	19.1	50	7.25	19.25	56.21	1.83	不磨平	
CNM 1.7×22.5×55×7.75		22.5	19.1	55	7.75	21.32	56.21	1.67	不磨平	
CNS 1.7×22.5×40×6	1.7	22.5	19.1	40	6	15.72	48.54	2	不磨平	不锈钢
CNS 1.7×22.5×45×6.5		22.5	19.1	45	6.5	17.69	48.54	1.78	不磨平	
CNS 1.7×22.5×50×7		22.5	19.1	50	7	19.65	48.54	1.6	不磨平	
CNS 1.7×22.5×55×7.75		22.5	19.1	55	7.75	20.1	48.54	1.39	不磨平	
CNM 1.8×22.5×40×6.25	1.8	22.5	18.9	40	6.25	16.88	66.59	2.88	不磨平	碳钢
CNM 1.8×22.5×45×7		22.5	18.9	45	7	17.79	66.59	2.45	不磨平	
CNM 1.8×22.5×50×7.5		22.5	18.9	50	7.5	20.07	66.59	2.23	不磨平	
CNM 1.8×22.5×55×8		22.5	18.9	55	8	22.35	66.59	2.04	不磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢



型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CNS 1.8×22.5×40×6.25	1.8	22.5	18.9	40	6.25	16.06	57.44	2.4	不磨平	不锈钢
CNS 1.8×22.5×45×6.75		22.5	18.9	45	6.75	18.25	57.44	2.15	不磨平	
CNS 1.8×22.5×50×7.25		22.5	18.9	50	7.25	20.43	57.44	1.94	不磨平	
CNS 1.8×22.5×55×8		22.5	18.9	55	8	21.21	57.44	1.7	不磨平	
CNM 1.9×22.5×40×6.5	1.9	22.5	18.7	40	6.5	17.26	77.89	3.43	不磨平	碳钢
CNM 1.9×22.5×45×7		22.5	18.7	45	7	19.74	77.89	3.08	不磨平	
CNM 1.9×22.5×50×7.75		22.5	18.7	50	7.75	20.95	77.89	2.68	不磨平	
CNM 1.9×22.5×55×8.25		22.5	18.7	55	8.25	23.42	77.89	2.47	不磨平	
CNS 1.9×22.5×40×6.25	1.9	22.5	18.7	40	6.25	17.72	67.34	3.02	不磨平	不锈钢
CNS 1.9×22.5×45×7		22.5	18.7	45	7	18.79	67.34	2.57	不磨平	
CNS 1.9×22.5×50×7.5		22.5	18.7	50	7.5	21.17	67.34	2.34	不磨平	
CNS 1.9×22.5×55×8.25		22.5	18.7	55	8.25	22.24	67.34	2.06	不磨平	
CNM 2×22.5×40×6.5	2	22.5	18.5	40	6.5	18.76	90.65	4.27	不磨平	碳钢
CNM 2×22.5×45×7.25		22.5	18.5	45	7.25	20.22	90.65	3.66	不磨平	
CNM 2×22.5×50×7.75		22.5	18.5	50	7.75	22.86	90.65	3.34	不磨平	
CNM 2×22.5×55×8.5		22.5	18.5	55	8.5	24.32	90.65	2.95	不磨平	
CNS 2×22.5×40×6.5	2	22.5	18.5	40	6.5	17.99	78.29	3.56	不磨平	不锈钢
CNS 2×22.5×45×7		22.5	18.5	45	7	20.54	78.29	3.2	不磨平	
CNS 2×22.5×50×7.75		22.5	18.5	50	7.75	21.87	78.29	2.78	不磨平	
CNS 2×22.5×55×8.25		22.5	18.5	55	8.25	24.43	78.29	2.56	不磨平	
CGM 2.1×22.5×40×7	2.1	22.5	18.3	40	7	17.9	104.72	4.74	磨平	碳钢
CGM 2.1×22.5×45×7.75		22.5	18.3	45	7.75	19.58	104.72	4.12	磨平	
CGM 2.1×22.5×50×8.25		22.5	18.3	50	8.25	22.37	104.72	3.79	磨平	
CGM 2.1×22.5×55×9		22.5	18.3	55	9	24.05	104.72	3.38	磨平	
CGS 2.1×22.5×40×6.75	2.1	22.5	18.3	40	6.75	18.26	90.34	4.16	磨平	不锈钢
CGS 2.1×22.5×45×7.5		22.5	18.3	45	7.5	19.83	90.34	3.59	磨平	
CGS 2.1×22.5×50×8.25		22.5	18.3	50	8.25	21.4	90.34	3.16	磨平	
CGS 2.1×22.5×55×8.75		22.5	18.3	55	8.75	24.11	90.34	2.92	磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢




型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CGM 2.2×22.5×40×7	2.2	22.5	18.1	40	7	19.33	119.72	5.79	磨平	碳钢
CGM 2.2×22.5×45×7.75		22.5	18.1	45	7.75	21.23	119.72	5.04	磨平	
CGM 2.2×22.5×50×8.5		22.5	18.1	50	8.5	23.13	119.72	4.45	磨平	
CGM 2.2×22.5×55×9.25		22.5	18.1	55	9.25	25.03	119.72	3.99	磨平	
CGS 2.2×22.5×40×7	2.2	22.5	18.1	40	7	18.55	103.53	4.83	磨平	不锈钢
CGS 2.2×22.5×45×7.75		22.5	18.1	45	7.75	20.33	103.53	4.2	磨平	
CGS 2.2×22.5×50×8.25		22.5	18.1	50	8.25	23.19	103.53	3.86	磨平	
CGS 2.2×22.5×55×9		22.5	18.1	55	9	24.97	103.53	3.45	磨平	
CGM 2.3×22.5×40×7.25	2.3	22.5	17.9	40	7.25	19.59	136.49	6.69	磨平	碳钢
CGM 2.3×22.5×45×8		22.5	17.9	45	8	21.67	136.49	5.85	磨平	
CGM 2.3×22.5×50×8.75		22.5	17.9	50	8.75	23.76	136.49	5.2	磨平	
CGM 2.3×22.5×55×9.25		22.5	17.9	55	9.25	26.81	136.49	4.84	磨平	
CGS 2.3×22.5×40×7	2.3	22.5	17.9	40	7	19.85	117.9	5.85	磨平	不锈钢
CGS 2.3×22.5×45×7.75		22.5	17.9	45	7.75	21.83	117.9	5.09	磨平	
CGS 2.3×22.5×50×8.5		22.5	17.9	50	8.5	23.81	117.9	4.5	磨平	
CGS 2.3×22.5×55×9.25		22.5	17.9	55	9.25	25.78	117.9	4.04	磨平	
CGM 2.4×22.5×40×7.25	2.4	22.5	17.7	40	7.25	20.77	154.74	8.05	磨平	碳钢
CGM 2.4×22.5×45×8		22.5	17.7	45	8	23.02	154.74	7.04	磨平	
CGM 2.4×22.5×50×8.75		22.5	17.7	50	8.75	25.28	154.74	6.26	磨平	
CGM 2.4×22.5×55×9.5		22.5	17.7	55	9.5	27.53	154.74	5.63	磨平	
CGS 2.4×22.5×40×7.25	2.4	22.5	17.7	40	7.25	20.09	133.51	6.71	磨平	不锈钢
CGS 2.4×22.5×45×8		22.5	17.7	45	8	22.25	133.51	5.87	磨平	
CGS 2.4×22.5×50×8.75		22.5	17.7	50	8.75	24.4	133.51	5.22	磨平	
CGS 2.4×22.5×55×9.25		22.5	17.7	55	9.25	27.51	133.51	4.86	磨平	
CGM 2.5×22.5×40×7.5	2.5	22.5	17.5	40	7.5	20.99	174.5	9.18	磨平	碳钢
CGM 2.5×22.5×45×8.25		22.5	17.5	45	8.25	23.4	174.5	8.08	磨平	
CGM 2.5×22.5×50×9		22.5	17.5	50	9	25.81	174.5	7.21	磨平	
CGM 2.5×22.5×55×9.75		22.5	17.5	55	9.75	28.22	174.5	6.52	磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢




型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CGS 2.5×22.5×40×7.25	2.5	22.5	17.5	40	7.25	21.24	150.39	8.01	磨平	不锈钢
CGS 2.5×22.5×45×8		22.5	17.5	45	8	23.55	150.39	7.01	磨平	
CGS 2.5×22.5×50×8.75		22.5	17.5	50	8.75	25.87	150.39	6.23	磨平	
CGS 2.5×22.5×55×9.5		22.5	17.5	55	9.5	28.19	150.39	5.61	磨平	
CGM 2.6×22.5×40×7.25	2.6	22.5	17.3	40	7.25	22.17	195.13	10.95	磨平	碳钢
CGM 2.6×22.5×45×8		22.5	17.3	45	8	24.63	195.13	9.58	磨平	
CGM 2.6×22.5×50×8.75		22.5	17.3	50	8.75	27.08	195.13	8.51	磨平	
CGM 2.6×22.5×55×9.5		22.5	17.3	55	9.5	29.53	195.13	7.66	磨平	
CGS 2.6×22.5×40×7.25	2.6	22.5	17.3	40	7.25	22.29	168.58	9.52	磨平	不锈钢
CGS 2.6×22.5×45×8		22.5	17.3	45	8	24.76	168.58	8.33	磨平	
CGS 2.6×22.5×50×8.75		22.5	17.3	50	8.75	27.23	168.58	7.4	磨平	
CGS 2.6×22.5×55×9.5		22.5	17.3	55	9.5	29.7	168.58	6.66	磨平	
CGM 2.7×22.5×40×7.5	2.7	22.5	17.1	40	7.5	22.33	218.01	12.34	磨平	碳钢
CGM 2.7×22.5×45×8.25		22.5	17.1	45	8.25	24.92	218.01	10.86	磨平	
CGM 2.7×22.5×50×9		22.5	17.1	50	9	27.51	218.01	9.69	磨平	
CGM 2.7×22.5×55×9.75		22.5	17.1	55	9.75	30.1	218.01	8.75	磨平	
CGS 2.7×22.5×40×7.5	2.7	22.5	17.1	40	7.5	22.46	188.13	10.73	磨平	不锈钢
CGS 2.7×22.5×45×8.25		22.5	17.1	45	8.25	25.07	188.13	9.44	磨平	
CGS 2.7×22.5×50×9		22.5	17.1	50	9	27.68	188.13	8.43	磨平	
CGS 2.7×22.5×55×9.75		22.5	17.1	55	9.75	30.29	188.13	7.61	磨平	
CGM 2.9×22.5×40×7.5	2.9	22.5	16.7	40	7.5	24.18	267.83	16.92	磨平	碳钢
CGM 2.9×22.5×45×8.25		22.5	16.7	45	8.25	27.02	267.83	14.89	磨平	
CGM 2.9×22.5×50×9		22.5	16.7	50	9	29.86	267.83	13.3	磨平	
CGM 2.9×22.5×55×9.75		22.5	16.7	55	9.75	32.7	267.83	12.01	磨平	
CGS 2.9×22.5×40×7.5	2.9	22.5	16.7	40	7.5	24.27	231.45	14.72	磨平	不锈钢
CGS 2.9×22.5×45×8.25		22.5	16.7	45	8.25	27.13	231.45	12.95	磨平	
CGS 2.9×22.5×50×9		22.5	16.7	50	9	29.98	231.45	11.56	磨平	
CGS 2.9×22.5×55×10		22.5	16.7	55	10	32.12	231.45	10.12	磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢



型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CNM 1.7×23×40×6	1.7	23	19.6	40	6	15.43	54.89	2.23	不磨平	碳钢
CNM 1.7×23×45×6.5		23	19.6	45	6.5	17.36	54.89	1.99	不磨平	
CNM 1.7×23×50×7		23	19.6	50	7	19.29	54.89	1.79	不磨平	
CNM 1.7×23×55×7.75		23	19.6	55	7.75	19.69	54.89	1.55	不磨平	
CNS 1.7×23×40×5.75	1.7	23	19.6	40	5.75	16.13	47.4	1.99	不磨平	不锈钢
CNS 1.7×23×45×6.5		23	19.6	45	6.5	16.36	47.4	1.66	不磨平	
CNS 1.7×23×50×7		23	19.6	50	7	18.18	47.4	1.49	不磨平	
CNS 1.7×23×55×7.5		23	19.6	55	7.5	20	47.4	1.35	不磨平	
CNM 1.8×23×40×6.25	1.8	23	19.4	40	6.25	15.74	65.02	2.68	不磨平	碳钢
CNM 1.8×23×45×6.75		23	19.4	45	6.75	17.89	65.02	2.4	不磨平	
CNM 1.8×23×50×7.25		23	19.4	50	7.25	20.04	65.02	2.17	不磨平	
CNM 1.8×23×55×7.75		23	19.4	55	7.75	22.18	65.02	1.98	不磨平	
CNS 1.8×23×40×6	1.8	23	19.4	40	6	16.37	56.08	2.37	不磨平	不锈钢
CNS 1.8×23×45×6.5		23	19.4	45	6.5	18.42	56.08	2.11	不磨平	
CNS 1.8×23×50×7.25		23	19.4	50	7.25	18.99	56.08	1.81	不磨平	
CNS 1.8×23×55×7.75		23	19.4	55	7.75	21.03	56.08	1.65	不磨平	
CNM 1.9×23×40×6.25	1.9	23	19.2	40	6.25	17.47	76.04	3.38	不磨平	碳钢
CNM 1.9×23×45×7		23	19.2	45	7	18.5	76.04	2.87	不磨平	
CNM 1.9×23×50×7.5		23	19.2	50	7.5	20.85	76.04	2.61	不磨平	
CNM 1.9×23×55×8		23	19.2	55	8	23.2	76.04	2.39	不磨平	
CNS 1.9×23×40×6.25	1.9	23	19.2	40	6.25	16.63	65.74	2.81	不磨平	不锈钢
CNS 1.9×23×45×6.75		23	19.2	45	6.75	18.88	65.74	2.52	不磨平	
CNS 1.9×23×50×7.25		23	19.2	50	7.25	21.13	65.74	2.28	不磨平	
CNS 1.9×23×55×8		23	19.2	55	8	22	65.74	1.99	不磨平	
CNM 2×23×40×6.5	2	23	19	40	6.5	17.71	88.49	3.97	不磨平	碳钢
CNM 2×23×45×7		23	19	45	7	20.23	88.49	3.57	不磨平	
CNM 2×23×50×7.75		23	19	50	7.75	21.52	88.49	3.11	不磨平	
CNM 2×23×55×8.25		23	19	55	8.25	24.04	88.49	2.86	不磨平	


G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢



型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CNS 2×23×40×6.25	2	23	19	40	6.25	18.18	76.43	3.5	不磨平	不锈钢
CNS 2×23×45×7		23	19	45	7	19.33	76.43	2.98	不磨平	
CNS 2×23×50×7.5		23	19	50	7.5	21.76	76.43	2.71	不磨平	
CNS 2×23×55×8.25		23	19	55	8.25	22.91	76.43	2.38	不磨平	
CGM 2.1×23×40×6.75	2.1	23	18.8	40	6.75	17.96	102.21	4.64	磨平	碳钢
CGM 2.1×23×45×7.5		23	18.8	45	7.5	19.48	102.21	4.01	磨平	
CGM 2.1×23×50×8		23	18.8	50	8	22.16	102.21	3.67	磨平	
CGM 2.1×23×55×8.75		23	18.8	55	8.75	23.68	102.21	3.26	磨平	
CGS 2.1×23×40×6.75	2.1	23	18.8	40	6.75	17.18	88.18	3.86	磨平	不锈钢
CGS 2.1×23×45×7.25		23	18.8	45	7.25	19.78	88.18	3.5	磨平	
CGS 2.1×23×50×8		23	18.8	50	8	21.18	88.18	3.06	磨平	
CGS 2.1×23×55×8.5		23	18.8	55	8.5	23.78	88.18	2.82	磨平	
CGM 2.2×23×40×7	2.2	23	18.6	40	7	18.3	116.84	5.38	磨平	碳钢
CGM 2.2×23×45×7.5		23	18.6	45	7.5	21.13	116.84	4.89	磨平	
CGM 2.2×23×50×8.25		23	18.6	50	8.25	22.87	116.84	4.31	磨平	
CGM 2.2×23×55×9		23	18.6	55	9	24.62	116.84	3.85	磨平	
CGS 2.2×23×40×6.75	2.2	23	18.6	40	6.75	18.6	101.04	4.72	磨平	不锈钢
CGS 2.2×23×45×7.5		23	18.6	45	7.5	20.23	101.04	4.08	磨平	
CGS 2.2×23×50×8		23	18.6	50	8	22.97	101.04	3.74	磨平	
CGS 2.2×23×55×8.75		23	18.6	55	8.75	24.6	101.04	3.32	磨平	
CGM 2.3×23×40×7	2.3	23	18.4	40	7	19.59	133.2	6.52	磨平	碳钢
CGM 2.3×23×45×7.75		23	18.4	45	7.75	21.52	133.2	5.67	磨平	
CGM 2.3×23×50×8.5		23	18.4	50	8.5	23.46	133.2	5.02	磨平	
CGM 2.3×23×55×9.25		23	18.4	55	9.25	25.4	133.2	4.5	磨平	
CGS 2.3×23×40×7	2.3	23	18.4	40	7	18.84	115.06	5.44	磨平	不锈钢
CGS 2.3×23×45×7.5		23	18.4	45	7.5	21.72	115.06	4.94	磨平	
CGS 2.3×23×50×8.25		23	18.4	50	8.25	23.55	115.06	4.35	磨平	
CGS 2.3×23×55×9		23	18.4	55	9	25.38	115.06	3.88	磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢






型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CGM 2.4×23×40×7.25	2.4	23	18.2	40	7.25	19.8	150.98	7.48	磨平	碳钢
CGM 2.4×23×45×7.75		23	18.2	45	7.75	22.88	150.98	6.83	磨平	
CGM 2.4×23×50×8.5		23	18.2	50	8.5	24.99	150.98	6.04	磨平	
CGM 2.4×23×55×9.25		23	18.2	55	9.25	27.11	150.98	5.41	磨平	
CGS 2.4×23×40×7	2.4	23	18.2	40	7	20.08	130.27	6.54	磨平	不锈钢
CGS 2.4×23×45×7.75		23	18.2	45	7.75	22.1	130.27	5.69	磨平	
CGS 2.4×23×50×8.5		23	18.2	50	8.5	24.11	130.27	5.03	磨平	
CGS 2.4×23×55×9		23	18.2	55	9	27.12	130.27	4.67	磨平	
CGM 2.5×23×40×7.25	2.5	23	18	40	7.25	20.94	170.25	8.93	磨平	碳钢
CGM 2.5×23×45×8		23	18	45	8	23.21	170.25	7.81	磨平	
CGM 2.5×23×50×8.75		23	18	50	8.75	25.49	170.25	6.95	磨平	
CGM 2.5×23×55×9.5		23	18	55	9.5	27.77	170.25	6.25	磨平	
CGS 2.5×23×40×7	2.5	23	18	40	7	21.22	146.72	7.81	磨平	不锈钢
CGS 2.5×23×45×7.75		23	18	45	7.75	23.41	146.72	6.8	磨平	
CGS 2.5×23×50×8.5		23	18	50	8.5	25.59	146.72	6.01	磨平	
CGS 2.5×23×55×9.25		23	18	55	9.25	27.78	146.72	5.39	磨平	
CGM 2.6×23×40×7.25	2.6	23	17.8	40	7.25	21.27	190.34	10.16	磨平	碳钢
CGM 2.6×23×45×8		23	17.8	45	8	23.59	190.34	8.89	磨平	
CGM 2.6×23×50×8.75		23	17.8	50	8.75	25.91	190.34	7.9	磨平	
CGM 2.6×23×55×9.25		23	17.8	55	9.25	29.13	190.34	7.36	磨平	
CGS 2.6×23×40×7.25	2.6	23	17.8	40	7.25	21.39	164.45	8.84	磨平	不锈钢
CGS 2.6×23×45×8		23	17.8	45	8	23.73	164.45	7.73	磨平	
CGS 2.6×23×50×8.75		23	17.8	50	8.75	26.07	164.45	6.87	磨平	
CGS 2.6×23×55×9.5		23	17.8	55	9.5	28.41	164.45	6.18	磨平	
CGM 2.7×23×40×7.25	2.7	23	17.6	40	7.25	22.27	212.64	11.99	磨平	碳钢
CGM 2.7×23×45×8	2.7	23	17.6	45	8	24.73	212.64	10.49	磨平	碳钢
CGM 2.7×23×50×8.75	2.7	23	17.6	50	8.75	27.2	212.64	9.33	磨平	碳钢
CGM 2.7×23×55×9.5	2.7	23	17.6	55	9.5	29.67	212.64	8.39	磨平	碳钢

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢




型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CGS 2.7×23×40×7.25	2.7	23	17.6	40	7.25	22.4	183.5	10.43	磨平	不锈钢
CGS 2.7×23×45×8		23	17.6	45	8	24.89	183.5	9.12	磨平	
CGS 2.7×23×50×8.75		23	17.6	50	8.75	27.37	183.5	8.11	磨平	
CGS 2.7×23×55×9.5		23	17.6	55	9.5	29.86	183.5	7.3	磨平	
CGM 2.8×23×40×7.25	2.8	23	17.4	40	7.25	23.19	236.56	14.08	磨平	碳钢
CGM 2.8×23×45×8		23	17.4	45	8	25.79	236.56	12.32	磨平	
CGM 2.8×23×50×8.75		23	17.4	50	8.75	28.39	236.56	10.95	磨平	
CGM 2.8×23×55×9.5		23	17.4	55	9.5	30.99	236.56	9.85	磨平	
CGS 2.8×23×40×7.25	2.8	23	17.4	40	7.25	23.34	203.9	12.24	磨平	不锈钢
CGS 2.8×23×45×8		23	17.4	45	8	25.96	203.9	10.71	磨平	
CGS 2.8×23×50×8.75		23	17.4	50	8.75	28.58	203.9	9.52	磨平	
CGS 2.8×23×55×9.5		23	17.4	55	9.5	31.2	203.9	8.57	磨平	
CGM 2.9×23×40×7.25	2.9	23	17.2	40	7.25	24.11	261.17	16.44	磨平	碳钢
CGM 2.9×23×45×8.25		23	17.2	45	8.25	26.09	261.17	13.81	磨平	
CGM 2.9×23×50×9		23	17.2	50	9	28.82	261.17	12.33	磨平	
CGM 2.9×23×55×9.75		23	17.2	55	9.75	31.55	261.17	11.14	磨平	
CGS 2.9×23×40×7.5	2.9	23	17.2	40	7.5	23.46	225.69	13.65	磨平	不锈钢
CGS 2.9×23×45×8.25		23	17.2	45	8.25	26.21	225.69	12.01	磨平	
CGS 2.9×23×50×9		23	17.2	50	9	28.95	225.69	10.72	磨平	
CGS 2.9×23×55×9.75		23	17.2	55	9.75	31.7	225.69	9.68	磨平	
CNM 1.7×23.5×40×5.75	1.7	23.5	20.1	40	5.75	15.87	53.63	2.22	不磨平	碳钢
CNM 1.7×23.5×45×6.25		23.5	20.1	45	6.25	17.66	53.63	1.96	不磨平	
CNM 1.7×23.5×50×7		23.5	20.1	50	7	17.83	53.63	1.67	不磨平	
CNM 1.7×23.5×55×7.5		23.5	20.1	55	7.5	19.62	53.63	1.52	不磨平	
CNS 1.7×23.5×40×5.75	1.7	23.5	20.1	40	5.75	15	46.31	1.85	不磨平	不锈钢
CNS 1.7×23.5×45×6.25		23.5	20.1	45	6.25	16.67	46.31	1.63	不磨平	
CNS 1.7×23.5×50×6.75		23.5	20.1	50	6.75	18.34	46.31	1.46	不磨平	
CNS 1.7×23.5×55×7.25		23.5	20.1	55	7.25	20	46.31	1.32	不磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢




型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CNM 1.8×23.5×40×6	1.8	23.5	19.9	40	6	16.08	63.52	2.66	不磨平	碳钢
CNM 1.8×23.5×45×6.5		23.5	19.9	45	6.5	18.09	63.52	2.36	不磨平	
CNM 1.8×23.5×50×7		23.5	19.9	50	7	20.1	63.52	2.12	不磨平	
CNM 1.8×23.5×55×7.75		23.5	19.9	55	7.75	20.62	63.52	1.85	不磨平	
CNS 1.8×23.5×40×5.75	1.8	23.5	19.9	40	5.75	16.79	54.79	2.36	不磨平	不锈钢
CNS 1.8×23.5×45×6.5		23.5	19.9	45	6.5	17.15	54.79	1.97	不磨平	
CNS 1.8×23.5×50×7		23.5	19.9	50	7	19.05	54.79	1.77	不磨平	
CNS 1.8×23.5×55×7.5		23.5	19.9	55	7.5	20.96	54.79	1.61	不磨平	
CNM 1.9×23.5×40×6.25	1.9	23.5	19.7	40	6.25	16.39	74.28	3.15	不磨平	碳钢
CNM 1.9×23.5×45×6.75		23.5	19.7	45	6.75	18.61	74.28	2.82	不磨平	
CNM 1.9×23.5×50×7.25		23.5	19.7	50	7.25	20.84	74.28	2.55	不磨平	
CNM 1.9×23.5×55×8		23.5	19.7	55	8	21.67	74.28	2.23	不磨平	
CNS 1.9×23.5×40×6	1.9	23.5	19.7	40	6	16.95	64.22	2.79	不磨平	不锈钢
CNS 1.9×23.5×45×6.5		23.5	19.7	45	6.5	19.07	64.22	2.48	不磨平	
CNS 1.9×23.5×50×7.25		23.5	19.7	50	7.25	19.74	64.22	2.12	不磨平	
CNS 1.9×23.5×55×7.75		23.5	19.7	55	7.75	21.86	64.22	1.94	不磨平	
CNM 2×23.5×40×6.25	2	23.5	19.5	40	6.25	17.93	86.44	3.92	不磨平	碳钢
CNM 2×23.5×45×6.75		23.5	19.5	45	6.75	20.34	86.44	3.5	不磨平	
CNM 2×23.5×50×7.5		23.5	19.5	50	7.5	21.44	86.44	3.03	不磨平	
CNM 2×23.5×55×8		23.5	19.5	55	8	23.85	86.44	2.77	不磨平	
CNS 2×23.5×40×6.25	2	23.5	19.5	40	6.25	17.13	74.65	3.26	不磨平	不锈钢
CNS 2×23.5×45×6.75		23.5	19.5	45	6.75	19.44	74.65	2.92	不磨平	
CNS 2×23.5×50×7.25		23.5	19.5	50	7.25	21.75	74.65	2.64	不磨平	
CNS 2×23.5×55×8		23.5	19.5	55	8	22.71	74.65	2.31	不磨平	
CNM 2.1×23.5×40×6.25	2.1	23.5	19.3	40	6.25	19.32	99.83	4.83	不磨平	碳钢
CNM 2.1×23.5×45×7		23.5	19.3	45	7	20.67	99.83	4.1	不磨平	
CNM 2.1×23.5×50×7.75		23.5	19.3	50	7.75	22.03	99.83	3.57	不磨平	
CNM 2.1×23.5×55×8.25		23.5	19.3	55	8.25	24.59	99.83	3.28	不磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢



型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CNS 2.1×23.5×40×6.25	2.1	23.5	19.3	40	6.25	18.6	86.12	4.02	不磨平	不锈钢
CNS 2.1×23.5×45×7		23.5	19.3	45	7	19.82	86.12	3.42	不磨平	
CNS 2.1×23.5×50×7.5		23.5	19.3	50	7.5	22.3	86.12	3.11	不磨平	
CNS 2.1×23.5×55×8		23.5	19.3	55	8	24.78	86.12	2.85	不磨平	
CGM 2.2×23.5×40×6.75	2.2	23.5	19.1	40	6.75	18.38	114.1	5.28	磨平	碳钢
CGM 2.2×23.5×45×7.5		23.5	19.1	45	7.5	19.96	114.1	4.56	磨平	
CGM 2.2×23.5×50×8		23.5	19.1	50	8	22.69	114.1	4.18	磨平	
CGM 2.2×23.5×55×8.75		23.5	19.1	55	8.75	24.28	114.1	3.71	磨平	
CGS 2.2×23.5×40×6.75	2.2	23.5	19.1	40	6.75	17.56	98.67	4.4	磨平	不锈钢
CGS 2.2×23.5×45×7.25		23.5	19.1	45	7.25	20.2	98.67	3.98	磨平	
CGS 2.2×23.5×50×8		23.5	19.1	50	8	21.66	98.67	3.48	磨平	
CGS 2.2×23.5×55×8.5		23.5	19.1	55	8.5	24.3	98.67	3.21	磨平	
CGM 2.3×23.5×40×7	2.3	23.5	18.9	40	7	18.59	130.06	6.07	磨平	碳钢
CGM 2.3×23.5×45×7.5		23.5	18.9	45	7.5	21.45	130.06	5.52	磨平	
CGM 2.3×23.5×50×8.25		23.5	18.9	50	8.25	23.23	130.06	4.86	磨平	
CGM 2.3×23.5×55×9		23.5	18.9	55	9	25.02	130.06	4.34	磨平	
CGS 2.3×23.5×40×6.75	2.3	23.5	18.9	40	6.75	18.92	112.34	5.33	磨平	不锈钢
CGS 2.3×23.5×45×7.5		23.5	18.9	45	7.5	20.59	112.34	4.6	磨平	
CGS 2.3×23.5×50×8		23.5	18.9	50	8	23.37	112.34	4.22	磨平	
CGS 2.3×23.5×55×8.75		23.5	18.9	55	8.75	25.04	112.34	3.75	磨平	
CGM 2.4×23.5×40×7	2.4	23.5	18.7	40	7	19.82	147.4	7.3	磨平	碳钢
CGM 2.4×23.5×45×7.75		23.5	18.7	45	7.75	21.79	147.4	6.35	磨平	
CGM 2.4×23.5×50×8.25		23.5	18.7	50	8.25	24.77	147.4	5.84	磨平	
CGM 2.4×23.5×55×9		23.5	18.7	55	9	26.75	147.4	5.22	磨平	
CGS 2.4×23.5×40×6.75	2.4	23.5	18.7	40	6.75	20.15	127.18	6.41	磨平	不锈钢
CGS 2.4×23.5×45×7.5		23.5	18.7	45	7.5	22.02	127.18	5.53	磨平	
CGS 2.4×23.5×50×8.25		23.5	18.7	50	8.25	23.88	127.18	4.87	磨平	
CGS 2.4×23.5×55×9		23.5	18.7	55	9	25.75	127.18	4.35	磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢




型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CGM 2.5×23.5×40×7	2.5	23.5	18.5	40	7	20.95	166.19	8.72	磨平	碳钢
CGM 2.5×23.5×45×7.75		23.5	18.5	45	7.75	23.09	166.19	7.59	磨平	
CGM 2.5×23.5×50×8.5		23.5	18.5	50	8.5	25.23	166.19	6.71	磨平	
CGM 2.5×23.5×55×9.25		23.5	18.5	55	9.25	27.38	166.19	6.02	磨平	
CGS 2.5×23.5×40×7	2.5	23.5	18.5	40	7	20.3	143.23	7.27	磨平	不锈钢
CGS 2.5×23.5×45×7.75		23.5	18.5	45	7.75	22.34	143.23	6.32	磨平	
CGS 2.5×23.5×50×8.25		23.5	18.5	50	8.25	25.37	143.23	5.82	磨平	
CGS 2.5×23.5×55×9		23.5	18.5	55	9	27.42	143.23	5.19	磨平	
CGM 2.6×23.5×40×7	2.6	23.5	18.3	40	7	21.27	185.79	9.92	磨平	碳钢
CGM 2.6×23.5×45×7.75		23.5	18.3	45	7.75	23.46	185.79	8.63	磨平	
CGM 2.6×23.5×50×8.5		23.5	18.3	50	8.5	25.65	185.79	7.63	磨平	
CGM 2.6×23.5×55×9.25		23.5	18.3	55	9.25	27.85	185.79	6.84	磨平	
CGS 2.6×23.5×40×7	2.6	23.5	18.3	40	7	21.39	160.52	8.63	磨平	不锈钢
CGS 2.6×23.5×45×7.75		23.5	18.3	45	7.75	23.6	160.52	7.5	磨平	
CGS 2.6×23.5×50×8.5		23.5	18.3	50	8.5	25.81	160.52	6.64	磨平	
CGS 2.6×23.5×55×9.25		23.5	18.3	55	9.25	28.02	160.52	5.95	磨平	
CGM 2.7×23.5×40×7	2.7	23.5	18.1	40	7	22.27	207.52	11.7	磨平	碳钢
CGM 2.7×23.5×45×7.75		23.5	18.1	45	7.75	24.61	207.52	10.18	磨平	
CGM 2.7×23.5×50×8.5		23.5	18.1	50	8.5	26.95	207.52	9	磨平	
CGM 2.7×23.5×55×9.25		23.5	18.1	55	9.25	29.29	207.52	8.07	磨平	
CGS 2.7×23.5×40×7	2.7	23.5	18.1	40	7	22.4	179.09	10.18	磨平	不锈钢
CGS 2.7×23.5×45×7.75		23.5	18.1	45	7.75	24.76	179.09	8.85	磨平	
CGS 2.7×23.5×50×8.5		23.5	18.1	50	8.5	27.13	179.09	7.83	磨平	
CGS 2.7×23.5×55×9.25		23.5	18.1	55	9.25	29.49	179.09	7.02	磨平	
CGM 2.8×23.5×40×7.25	2.8	23.5	17.9	40	7.25	22.35	230.84	13.08	磨平	碳钢
CGM 2.8×23.5×45×8		23.5	17.9	45	8	24.83	230.84	11.45	磨平	
CGM 2.8×23.5×50×8.5		23.5	17.9	50	8.5	28.15	230.84	10.57	磨平	
CGM 2.8×23.5×55×9.25		23.5	17.9	55	9.25	30.63	230.84	9.47	磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢




型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CGS 2.8×23.5×40×7.25	2.8	23.5	17.9	40	7.25	22.51	198.97	11.37	磨平	不锈钢
CGS 2.8×23.5×45×8		23.5	17.9	45	8	25.01	198.97	9.95	磨平	
CGS 2.8×23.5×50×8.75		23.5	17.9	50	8.75	27.51	198.97	8.85	磨平	
CGS 2.8×23.5×55×9.5		23.5	17.9	55	9.5	30.01	198.97	7.96	磨平	
CGM 2.9×23.5×40×7.25	2.9	23.5	17.7	40	7.25	23.31	254.83	15.27	磨平	碳钢
CGM 2.9×23.5×45×8		23.5	17.7	45	8	25.93	254.83	13.36	磨平	
CGM 2.9×23.5×50×8.75		23.5	17.7	50	8.75	28.55	254.83	11.88	磨平	
CGM 2.9×23.5×55×9.5		23.5	17.7	55	9.5	31.16	254.83	10.69	磨平	
CGS 2.9×23.5×40×7.25	2.9	23.5	17.7	40	7.25	23.42	220.21	13.28	磨平	不锈钢
CGS 2.9×23.5×45×8		23.5	17.7	45	8	26.05	220.21	11.62	磨平	
CGS 2.9×23.5×50×8.75		23.5	17.7	50	8.75	28.68	220.21	10.33	磨平	
CGS 2.9×23.5×55×9.5		23.5	17.7	55	9.5	31.31	220.21	9.3	磨平	
CGM 3×23.5×40×7.25	3	23.5	17.5	40	7.25	24.15	281.35	17.75	磨平	碳钢
CGM 3×23.5×45×8		23.5	17.5	45	8	26.88	281.35	15.53	磨平	
CGM 3×23.5×50×8.75		23.5	17.5	50	8.75	29.62	281.35	13.8	磨平	
CGM 3×23.5×55×9.5		23.5	17.5	55	9.5	32.35	281.35	12.42	磨平	
CGS 3×23.5×40×7.25	3	23.5	17.5	40	7.25	24.26	242.84	15.43	磨平	不锈钢
CGS 3×23.5×45×8		23.5	17.5	45	8	27.02	242.84	13.5	磨平	
CGS 3×23.5×50×8.75		23.5	17.5	50	8.75	29.77	242.84	12	磨平	
CGS 3×23.5×55×9.5		23.5	17.5	55	9.5	32.52	242.84	10.8	磨平	
CNM 1.8×24×40×5.75	1.8	24	20.4	40	5.75	16.53	62.09	2.65	不磨平	碳钢
CNM 1.8×24×50×7		24	20.4	50	7	18.71	62.09	1.98	不磨平	
CNM 1.8×24×60×8		24	20.4	60	8	22.45	62.09	1.65	不磨平	
CNM 1.8×24×70×9		24	20.4	70	9	26.19	62.09	1.42	不磨平	
CNS 1.8×24×40×5.75	1.8	24	20.4	40	5.75	15.71	53.56	2.2	不磨平	不锈钢
CNS 1.8×24×50×6.75		24	20.4	50	6.75	19.23	53.56	1.74	不磨平	
CNS 1.8×24×60×7.75		24	20.4	60	7.75	22.75	53.56	1.44	不磨平	
CNS 1.8×24×70×8.75		24	20.4	70	8.75	26.27	53.56	1.22	不磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢



型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CNM 1.9×24×40×6	1.9	24	20.2	40	6	16.74	72.6	3.12	不磨平	碳钢
CNM 1.9×24×50×7		24	20.2	50	7	20.93	72.6	2.5	不磨平	
CNM 1.9×24×60×8.25		24	20.2	60	8.25	23.66	72.6	2	不磨平	
CNM 1.9×24×70×9.25		24	20.2	70	9.25	27.84	72.6	1.72	不磨平	
CNS 1.9×24×40×6	1.9	24	20.2	40	6	15.87	62.77	2.6	不磨平	不锈钢
CNS 1.9×24×50×7		24	20.2	50	7	19.83	62.77	2.08	不磨平	
CNS 1.9×24×60×8		24	20.2	60	8	23.8	62.77	1.73	不磨平	
CNS 1.9×24×70×9.25		24	20.2	70	9.25	26.26	62.77	1.44	不磨平	
CNM 2×24×40×6	2	24	20	40	6	18.25	84.47	3.88	不磨平	碳钢
CNM 2×24×50×7.25		24	20	50	7.25	21.46	84.47	2.96	不磨平	
CNM 2×24×60×8.5		24	20	60	8.5	24.66	84.47	2.39	不磨平	
CNM 2×24×70×9.75		24	20	70	9.75	27.87	84.47	2	不磨平	
CNS 2×24×40×6	2	24	20	40	6	17.46	72.95	3.24	不磨平	不锈钢
CNS 2×24×50×7.25		24	20	50	7.25	20.42	72.95	2.47	不磨平	
CNS 2×24×60×8.25		24	20	60	8.25	24.79	72.95	2.07	不磨平	
CNS 2×24×70×9.5		24	20	70	9.5	27.74	72.95	1.73	不磨平	
CNM 2.1×24×40×6.25	2.1	24	19.8	40	6.25	18.35	97.55	4.51	不磨平	碳钢
CNM 2.1×24×50×7.5		24	19.8	50	7.5	21.98	97.55	3.48	不磨平	
CNM 2.1×24×60×8.75		24	19.8	60	8.75	25.61	97.55	2.84	不磨平	
CNM 2.1×24×70×10		24	19.8	70	10	29.24	97.55	2.39	不磨平	
CNS 2.1×24×40×6	2.1	24	19.8	40	6	18.9	84.15	3.99	不磨平	不锈钢
CNS 2.1×24×50×7.25		24	19.8	50	7.25	22.31	84.15	3.04	不磨平	
CNS 2.1×24×60×8.5		24	19.8	60	8.5	25.72	84.15	2.45	不磨平	
CNS 2.1×24×70×9.75		24	19.8	70	9.75	29.13	84.15	2.06	不磨平	
CGM 2.2×24×40×6.5	2.2	24	19.6	40	6.5	18.54	111.48	5.2	磨平	碳钢
CGM 2.2×24×50×8		24	19.6	50	8	21.39	111.48	3.9	磨平	
CGM 2.2×24×60×9.25		24	19.6	60	9.25	25.43	111.48	3.23	磨平	
CGM 2.2×24×70×10.5		24	19.6	70	10.5	29.47	111.48	2.75	磨平	


G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢



型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CGS 2.2×24×40×6.5	2.2	24	19.6	40	6.5	17.74	96.4	4.33	磨平	不锈钢
CGS 2.2×24×50×7.75		24	19.6	50	7.75	21.55	96.4	3.39	磨平	
CGS 2.2×24×60×9		24	19.6	60	9	25.37	96.4	2.78	磨平	
CGS 2.2×24×70×10.25		24	19.6	70	10.25	29.18	96.4	2.36	磨平	
CGM 2.3×24×40×6.75	2.3	24	19.4	40	6.75	18.69	127.06	5.96	磨平	碳钢
CGM 2.3×24×50×8		24	19.4	50	8	23.08	127.06	4.72	磨平	
CGM 2.3×24×60×9.25		24	19.4	60	9.25	27.47	127.06	3.91	磨平	
CGM 2.3×24×70×10.75		24	19.4	70	10.75	30.74	127.06	3.24	磨平	
CGS 2.3×24×40×6.5	2.3	24	19.4	40	6.5	19.07	109.75	5.24	磨平	不锈钢
CGS 2.3×24×50×8		24	19.4	50	8	22.1	109.75	3.93	磨平	
CGS 2.3×24×60×9.25		24	19.4	60	9.25	26.28	109.75	3.26	磨平	
CGS 2.3×24×70×10.5		24	19.4	70	10.5	30.47	109.75	2.78	磨平	
CGM 2.4×24×40×6.75	2.4	24	19.2	40	6.75	19.91	143.99	7.17	磨平	碳钢
CGM 2.4×24×50×8.25		24	19.2	50	8.25	23.56	143.99	5.45	磨平	
CGM 2.4×24×60×9.5		24	19.2	60	9.5	28.28	143.99	4.54	磨平	
CGM 2.4×24×70×10.75		24	19.2	70	10.75	32.99	143.99	3.89	磨平	
CGS 2.4×24×40×6.75	2.4	24	19.2	40	6.75	19.2	124.24	5.97	磨平	不锈钢
CGS 2.4×24×50×8		24	19.2	50	8	23.72	124.24	4.73	磨平	
CGS 2.4×24×60×9.25		24	19.2	60	9.25	28.25	124.24	3.91	磨平	
CGS 2.4×24×70×10.75		24	19.2	70	10.75	31.68	124.24	3.24	磨平	
CGM 2.5×24×40×7	2.5	24	19	40	7	20.03	162.33	8.13	磨平	碳钢
CGM 2.5×24×50×8.25		24	19	50	8.25	25.04	162.33	6.5	磨平	
CGM 2.5×24×60×9.75		24	19	60	9.75	29.05	162.33	5.24	磨平	
CGM 2.5×24×70×11		24	19	70	11	34.05	162.33	4.52	磨平	
CGS 2.5×24×40×6.75	2.5	24	19	40	6.75	20.38	139.9	7.13	磨平	不锈钢
CGS 2.5×24×50×8.25		24	19	50	8.25	24.18	139.9	5.42	磨平	
CGS 2.5×24×60×9.5		24	19	60	9.5	29.02	139.9	4.52	磨平	
CGS 2.5×24×70×10.75		24	19	70	10.75	33.86	139.9	3.87	磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢






型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CGM 2.6×24×40×7	2.6	24	18.8	40	7	20.37	181.45	9.24	磨平	碳钢
CGM 2.6×24×50×8.25		24	18.8	50	8.25	25.46	181.45	7.39	磨平	
CGM 2.6×24×60×9.5		24	18.8	60	9.5	30.55	181.45	6.16	磨平	
CGM 2.6×24×70×11		24	18.8	70	11	34.66	181.45	5.13	磨平	
CGS 2.6×24×40×7	2.6	24	18.8	40	7	20.49	156.77	8.04	磨平	不锈钢
CGS 2.6×24×50×8.25		24	18.8	50	8.25	25.61	156.77	6.43	磨平	
CGS 2.6×24×60×9.75		24	18.8	60	9.75	29.76	156.77	5.18	磨平	
CGS 2.6×24×70×11		24	18.8	70	11	34.89	156.77	4.46	磨平	
CGM 2.7×24×40×7	2.7	24	18.6	40	7	21.41	202.65	10.9	磨平	碳钢
CGM 2.7×24×50×8.25		24	18.6	50	8.25	26.76	202.65	8.72	磨平	
CGM 2.7×24×60×9.75		24	18.6	60	9.75	31.18	202.65	7.03	磨平	
CGM 2.7×24×70×11.25		24	18.6	70	11.25	35.6	202.65	5.89	磨平	
CGS 2.7×24×40×7	2.7	24	18.6	40	7	21.55	174.88	9.48	磨平	不锈钢
CGS 2.7×24×50×8.5		24	18.6	50	8.5	26.01	174.88	7.29	磨平	
CGS 2.7×24×60×9.75		24	18.6	60	9.75	31.4	174.88	6.11	磨平	
CGS 2.7×24×70×11.25		24	18.6	70	11.25	35.86	174.88	5.12	磨平	
CGM 2.8×24×40×7	2.8	24	18.4	40	7	22.37	225.4	12.79	磨平	碳钢
CGM 2.8×24×50×8.5		24	18.4	50	8.5	27.08	225.4	9.83	磨平	
CGM 2.8×24×60×9.75		24	18.4	60	9.75	32.67	225.4	8.25	磨平	
CGM 2.8×24×70×11.25		24	18.4	70	11.25	37.39	225.4	6.91	磨平	
CGS 2.8×24×40×7	2.8	24	18.4	40	7	22.53	194.28	11.12	磨平	不锈钢
CGS 2.8×24×50×8.5		24	18.4	50	8.5	27.28	194.28	8.55	磨平	
CGS 2.8×24×60×10		24	18.4	60	10	32.04	194.28	6.95	磨平	
CGS 2.8×24×70×11.25		24	18.4	70	11.25	37.67	194.28	6.01	磨平	
CGM 2.9×24×40×7	2.9	24	18.2	40	7	23.33	248.79	14.92	磨平	碳钢
CGM 2.9×24×50×8.5		24	18.2	50	8.5	28.33	248.79	11.48	磨平	
CGM 2.9×24×60×10		24	18.2	60	10	33.32	248.79	9.33	磨平	
CGM 2.9×24×70×11.5		24	18.2	70	11.5	38.32	248.79	7.85	磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢




型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CGS 2.9×24×40×7	2.9	24	18.2	40	7	23.43	214.99	12.98	磨平	不锈钢
CGS 2.9×24×50×8.5		24	18.2	50	8.5	28.46	214.99	9.98	磨平	
CGS 2.9×24×60×10		24	18.2	60	10	33.49	214.99	8.11	磨平	
CGS 2.9×24×70×11.5		24	18.2	70	11.5	38.52	214.99	6.83	磨平	
CGM 3×24×40×7	3	24	18	40	7	24.16	274.65	17.33	磨平	碳钢
CGM 3×24×50×8.5		24	18	50	8.5	29.4	274.65	13.33	磨平	
CGM 3×24×60×10		24	18	60	10	34.65	274.65	10.83	磨平	
CGM 3×24×70×11.5		24	18	70	11.5	39.9	274.65	9.12	磨平	
CGS 3×24×40×7.25	3	24	18	40	7.25	23.49	237.05	14.36	磨平	不锈钢
CGS 3×24×50×8.5		24	18	50	8.5	29.56	237.05	11.6	磨平	
CGS 3×24×60×10		24	18	60	10	34.84	237.05	9.42	磨平	
CGS 3×24×70×11.5		24	18	70	11.5	40.12	237.05	7.93	磨平	
CGM 3.5×24×40×7.25	3.5	24	17	40	7.25	27.03	426.39	32.88	磨平	碳钢
CGM 3.5×24×50×8.75		24	17	50	8.75	33.33	426.39	25.57	磨平	
CGM 3.5×24×60×10.25		24	17	60	10.25	39.62	426.39	20.92	磨平	
CGM 3.5×24×70×11.75		24	17	70	11.75	45.92	426.39	17.7	磨平	
CGS 3.5×24×40×7.5	3.5	24	17	40	7.5	27.24	348.24	27.29	磨平	不锈钢
CGS 3.5×24×50×9		24	17	50	9	33.76	348.24	21.44	磨平	
CGS 3.5×24×60×10.5		24	17	60	10.5	40.28	348.24	17.66	磨平	
CGS 3.5×24×70×12.25		24	17	70	12.25	46.22	348.24	14.64	磨平	
CNM 1.8×24.5×40×5.75	1.8	24.5	20.9	40	5.75	15.46	60.72	2.47	不磨平	碳钢
CNM 1.8×24.5×50×6.75		24.5	20.9	50	6.75	18.92	60.72	1.95	不磨平	
CNM 1.8×24.5×60×7.75		24.5	20.9	60	7.75	22.38	60.72	1.61	不磨平	
CNM 1.8×24.5×70×8.75		24.5	20.9	70	8.75	25.83	60.72	1.37	不磨平	
CNS 1.8×24.5×40×5.5	1.8	24.5	20.9	40	5.5	16.29	52.38	2.21	不磨平	不锈钢
CNS 1.8×24.5×50×6.5		24.5	20.9	50	6.5	19.52	52.38	1.72	不磨平	
CNS 1.8×24.5×60×7.5		24.5	20.9	60	7.5	22.75	52.38	1.41	不磨平	
CNS 1.8×24.5×70×8.75		24.5	20.9	70	8.75	24.28	52.38	1.15	不磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢




型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CNM 1.9×24.5×40×5.75	1.9	24.5	20.7	40	5.75	17.2	70.99	3.11	不磨平	碳钢
CNM 1.9×24.5×50×7		24.5	20.7	50	7	19.6	70.99	2.33	不磨平	
CNM 1.9×24.5×60×8		24.5	20.7	60	8	23.51	70.99	1.95	不磨平	
CNM 1.9×24.5×70×9		24.5	20.7	70	9	27.43	70.99	1.67	不磨平	
CNS 1.9×24.5×40×5.75	1.9	24.5	20.7	40	5.75	16.34	61.38	2.59	不磨平	不锈钢
CNS 1.9×24.5×50×6.75		24.5	20.7	50	6.75	20.03	61.38	2.05	不磨平	
CNS 1.9×24.5×60×7.75		24.5	20.7	60	7.75	23.72	61.38	1.69	不磨平	
CNS 1.9×24.5×70×9		24.5	20.7	70	9	25.84	61.38	1.39	不磨平	
CNM 2×24.5×40×6	2	24.5	20.5	40	6	17.26	82.59	3.63	不磨平	碳钢
CNM 2×24.5×50×7		24.5	20.5	50	7	21.57	82.59	2.91	不磨平	
CNM 2×24.5×60×8.25		24.5	20.5	60	8.25	24.46	82.59	2.32	不磨平	
CNM 2×24.5×70×9.5		24.5	20.5	70	9.5	27.36	82.59	1.94	不磨平	
CNS 2×24.5×40×5.75	2	24.5	20.5	40	5.75	17.9	71.33	3.23	不磨平	不锈钢
CNS 2×24.5×50×7		24.5	20.5	50	7	20.53	71.33	2.42	不磨平	
CNS 2×24.5×60×8		24.5	20.5	60	8	24.64	71.33	2.02	不磨平	
CNS 2×24.5×70×9.25		24.5	20.5	70	9.25	27.27	71.33	1.67	不磨平	
CNM 2.1×24.5×40×6	2.1	24.5	20.3	40	6	18.68	95.37	4.47	不磨平	碳钢
CNM 2.1×24.5×50×7.25		24.5	20.3	50	7.25	22.02	95.37	3.41	不磨平	
CNM 2.1×24.5×60×8.5		24.5	20.3	60	8.5	25.35	95.37	2.75	不磨平	
CNM 2.1×24.5×70×9.5		24.5	20.3	70	9.5	30.02	95.37	2.39	不磨平	
CNS 2.1×24.5×40×6	2.1	24.5	20.3	40	6	17.93	82.27	3.73	不磨平	不锈钢
CNS 2.1×24.5×50×7.25		24.5	20.3	50	7.25	21.03	82.27	2.84	不磨平	
CNS 2.1×24.5×60×8.25		24.5	20.3	60	8.25	25.52	82.27	2.39	不磨平	
CNS 2.1×24.5×70×9.5		24.5	20.3	70	9.5	28.62	82.27	1.99	不磨平	
CNM 2.2×24.5×40×6.25	2.2	24.5	20.1	40	6.25	18.8	108.98	5.14	不磨平	碳钢
CNM 2.2×24.5×50×7.5		24.5	20.1	50	7.5	22.56	108.98	3.97	不磨平	
CNM 2.2×24.5×60×8.75		24.5	20.1	60	8.75	26.32	108.98	3.24	不磨平	
CNM 2.2×24.5×70×9.75		24.5	20.1	70	9.75	31.33	108.98	2.82	不磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢



型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CNS 2.2×24.5×40×6	2.2	24.5	20.1	40	6	19.29	94.24	4.55	不磨平	不锈钢
CNS 2.2×24.5×50×7.25		24.5	20.1	50	7.25	22.82	94.24	3.47	不磨平	
CNS 2.2×24.5×60×8.5		24.5	20.1	60	8.5	26.35	94.24	2.8	不磨平	
CNS 2.2×24.5×70×9.75		24.5	20.1	70	9.75	29.88	94.24	2.35	不磨平	
CGM 2.3×24.5×40×6.5	2.3	24.5	19.9	40	6.5	18.87	124.2	5.88	磨平	碳钢
CGM 2.3×24.5×50×7.75		24.5	19.9	50	7.75	23	124.2	4.6	磨平	
CGM 2.3×24.5×60×9		24.5	19.9	60	9	27.13	124.2	3.78	磨平	
CGM 2.3×24.5×70×10.25		24.5	19.9	70	10.25	31.26	124.2	3.21	磨平	
CGS 2.3×24.5×40×6.5	2.3	24.5	19.9	40	6.5	18.1	107.28	4.9	磨平	不锈钢
CGS 2.3×24.5×50×7.75		24.5	19.9	50	7.75	22.01	107.28	3.83	磨平	
CGS 2.3×24.5×60×9		24.5	19.9	60	9	25.93	107.28	3.15	磨平	
CGS 2.3×24.5×70×10.25		24.5	19.9	70	10.25	29.84	107.28	2.67	磨平	
CGM 2.4×24.5×40×6.75	2.4	24.5	19.7	40	6.75	18.97	140.73	6.69	磨平	碳钢
CGM 2.4×24.5×50×8		24.5	19.7	50	8	23.43	140.73	5.3	磨平	
CGM 2.4×24.5×60×9.25		24.5	19.7	60	9.25	27.9	140.73	4.38	磨平	
CGM 2.4×24.5×70×10.5		24.5	19.7	70	10.5	32.36	140.73	3.74	磨平	
CGS 2.4×24.5×40×6.5	2.4	24.5	19.7	40	6.5	19.37	121.43	5.89	磨平	不锈钢
CGS 2.4×24.5×50×7.75		24.5	19.7	50	7.75	23.64	121.43	4.61	磨平	
CGS 2.4×24.5×60×9		24.5	19.7	60	9	27.91	121.43	3.78	磨平	
CGS 2.4×24.5×70×10.5		24.5	19.7	70	10.5	31.03	121.43	3.12	磨平	
CGM 2.5×24.5×40×6.75	2.5	24.5	19.5	40	6.75	20.14	158.64	7.99	磨平	碳钢
CGM 2.5×24.5×50×8		24.5	19.5	50	8	24.91	158.64	6.32	磨平	
CGM 2.5×24.5×60×9.5		24.5	19.5	60	9.5	28.64	158.64	5.06	磨平	
CGM 2.5×24.5×70×10.75		24.5	19.5	70	10.75	33.41	158.64	4.34	磨平	
CGS 2.5×24.5×40×6.75	2.5	24.5	19.5	40	6.75	19.46	136.72	6.66	磨平	不锈钢
CGS 2.5×24.5×50×8		24.5	19.5	50	8	24.05	136.72	5.27	磨平	
CGS 2.5×24.5×60×9.25		24.5	19.5	60	9.25	28.64	136.72	4.36	磨平	
CGS 2.5×24.5×70×10.5		24.5	19.5	70	10.5	33.24	136.72	3.72	磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢




型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CGM 2.6×24.5×40×6.75	2.6	24.5	19.3	40	6.75	20.47	177.31	9.08	磨平	碳钢
CGM 2.6×24.5×50×8		24.5	19.3	50	8	25.32	177.31	7.19	磨平	
CGM 2.6×24.5×60×9.5		24.5	19.3	60	9.5	29.16	177.31	5.75	磨平	
CGM 2.6×24.5×70×10.75		24.5	19.3	70	10.75	34.01	177.31	4.93	磨平	
CGS 2.6×24.5×40×6.75	2.6	24.5	19.3	40	6.75	20.59	153.19	7.89	磨平	不锈钢
CGS 2.6×24.5×50×8		24.5	19.3	50	8	25.48	153.19	6.25	磨平	
CGS 2.6×24.5×60×9.5		24.5	19.3	60	9.5	29.35	153.19	5	磨平	
CGS 2.6×24.5×70×10.75		24.5	19.3	70	10.75	34.25	153.19	4.28	磨平	
CGM 2.7×24.5×40×6.75	2.7	24.5	19.1	40	6.75	21.5	198.01	10.7	磨平	碳钢
CGM 2.7×24.5×50×8.25		24.5	19.1	50	8.25	25.65	198.01	8.13	磨平	
CGM 2.7×24.5×60×9.5		24.5	19.1	60	9.5	30.79	198.01	6.78	磨平	
CGM 2.7×24.5×70×11		24.5	19.1	70	11	34.94	198.01	5.65	磨平	
CGS 2.7×24.5×40×6.75	2.7	24.5	19.1	40	6.75	21.64	170.87	9.31	磨平	不锈钢
CGS 2.7×24.5×50×8.25		24.5	19.1	50	8.25	25.84	170.87	7.07	磨平	
CGS 2.7×24.5×60×9.5		24.5	19.1	60	9.5	31.01	170.87	5.89	磨平	
CGS 2.7×24.5×70×11		24.5	19.1	70	11	35.21	170.87	4.91	磨平	
CGM 2.8×24.5×40×7	2.8	24.5	18.9	40	7	21.53	220.21	11.92	磨平	碳钢
CGM 2.8×24.5×50×8.25		24.5	18.9	50	8.25	26.91	220.21	9.54	磨平	
CGM 2.8×24.5×60×9.75		24.5	18.9	60	9.75	31.37	220.21	7.69	磨平	
CGM 2.8×24.5×70×11		24.5	18.9	70	11	36.75	220.21	6.62	磨平	
CGS 2.8×24.5×40×7	2.8	24.5	18.9	40	7	21.69	189.8	10.37	磨平	不锈钢
CGS 2.8×24.5×50×8.25		24.5	18.9	50	8.25	27.11	189.8	8.29	磨平	
CGS 2.8×24.5×60×9.75		24.5	18.9	60	9.75	31.62	189.8	6.69	磨平	
CGS 2.8×24.5×70×11		24.5	18.9	70	11	37.04	189.8	5.76	磨平	
CGM 2.9×24.5×40×7	2.9	24.5	18.7	40	7	22.53	243.03	13.91	磨平	碳钢
CGM 2.9×24.5×50×8.25		24.5	18.7	50	8.25	28.16	243.03	11.13	磨平	
CGM 2.9×24.5×60×9.75		24.5	18.7	60	9.75	32.92	243.03	8.97	磨平	
CGM 2.9×24.5×70×11.25		24.5	18.7	70	11.25	37.68	243.03	7.52	磨平	

G: 磨平      N: 不磨平  
 M: 碳钢      S: 不锈钢




型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CGS 2.9×24.5×40×7	2.9	24.5	18.7	40	7	22.64	210.02	12.1	磨平	不锈钢
CGS 2.9×24.5×50×8.5		24.5	18.7	50	8.5	27.43	210.02	9.3	磨平	
CGS 2.9×24.5×60×9.75		24.5	18.7	60	9.75	33.09	210.02	7.8	磨平	
CGS 2.9×24.5×70×11.25		24.5	18.7	70	11.25	37.88	210.02	6.54	磨平	
CGM 3×24.5×40×7	3	24.5	18.5	40	7	23.39	268.26	16.15	磨平	碳钢
CGM 3×24.5×50×8.5		24.5	18.5	50	8.5	28.41	268.26	12.43	磨平	
CGM 3×24.5×60×9.75		24.5	18.5	60	9.75	34.26	268.26	10.42	磨平	
CGM 3×24.5×70×11.25		24.5	18.5	70	11.25	39.28	268.26	8.73	磨平	
CGS 3×24.5×40×7	3	24.5	18.5	40	7	23.52	231.54	14.05	磨平	不锈钢
CGS 3×24.5×50×8.5		24.5	18.5	50	8.5	28.57	231.54	10.8	磨平	
CGS 3×24.5×60×10		24.5	18.5	60	10	33.63	231.54	8.78	磨平	
CGS 3×24.5×70×11.25		24.5	18.5	70	11.25	39.5	231.54	7.59	磨平	
CGM 3.5×24.5×40×7	3.5	24.5	17.5	40	7	27.04	416.23	32.11	磨平	碳钢
CGM 3.5×24.5×50×8.75		24.5	17.5	50	8.75	32.5	416.23	23.79	磨平	
CGM 3.5×24.5×60×10.25		24.5	17.5	60	10.25	38.61	416.23	19.46	磨平	
CGM 3.5×24.5×70×11.75		24.5	17.5	70	11.75	44.73	416.23	16.47	磨平	
CGS 3.5×24.5×40×7.25	3.5	24.5	17.5	40	7.25	27.22	339.95	26.6	磨平	不锈钢
CGS 3.5×24.5×50×8.75		24.5	17.5	50	8.75	33.57	339.95	20.69	磨平	
CGS 3.5×24.5×60×10.5		24.5	17.5	60	10.5	39.31	339.95	16.43	磨平	
CGS 3.5×24.5×70×12		24.5	17.5	70	12	45.65	339.95	13.96	磨平	
CNM 1.9×25×40×5.75	1.9	25	21.2	40	5.75	16.17	69.46	2.92	不磨平	碳钢
CNM 1.9×25×50×6.75		25	21.2	50	6.75	19.82	69.46	2.3	不磨平	
CNM 1.9×25×60×7.75		25	21.2	60	7.75	23.47	69.46	1.9	不磨平	
CNM 1.9×25×70×9		25	21.2	70	9	25.53	69.46	1.56	不磨平	
CNS 1.9×25×40×5.5	1.9	25	21.2	40	5.5	16.93	60.05	2.6	不磨平	不锈钢
CNS 1.9×25×50×6.75		25	21.2	50	6.75	18.69	60.05	1.92	不磨平	
CNS 1.9×25×60×7.75		25	21.2	60	7.75	22.1	60.05	1.58	不磨平	
CNS 1.9×25×70×8.75		25	21.2	70	8.75	25.51	60.05	1.35	不磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢



型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CNM 2×25×40×5.75	2	25	21	40	5.75	17.72	80.8	3.63	不磨平	碳钢
CNM 2×25×50×7		25	21	50	7	20.29	80.8	2.72	不磨平	
CNM 2×25×60×8		25	21	60	8	24.35	80.8	2.27	不磨平	
CNM 2×25×70×9.25		25	21	70	9.25	26.92	80.8	1.88	不磨平	
CNS 2×25×40×5.75	2	25	21	40	5.75	16.91	69.78	3.02	不磨平	不锈钢
CNS 2×25×50×6.75		25	21	50	6.75	20.75	69.78	2.39	不磨平	
CNS 2×25×60×8		25	21	60	8	23.05	69.78	1.89	不磨平	
CNS 2×25×70×9		25	21	70	9	26.89	69.78	1.62	不磨平	
CNM 2.1×25×40×6	2.1	25	20.8	40	6	17.72	93.29	4.19	不磨平	碳钢
CNM 2.1×25×50×7		25	20.8	50	7	22.15	93.29	3.35	不磨平	
CNM 2.1×25×60×8.25		25	20.8	60	8.25	25.18	93.29	2.68	不磨平	
CNM 2.1×25×70×9.5		25	20.8	70	9.5	28.22	93.29	2.23	不磨平	
CNS 2.1×25×40×5.75	2.1	25	20.8	40	5.75	18.37	80.48	3.72	不磨平	不锈钢
CNS 2.1×25×50×7		25	20.8	50	7	21.16	80.48	2.79	不磨平	
CNS 2.1×25×60×8		25	20.8	60	8	25.4	80.48	2.33	不磨平	
CNS 2.1×25×70×9.25		25	20.8	70	9.25	28.19	80.48	1.92	不磨平	
CNM 2.2×25×40×6	2.2	25	20.6	40	6	19.14	106.59	5.11	不磨平	碳钢
CNM 2.2×25×50×7.25		25	20.6	50	7.25	22.62	106.59	3.89	不磨平	
CNM 2.2×25×60×8.5		25	20.6	60	8.5	26.1	106.59	3.14	不磨平	
CNM 2.2×25×70×9.5		25	20.6	70	9.5	30.88	106.59	2.73	不磨平	
CNS 2.2×25×40×6	2.2	25	20.6	40	6	18.35	92.18	4.26	不磨平	不锈钢
CNS 2.2×25×50×7		25	20.6	50	7	22.94	92.18	3.41	不磨平	
CNS 2.2×25×60×8.25		25	20.6	60	8.25	26.17	92.18	2.73	不磨平	
CNS 2.2×25×70×9.5		25	20.6	70	9.5	29.41	92.18	2.27	不磨平	
CGM 2.3×25×40×6.5	2.3	25	20.4	40	6.5	17.91	121.46	5.5	磨平	碳钢
CGM 2.3×25×50×7.75		25	20.4	50	7.75	21.77	121.46	4.3	磨平	
CGM 2.3×25×60×9		25	20.4	60	9	25.63	121.46	3.53	磨平	
CGM 2.3×25×70×10		25	20.4	70	10	30.72	121.46	3.09	磨平	


G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢



型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CGS 2.3×25×40×6.25	2.3	25	20.4	40	6.25	18.37	104.92	4.85	磨平	不锈钢
CGS 2.3×25×50×7.5		25	20.4	50	7.5	22.01	104.92	3.75	磨平	
CGS 2.3×25×60×8.75		25	20.4	60	8.75	25.65	104.92	3.05	磨平	
CGS 2.3×25×70×10		25	20.4	70	10	29.29	104.92	2.58	磨平	
CGM 2.4×25×40×6.5	2.4	25	20.2	40	6.5	19.16	137.62	6.6	磨平	碳钢
CGM 2.4×25×50×7.75		25	20.2	50	7.75	23.38	137.62	5.17	磨平	
CGM 2.4×25×60×9		25	20.2	60	9	27.59	137.62	4.25	磨平	
CGM 2.4×25×70×10.25		25	20.2	70	10.25	31.8	137.62	3.6	磨平	
CGS 2.4×25×40×6.5	2.4	25	20.2	40	6.5	18.43	118.74	5.5	磨平	不锈钢
CGS 2.4×25×50×7.75		25	20.2	50	7.75	22.43	118.74	4.31	磨平	
CGS 2.4×25×60×9		25	20.2	60	9	26.44	118.74	3.54	磨平	
CGS 2.4×25×70×10		25	20.2	70	10	31.65	118.74	3.1	磨平	
CGM 2.5×25×40×6.75	2.5	25	20	40	6.75	19.22	155.11	7.47	磨平	碳钢
CGM 2.5×25×50×8		25	20	50	8	23.76	155.11	5.91	磨平	
CGM 2.5×25×60×9.25		25	20	60	9.25	28.29	155.11	4.89	磨平	
CGM 2.5×25×70×10.5		25	20	70	10.5	32.82	155.11	4.17	磨平	
CGS 2.5×25×40×6.5	2.5	25	20	40	6.5	19.64	133.68	6.57	磨平	不锈钢
CGS 2.5×25×50×7.75		25	20	50	7.75	23.99	133.68	5.14	磨平	
CGS 2.5×25×60×9		25	20	60	9	28.33	133.68	4.22	磨平	
CGS 2.5×25×70×10.25		25	20	70	10.25	32.68	133.68	3.58	磨平	
CGM 2.6×25×40×6.5	2.6	25	19.8	40	6.5	20.64	173.35	8.95	磨平	碳钢
CGM 2.6×25×50×8		25	19.8	50	8	24.19	173.35	6.72	磨平	
CGM 2.6×25×60×9.25		25	19.8	60	9.25	28.81	173.35	5.56	磨平	
CGM 2.6×25×70×10.5		25	19.8	70	10.5	33.43	173.35	4.74	磨平	
CGS 2.6×25×40×6.75	2.6	25	19.8	40	6.75	19.69	149.77	7.38	磨平	不锈钢
CGS 2.6×25×50×8		25	19.8	50	8	24.35	149.77	5.84	磨平	
CGS 2.6×25×60×9.25		25	19.8	60	9.25	29.01	149.77	4.83	磨平	
CGS 2.6×25×70×10.5		25	19.8	70	10.5	33.66	149.77	4.12	磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢






型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CGM 2.7×25×40×6.75	2.7	25	19.6	40	6.75	20.64	193.57	10	磨平	碳钢
CGM 2.7×25×50×8		25	19.6	50	8	25.54	193.57	7.92	磨平	
CGM 2.7×25×60×9.25		25	19.6	60	9.25	30.45	193.57	6.55	磨平	
CGM 2.7×25×70×10.75		25	19.6	70	10.75	34.33	193.57	5.43	磨平	
CGS 2.7×25×40×6.75	2.7	25	19.6	40	6.75	20.79	167.04	8.69	磨平	不锈钢
CGS 2.7×25×50×8		25	19.6	50	8	25.73	167.04	6.88	磨平	
CGS 2.7×25×60×9.25		25	19.6	60	9.25	30.67	167.04	5.7	磨平	
CGS 2.7×25×70×10.75		25	19.6	70	10.75	34.61	167.04	4.72	磨平	
CGM 2.8×25×40×6.75	2.8	25	19.4	40	6.75	21.63	215.25	11.72	磨平	碳钢
CGM 2.8×25×50×8		25	19.4	50	8	26.8	215.25	9.28	磨平	
CGM 2.8×25×60×9.5		25	19.4	60	9.5	31	215.25	7.42	磨平	
CGM 2.8×25×70×10.75		25	19.4	70	10.75	36.17	215.25	6.36	磨平	
CGS 2.8×25×40×6.75	2.8	25	19.4	40	6.75	21.8	185.53	10.19	磨平	不锈钢
CGS 2.8×25×50×8.25		25	19.4	50	8.25	26.05	185.53	7.75	磨平	
CGS 2.8×25×60×9.5		25	19.4	60	9.5	31.26	185.53	6.45	磨平	
CGS 2.8×25×70×10.75		25	19.4	70	10.75	36.47	185.53	5.53	磨平	
CGM 2.9×25×40×6.75	2.9	25	19.2	40	6.75	22.62	237.53	13.67	磨平	碳钢
CGM 2.9×25×50×8.25		25	19.2	50	8.25	27.14	237.53	10.39	磨平	
CGM 2.9×25×60×9.5		25	19.2	60	9.5	32.56	237.53	8.66	磨平	
CGM 2.9×25×70×11		25	19.2	70	11	37.08	237.53	7.21	磨平	
CGS 2.9×25×40×6.75	2.9	25	19.2	40	6.75	22.73	205.27	11.89	磨平	不锈钢
CGS 2.9×25×50×8.25		25	19.2	50	8.25	27.28	205.27	9.03	磨平	
CGS 2.9×25×60×9.5		25	19.2	60	9.5	32.73	205.27	7.53	磨平	
CGS 2.9×25×70×11		25	19.2	70	11	37.28	205.27	6.27	磨平	
CGM 3×25×40×6.75	3	25	19	40	6.75	23.48	262.17	15.87	磨平	碳钢
CGM 3×25×50×8.25		25	19	50	8.25	28.26	262.17	12.06	磨平	
CGM 3×25×60×9.75		25	19	60	9.75	33.05	262.17	9.73	磨平	
CGM 3×25×70×11		25	19	70	11	38.7	262.17	8.38	磨平	

G: 磨平    N: 不磨平  
M: 碳钢    S: 不锈钢




型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CGS 3×25×40×7	3	25	19	40	7	22.74	226.28	13.11	磨平	不锈钢
CGS 3×25×50×8.25		25	19	50	8.25	28.43	226.28	10.49	磨平	
CGS 3×25×60×9.75		25	19	60	9.75	33.25	226.28	8.46	磨平	
CGS 3×25×70×11		25	19	70	11	38.93	226.28	7.28	磨平	
CGM 3.5×25×40×7	3.5	25	18	40	7	26.41	406.55	29.93	磨平	碳钢
CGM 3.5×25×50×8.5		25	18	50	8.5	32.34	406.55	23.02	磨平	
CGM 3.5×25×60×10		25	18	60	10	38.26	406.55	18.7	磨平	
CGM 3.5×25×70×11.5		25	18	70	11.5	44.19	406.55	15.75	磨平	
CGS 3.5×25×40×7.25	3.5	25	18	40	7.25	26.6	332.05	24.78	磨平	不锈钢
CGS 3.5×25×50×8.75		25	18	50	8.75	32.77	332.05	19.28	磨平	
CGS 3.5×25×60×10.25		25	18	60	10.25	38.95	332.05	15.77	磨平	
CGS 3.5×25×70×11.75		25	18	70	11.75	45.12	332.05	13.34	磨平	
CNM 2×25.5×40×5.75	2	25.5	21.5	40	5.75	16.74	79.08	3.4	不磨平	碳钢
CNM 2×25.5×50×6.75		25.5	21.5	50	6.75	20.54	79.08	2.68	不磨平	
CNM 2×25.5×60×7.75		25.5	21.5	60	7.75	24.33	79.08	2.22	不磨平	
CNM 2×25.5×70×9		25.5	21.5	70	9	26.58	79.08	1.82	不磨平	
CNS 2×25.5×40×5.75	2	25.5	21.5	40	5.75	15.89	68.3	2.83	不磨平	不锈钢
CNS 2×25.5×50×6.75		25.5	21.5	50	6.75	19.46	68.3	2.24	不磨平	
CNS 2×25.5×60×7.75		25.5	21.5	60	7.75	23.03	68.3	1.85	不磨平	
CNS 2×25.5×70×8.75		25.5	21.5	70	8.75	26.6	68.3	1.57	不磨平	
CNM 2.1×25.5×40×5.75	2.1	25.5	21.3	40	5.75	18.19	91.29	4.19	不磨平	碳钢
CNM 2.1×25.5×50×7		25.5	21.3	50	7	20.92	91.29	3.14	不磨平	
CNM 2.1×25.5×60×8		25.5	21.3	60	8	25.1	91.29	2.62	不磨平	
CNM 2.1×25.5×70×9.25		25.5	21.3	70	9.25	27.83	91.29	2.16	不磨平	
CNS 2.1×25.5×40×5.75	2.1	25.5	21.3	40	5.75	17.42	78.76	3.49	不磨平	不锈钢
CNS 2.1×25.5×50×6.75		25.5	21.3	50	6.75	21.4	78.76	2.75	不磨平	
CNS 2.1×25.5×60×8		25.5	21.3	60	8	23.87	78.76	2.18	不磨平	
CNS 2.1×25.5×70×9		25.5	21.3	70	9	27.85	78.76	1.87	不磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢




型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CNM 2.2×25.5×40×6	2.2	25.5	21.1	40	6	18.21	104.3	4.79	不磨平	碳钢
CNM 2.2×25.5×50×7		25.5	21.1	50	7	22.77	104.3	3.83	不磨平	
CNM 2.2×25.5×60×8.25		25.5	21.1	60	8.25	25.96	104.3	3.06	不磨平	
CNM 2.2×25.5×70×9.5		25.5	21.1	70	9.5	29.15	104.3	2.55	不磨平	
CNS 2.2×25.5×40×5.75	2.2	25.5	21.1	40	5.75	18.8	90.2	4.26	不磨平	不锈钢
CNS 2.2×25.5×50×7		25.5	21.1	50	7	21.74	90.2	3.19	不磨平	
CNS 2.2×25.5×60×8		25.5	21.1	60	8	26.09	90.2	2.66	不磨平	
CNS 2.2×25.5×70×9.25		25.5	21.1	70	9.25	29.02	90.2	2.2	不磨平	
CNM 2.3×25.5×40×6	2.3	25.5	20.9	40	6	19.49	118.84	5.79	不磨平	碳钢
CNM 2.3×25.5×50×7.25		25.5	20.9	50	7.25	23.08	118.84	4.41	不磨平	
CNM 2.3×25.5×60×8.5		25.5	20.9	60	8.5	26.67	118.84	3.57	不磨平	
CNM 2.3×25.5×70×9.5		25.5	20.9	70	9.5	31.54	118.84	3.09	不磨平	
CNS 2.3×25.5×40×6	2.3	25.5	20.9	40	6	18.74	102.66	4.83	不磨平	不锈钢
CNS 2.3×25.5×50×7		25.5	20.9	50	7	23.42	102.66	3.86	不磨平	
CNS 2.3×25.5×60×8.25		25.5	20.9	60	8.25	26.77	102.66	3.09	不磨平	
CNS 2.3×25.5×70×9.5		25.5	20.9	70	9.5	30.13	102.66	2.57	不磨平	
CGM 2.4×25.5×40×6.5	2.4	25.5	20.7	40	6.5	18.23	134.64	6.19	磨平	碳钢
CGM 2.4×25.5×50×7.75		25.5	20.7	50	7.75	22.18	134.64	4.84	磨平	
CGM 2.4×25.5×60×8.75		25.5	20.7	60	8.75	27.35	134.64	4.12	磨平	
CGM 2.4×25.5×70×10		25.5	20.7	70	10	31.3	134.64	3.48	磨平	
CGS 2.4×25.5×40×6.25	2.4	25.5	20.7	40	6.25	18.71	116.17	5.46	磨平	不锈钢
CGS 2.4×25.5×50×7.5		25.5	20.7	50	7.5	22.45	116.17	4.22	磨平	
CGS 2.4×25.5×60×8.75		25.5	20.7	60	8.75	26.19	116.17	3.44	磨平	
CGS 2.4×25.5×70×10		25.5	20.7	70	10	29.93	116.17	2.9	磨平	
CGM 2.5×25.5×40×6.5	2.5	25.5	20.5	40	6.5	19.43	151.74	7.38	磨平	碳钢
CGM 2.5×25.5×50×7.75		25.5	20.5	50	7.75	23.72	151.74	5.77	磨平	
CGM 2.5×25.5×60×9		25.5	20.5	60	9	28.01	151.74	4.74	磨平	
CGM 2.5×25.5×70×10.25		25.5	20.5	70	10.25	32.29	151.74	4.02	磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢




型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CGS 2.5×25.5×40×6.5	2.5	25.5	20.5	40	6.5	18.73	130.77	6.15	磨平	不锈钢
CGS 2.5×25.5×50×7.75		25.5	20.5	50	7.75	22.82	130.77	4.81	磨平	
CGS 2.5×25.5×60×8.75		25.5	20.5	60	8.75	28.09	130.77	4.1	磨平	
CGS 2.5×25.5×70×10		25.5	20.5	70	10	32.19	130.77	3.46	磨平	
CGM 2.6×25.5×40×6.5	2.6	25.5	20.3	40	6.5	19.77	169.56	8.38	磨平	碳钢
CGM 2.6×25.5×50×7.75		25.5	20.3	50	7.75	24.14	169.56	6.56	磨平	
CGM 2.6×25.5×60×9		25.5	20.3	60	9	28.52	169.56	5.39	磨平	
CGM 2.6×25.5×70×10.25		25.5	20.3	70	10.25	32.9	169.56	4.57	磨平	
CGS 2.6×25.5×40×6.5	2.6	25.5	20.3	40	6.5	19.9	146.5	7.29	磨平	不锈钢
CGS 2.6×25.5×50×7.75		25.5	20.3	50	7.75	24.31	146.5	5.7	磨平	
CGS 2.6×25.5×60×9		25.5	20.3	60	9	28.73	146.5	4.68	磨平	
CGS 2.6×25.5×70×10.25		25.5	20.3	70	10.25	33.14	146.5	3.97	磨平	
CGM 2.7×25.5×40×6.5	2.7	25.5	20.1	40	6.5	20.83	189.32	9.87	磨平	碳钢
CGM 2.7×25.5×50×7.75		25.5	20.1	50	7.75	25.5	189.32	7.73	磨平	
CGM 2.7×25.5×60×9		25.5	20.1	60	9	30.17	189.32	6.35	磨平	
CGM 2.7×25.5×70×10.5		25.5	20.1	70	10.5	33.78	189.32	5.23	磨平	
CGS 2.7×25.5×40×6.5	2.7	25.5	20.1	40	6.5	20.97	163.38	8.59	磨平	不锈钢
CGS 2.7×25.5×50×7.75		25.5	20.1	50	7.75	25.69	163.38	6.72	磨平	
CGS 2.7×25.5×60×9.25		25.5	20.1	60	9.25	29.34	163.38	5.33	磨平	
CGS 2.7×25.5×70×10.5		25.5	20.1	70	10.5	34.06	163.38	4.55	磨平	
CGM 2.8×25.5×40×6.5	2.8	25.5	19.9	40	6.5	21.81	210.5	11.57	磨平	碳钢
CGM 2.8×25.5×50×8		25.5	19.9	50	8	25.75	210.5	8.68	磨平	
CGM 2.8×25.5×60×9.25		25.5	19.9	60	9.25	30.69	210.5	7.18	磨平	
CGM 2.8×25.5×70×10.5		25.5	19.9	70	10.5	35.64	210.5	6.13	磨平	
CGS 2.8×25.5×40×6.75	2.8	25.5	19.9	40	6.75	20.97	181.44	9.53	磨平	不锈钢
CGS 2.8×25.5×50×8		25.5	19.9	50	8	25.96	181.44	7.55	磨平	
CGS 2.8×25.5×60×9.25		25.5	19.9	60	9.25	30.95	181.44	6.25	磨平	
CGS 2.8×25.5×70×10.5		25.5	19.9	70	10.5	35.94	181.44	5.33	磨平	

G: 磨平      N: 不磨平  
 M: 碳钢      S: 不锈钢




型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CGM 2.9×25.5×40×6.75	2.9	25.5	19.7	40	6.75	21.83	232.28	12.78	磨平	碳钢
CGM 2.9×25.5×50×8		25.5	19.7	50	8	27.05	232.28	10.12	磨平	
CGM 2.9×25.5×60×9.25		25.5	19.7	60	9.25	32.27	232.28	8.38	磨平	
CGM 2.9×25.5×70×10.75		25.5	19.7	70	10.75	36.53	232.28	6.94	磨平	
CGS 2.9×25.5×40×6.75	2.9	25.5	19.7	40	6.75	21.94	200.72	11.12	磨平	不锈钢
CGS 2.9×25.5×50×8		25.5	19.7	50	8	27.19	200.72	8.8	磨平	
CGS 2.9×25.5×60×9.5		25.5	19.7	60	9.5	31.49	200.72	7.04	磨平	
CGS 2.9×25.5×70×10.75		25.5	19.7	70	10.75	36.74	200.72	6.03	磨平	
CGM 3×25.5×40×6.75	3	25.5	19.5	40	6.75	22.72	256.34	14.84	磨平	碳钢
CGM 3×25.5×50×8		25.5	19.5	50	8	28.17	256.34	11.74	磨平	
CGM 3×25.5×60×9.5		25.5	19.5	60	9.5	32.72	256.34	9.4	磨平	
CGM 3×25.5×70×10.75		25.5	19.5	70	10.75	38.17	256.34	8.05	磨平	
CGS 3×25.5×40×6.75	3	25.5	19.5	40	6.75	22.85	221.25	12.9	磨平	不锈钢
CGS 3×25.5×50×8.25		25.5	19.5	50	8.25	27.43	221.25	9.8	磨平	
CGS 3×25.5×60×9.5		25.5	19.5	60	9.5	32.92	221.25	8.17	磨平	
CGS 3×25.5×70×10.75		25.5	19.5	70	10.75	38.41	221.25	7	磨平	
CGM 3.5×25.5×40×7	3.5	25.5	18.5	40	7	25.78	397.31	27.93	磨平	碳钢
CGM 3.5×25.5×50×8.25		25.5	18.5	50	8.25	32.22	397.31	22.35	磨平	
CGM 3.5×25.5×60×9.75		25.5	18.5	60	9.75	37.95	397.31	18.02	磨平	
CGM 3.5×25.5×70×11.25		25.5	18.5	70	11.25	43.68	397.31	15.1	磨平	
CGS 3.5×25.5×40×7	3.5	25.5	18.5	40	7	26.64	324.5	24.29	磨平	不锈钢
CGS 3.5×25.5×50×8.5		25.5	18.5	50	8.5	32.63	324.5	18.68	磨平	
CGS 3.5×25.5×60×10		25.5	18.5	60	10	38.62	324.5	15.18	磨平	
CGS 3.5×25.5×70×11.5		25.5	18.5	70	11.5	44.62	324.5	12.78	磨平	
CNM 2×26×40×5.5	2	26	22	40	5.5	17.36	77.43	3.42	不磨平	碳钢
CNM 2×26×50×6.75		26	22	50	6.75	19.27	77.43	2.52	不磨平	
CNM 2×26×60×7.75		26	22	60	7.75	22.8	77.43	2.08	不磨平	
CNM 2×26×70×8.75		26	22	70	8.75	26.33	77.43	1.77	不磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢




型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CNS 2×26×40×5.5	2	26	22	40	5.5	16.53	66.87	2.85	不磨平	不锈钢
CNS 2×26×50×6.5		26	22	50	6.5	19.83	66.87	2.22	不磨平	
CNS 2×26×60×7.5		26	22	60	7.5	23.12	66.87	1.81	不磨平	
CNS 2×26×70×8.5		26	22	70	8.5	26.42	66.87	1.53	不磨平	
CNM 2.1×26×40×5.75	2.1	26	21.8	40	5.75	17.25	89.38	3.93	不磨平	碳钢
CNM 2.1×26×50×6.75		26	21.8	50	6.75	21.18	89.38	3.1	不磨平	
CNM 2.1×26×60×7.75		26	21.8	60	7.75	25.11	89.38	2.56	不磨平	
CNM 2.1×26×70×9		26	21.8	70	9	27.53	89.38	2.1	不磨平	
CNS 2.1×26×40×5.5	2.1	26	21.8	40	5.5	18.01	77.11	3.51	不磨平	不锈钢
CNS 2.1×26×50×6.75		26	21.8	50	6.75	20.16	77.11	2.58	不磨平	
CNS 2.1×26×60×7.75		26	21.8	60	7.75	23.88	77.11	2.13	不磨平	
CNS 2.1×26×70×8.75		26	21.8	70	8.75	27.6	77.11	1.82	不磨平	
CNM 2.2×26×40×5.75	2.2	26	21.6	40	5.75	18.69	102.11	4.79	不磨平	碳钢
CNM 2.2×26×50×7		26	21.6	50	7	21.59	102.11	3.59	不磨平	
CNM 2.2×26×60×8		26	21.6	60	8	25.9	102.11	2.99	不磨平	
CNM 2.2×26×70×9.25		26	21.6	70	9.25	28.8	102.11	2.48	不磨平	
CNS 2.2×26×40×5.75	2.2	26	21.6	40	5.75	17.89	88.3	3.99	不磨平	不锈钢
CNS 2.2×26×50×6.75		26	21.6	50	6.75	21.99	88.3	3.15	不磨平	
CNS 2.2×26×60×8		26	21.6	60	8	24.62	88.3	2.5	不磨平	
CNS 2.2×26×70×9		26	21.6	70	9	28.72	88.3	2.14	不磨平	
CNM 2.3×26×40×6	2.3	26	21.4	40	6	18.59	116.34	5.43	不磨平	碳钢
CNM 2.3×26×50×7		26	21.4	50	7	23.24	116.34	4.35	不磨平	
CNM 2.3×26×60×8.25		26	21.4	60	8.25	26.55	116.34	3.48	不磨平	
CNM 2.3×26×70×9.25		26	21.4	70	9.25	31.2	116.34	3	不磨平	
CNS 2.3×26×40×5.75	2.3	26	21.4	40	5.75	19.2	100.49	4.83	不磨平	不锈钢
CNS 2.3×26×50×7		26	21.4	50	7	22.26	100.49	3.62	不磨平	
CNS 2.3×26×60×8		26	21.4	60	8	26.72	100.49	3.02	不磨平	
CNS 2.3×26×70×9.25		26	21.4	70	9.25	29.78	100.49	2.5	不磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢



型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CGM 2.4×26×40×6.25	2.4	26	21.2	40	6.25	18.54	131.79	6.14	磨平	碳钢
CGM 2.4×26×50×7.5		26	21.2	50	7.5	22.23	131.79	4.75	磨平	
CGM 2.4×26×60×8.75		26	21.2	60	8.75	25.92	131.79	3.87	磨平	
CGM 2.4×26×70×9.75		26	21.2	70	9.75	30.87	131.79	3.37	磨平	
CGS 2.4×26×40×6.25	2.4	26	21.2	40	6.25	17.78	113.71	5.12	磨平	不锈钢
CGS 2.4×26×50×7.25		26	21.2	50	7.25	22.55	113.71	4.14	磨平	
CGS 2.4×26×60×8.5		26	21.2	60	8.5	26.02	113.71	3.35	磨平	
CGS 2.4×26×70×9.75		26	21.2	70	9.75	29.48	113.71	2.81	磨平	
CGM 2.5×26×40×6.5	2.5	26	21	40	6.5	18.53	148.51	6.92	磨平	碳钢
CGM 2.5×26×50×7.5		26	21	50	7.5	23.76	148.51	5.66	磨平	
CGM 2.5×26×60×8.75		26	21	60	8.75	27.79	148.51	4.61	磨平	
CGM 2.5×26×70×10		26	21	70	10	31.83	148.51	3.89	磨平	
CGS 2.5×26×40×6.25	2.5	26	21	40	6.25	19.03	127.99	6.1	磨平	不锈钢
CGS 2.5×26×50×7.5		26	21	50	7.5	22.86	127.99	4.72	磨平	
CGS 2.5×26×60×8.75		26	21	60	8.75	26.69	127.99	3.84	磨平	
CGS 2.5×26×70×9.75		26	21	70	9.75	31.76	127.99	3.35	磨平	
CGM 2.6×26×40×6.25	2.6	26	20.8	40	6.25	20.05	165.94	8.32	磨平	碳钢
CGM 2.6×26×50×7.5		26	20.8	50	7.5	24.18	165.94	6.43	磨平	
CGM 2.6×26×60×8.75		26	20.8	60	8.75	28.31	165.94	5.24	磨平	
CGM 2.6×26×70×10		26	20.8	70	10	32.44	165.94	4.42	磨平	
CGS 2.6×26×40×6.25	2.6	26	20.8	40	6.25	20.17	143.37	7.23	磨平	不锈钢
CGS 2.6×26×50×7.5		26	20.8	50	7.5	24.34	143.37	5.59	磨平	
CGS 2.6×26×60×8.75		26	20.8	60	8.75	28.51	143.37	4.55	磨平	
CGS 2.6×26×70×10		26	20.8	70	10	32.68	143.37	3.84	磨平	
CGM 2.7×26×40×6.5	2.7	26	20.6	40	6.5	19.98	185.26	9.25	磨平	碳钢
CGM 2.7×26×50×7.75		26	20.6	50	7.75	24.41	185.26	7.24	磨平	
CGM 2.7×26×60×9		26	20.6	60	9	28.85	185.26	5.95	磨平	
CGM 2.7×26×70×10.25		26	20.6	70	10.25	33.29	185.26	5.05	磨平	


G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢



型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CGS 2.7×26×40×6.5	2.7	26	20.6	40	6.5	20.13	159.87	8.05	磨平	不锈钢
CGS 2.7×26×50×7.75		26	20.6	50	7.75	24.61	159.87	6.3	磨平	
CGS 2.7×26×60×9		26	20.6	60	9	29.09	159.87	5.17	磨平	
CGS 2.7×26×70×10.25		26	20.6	70	10.25	33.57	159.87	4.39	磨平	
CGM 2.8×26×40×6.5	2.8	26	20.4	40	6.5	21	205.97	10.84	磨平	碳钢
CGM 2.8×26×50×7.75		26	20.4	50	7.75	25.72	205.97	8.48	磨平	
CGM 2.8×26×60×9		26	20.4	60	9	30.44	205.97	6.97	磨平	
CGM 2.8×26×70×10.25		26	20.4	70	10.25	35.16	205.97	5.91	磨平	
CGS 2.8×26×40×6.5	2.8	26	20.4	40	6.5	21.17	177.53	9.43	磨平	不锈钢
CGS 2.8×26×50×7.75		26	20.4	50	7.75	25.93	177.53	7.38	磨平	
CGS 2.8×26×60×9		26	20.4	60	9	30.7	177.53	6.06	磨平	
CGS 2.8×26×70×10.25		26	20.4	70	10.25	35.47	177.53	5.14	磨平	
CGM 2.9×26×40×6.5	2.9	26	20.2	40	6.5	22.02	227.25	12.64	磨平	碳钢
CGM 2.9×26×50×7.75		26	20.2	50	7.75	27.02	227.25	9.89	磨平	
CGM 2.9×26×60×9.25		26	20.2	60	9.25	31.02	227.25	7.84	磨平	
CGM 2.9×26×70×10.5		26	20.2	70	10.5	36.03	227.25	6.69	磨平	
CGS 2.9×26×40×6.5	2.9	26	20.2	40	6.5	22.13	196.38	10.99	磨平	不锈钢
CGS 2.9×26×50×8		26	20.2	50	8	26.17	196.38	8.24	磨平	
CGS 2.9×26×60×9.25		26	20.2	60	9.25	31.2	196.38	6.82	磨平	
CGS 2.9×26×70×10.5		26	20.2	70	10.5	36.24	196.38	5.82	磨平	
CGM 3×26×40×6.5	3	26	20	40	6.5	22.89	250.77	14.66	磨平	碳钢
CGM 3×26×50×8		26	20	50	8	27.19	250.77	11	磨平	
CGM 3×26×60×9.25		26	20	60	9.25	32.44	250.77	9.1	磨平	
CGM 3×26×70×10.5		26	20	70	10.5	37.69	250.77	7.76	磨平	
CGS 3×26×40×6.75	3	26	20	40	6.75	22.08	216.44	12.08	磨平	不锈钢
CGS 3×26×50×8		26	20	50	8	27.36	216.44	9.56	磨平	
CGS 3×26×60×9.25		26	20	60	9.25	32.65	216.44	7.91	磨平	
CGS 3×26×70×10.75		26	20	70	10.75	36.99	216.44	6.56	磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢






型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CGM 3.5×26×40×6.75	3.5	26	19	40	6.75	25.87	388.48	27.48	磨平	碳钢
CGM 3.5×26×50×8.25		26	19	50	8.25	31.4	388.48	20.89	磨平	
CGM 3.5×26×60×9.5		26	19	60	9.5	37.68	388.48	17.41	磨平	
CGM 3.5×26×70×11		26	19	70	11	43.22	388.48	14.51	磨平	
CGS 3.5×26×40×7	3.5	26	19	40	7	26.03	317.29	22.7	磨平	不锈钢
CGS 3.5×26×50×8.5		26	19	50	8.5	31.83	317.29	17.47	磨平	
CGS 3.5×26×60×9.75		26	19	60	9.75	38.34	317.29	14.65	磨平	
CGS 3.5×26×70×11.25		26	19	70	11.25	44.15	317.29	12.27	磨平	
CNM 2×26.5×40×5.5	2	26.5	22.5	40	5.5	16.4	75.85	3.21	不磨平	碳钢
CNM 2×26.5×50×6.5		26.5	22.5	50	6.5	19.66	75.85	2.5	不磨平	
CNM 2×26.5×60×7.5		26.5	22.5	60	7.5	22.92	75.85	2.05	不磨平	
CNM 2×26.5×70×8.5		26.5	22.5	70	8.5	26.18	75.85	1.73	不磨平	
CNS 2×26.5×40×5.5	2	26.5	22.5	40	5.5	15.54	65.51	2.68	不磨平	不锈钢
CNS 2×26.5×50×6.25		26.5	22.5	50	6.25	20.3	65.51	2.21	不磨平	
CNS 2×26.5×60×7.25		26.5	22.5	60	7.25	23.32	65.51	1.79	不磨平	
CNS 2×26.5×70×8.25		26.5	22.5	70	8.25	26.33	65.51	1.5	不磨平	
CNM 2.1×26.5×40×5.5	2.1	26.5	22.3	40	5.5	17.87	87.55	3.96	不磨平	碳钢
CNM 2.1×26.5×50×6.75		26.5	22.3	50	6.75	19.96	87.55	2.91	不磨平	
CNM 2.1×26.5×60×7.75		26.5	22.3	60	7.75	23.64	87.55	2.41	不磨平	
CNM 2.1×26.5×70×8.75		26.5	22.3	70	8.75	27.31	87.55	2.05	不磨平	
CNS 2.1×26.5×40×5.5	2.1	26.5	22.3	40	5.5	17.09	75.53	3.3	不磨平	不锈钢
CNS 2.1×26.5×50×6.5		26.5	22.3	50	6.5	20.54	75.53	2.56	不磨平	
CNS 2.1×26.5×60×7.5		26.5	22.3	60	7.5	23.99	75.53	2.1	不磨平	
CNS 2.1×26.5×70×8.5		26.5	22.3	70	8.5	27.44	75.53	1.77	不磨平	
CNM 2.2×26.5×40×5.75	2.2	26.5	22.1	40	5.75	17.78	100.01	4.5	不磨平	碳钢
CNM 2.2×26.5×50×6.75		26.5	22.1	50	6.75	21.86	100.01	3.55	不磨平	
CNM 2.2×26.5×60×7.75		26.5	22.1	60	7.75	25.94	100.01	2.94	不磨平	
CNM 2.2×26.5×70×9		26.5	22.1	70	9	28.53	100.01	2.41	不磨平	

G: 磨平    N: 不磨平  
M: 碳钢    S: 不锈钢




型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CNS 2.2×26.5×40×5.5	2.2	26.5	22.1	40	5.5	18.48	86.49	4.02	不磨平	不锈钢
CNS 2.2×26.5×50×6.75		26.5	22.1	50	6.75	20.8	86.49	2.96	不磨平	
CNS 2.2×26.5×60×7.75		26.5	22.1	60	7.75	24.65	86.49	2.45	不磨平	
CNS 2.2×26.5×70×8.75		26.5	22.1	70	8.75	28.5	86.49	2.08	不磨平	
CNM 2.3×26.5×40×5.75	2.3	26.5	21.9	40	5.75	19.08	113.93	5.44	不磨平	碳钢
CNM 2.3×26.5×50×7		26.5	21.9	50	7	22.1	113.93	4.08	不磨平	
CNM 2.3×26.5×60×8		26.5	21.9	60	8	26.52	113.93	3.4	不磨平	
CNM 2.3×26.5×70×9.25		26.5	21.9	70	9.25	29.54	113.93	2.82	不磨平	
CNS 2.3×26.5×40×5.75	2.3	26.5	21.9	40	5.75	18.31	98.42	4.54	不磨平	不锈钢
CNS 2.3×26.5×50×6.75		26.5	21.9	50	6.75	22.52	98.42	3.58	不磨平	
CNS 2.3×26.5×60×7.75		26.5	21.9	60	7.75	26.74	98.42	2.96	不磨平	
CNS 2.3×26.5×70×9		26.5	21.9	70	9	29.51	98.42	2.43	不磨平	
CNM 2.4×26.5×40×6	2.4	26.5	21.7	40	6	18.94	129.06	6.13	不磨平	碳钢
CNM 2.4×26.5×50×7		26.5	21.7	50	7	23.67	129.06	4.9	不磨平	
CNM 2.4×26.5×60×8.25		26.5	21.7	60	8.25	27.09	129.06	3.92	不磨平	
CNM 2.4×26.5×70×9.25		26.5	21.7	70	9.25	31.82	129.06	3.38	不磨平	
CNS 2.4×26.5×40×5.75	2.4	26.5	21.7	40	5.75	19.56	111.35	5.45	不磨平	不锈钢
CNS 2.4×26.5×50×7		26.5	21.7	50	7	22.74	111.35	4.08	不磨平	
CNS 2.4×26.5×60×8		26.5	21.7	60	8	27.29	111.35	3.4	不磨平	
CNS 2.4×26.5×70×9.25		26.5	21.7	70	9.25	30.47	111.35	2.82	不磨平	
CGM 2.5×26.5×40×6.25	2.5	26.5	21.5	40	6.25	18.85	145.42	6.88	磨平	碳钢
CGM 2.5×26.5×50×7.5		26.5	21.5	50	7.5	22.63	145.42	5.31	磨平	
CGM 2.5×26.5×60×8.5		26.5	21.5	60	8.5	27.65	145.42	4.5	磨平	
CGM 2.5×26.5×70×9.75		26.5	21.5	70	9.75	31.43	145.42	3.77	磨平	
CGS 2.5×26.5×40×6.25	2.5	26.5	21.5	40	6.25	18.13	125.32	5.73	磨平	不锈钢
CGS 2.5×26.5×50×7.25		26.5	21.5	50	7.25	22.98	125.32	4.64	磨平	
CGS 2.5×26.5×60×8.5		26.5	21.5	60	8.5	26.55	125.32	3.75	磨平	
CGS 2.5×26.5×70×9.5		26.5	21.5	70	9.5	31.4	125.32	3.25	磨平	

G: 磨平      N: 不磨平  
 M: 碳钢      S: 不锈钢




型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CGM 2.6×26.5×40×6.25	2.6	26.5	21.3	40	6.25	19.18	162.47	7.81	磨平	碳钢
CGM 2.6×26.5×50×7.5		26.5	21.3	50	7.5	23.06	162.47	6.03	磨平	
CGM 2.6×26.5×60×8.5		26.5	21.3	60	8.5	28.16	162.47	5.1	磨平	
CGM 2.6×26.5×70×9.75		26.5	21.3	70	9.75	32.04	162.47	4.28	磨平	
CGS 2.6×26.5×40×6.25	2.6	26.5	21.3	40	6.25	19.32	140.37	6.79	磨平	不锈钢
CGS 2.6×26.5×50×7.5		26.5	21.3	50	7.5	23.23	140.37	5.24	磨平	
CGS 2.6×26.5×60×8.5		26.5	21.3	60	8.5	28.37	140.37	4.44	磨平	
CGS 2.6×26.5×70×9.75		26.5	21.3	70	9.75	32.29	140.37	3.72	磨平	
CGM 2.7×26.5×40×6.25	2.7	26.5	21.1	40	6.25	20.27	181.37	9.19	磨平	碳钢
CGM 2.7×26.5×50×7.5		26.5	21.1	50	7.5	24.46	181.37	7.1	磨平	
CGM 2.7×26.5×60×8.75		26.5	21.1	60	8.75	28.66	181.37	5.79	磨平	
CGM 2.7×26.5×70×10		26.5	21.1	70	10	32.86	181.37	4.88	磨平	
CGS 2.7×26.5×40×6.25	2.7	26.5	21.1	40	6.25	20.42	156.51	7.99	磨平	不锈钢
CGS 2.7×26.5×50×7.5		26.5	21.1	50	7.5	24.66	156.51	6.18	磨平	
CGS 2.7×26.5×60×8.75		26.5	21.1	60	8.75	28.9	156.51	5.03	磨平	
CGS 2.7×26.5×70×10		26.5	21.1	70	10	33.14	156.51	4.25	磨平	
CGM 2.8×26.5×40×6.5	2.8	26.5	20.9	40	6.5	20.17	201.62	10.17	磨平	碳钢
CGM 2.8×26.5×50×7.5		26.5	20.9	50	7.5	25.76	201.62	8.32	磨平	
CGM 2.8×26.5×60×8.75		26.5	20.9	60	8.75	30.26	201.62	6.78	磨平	
CGM 2.8×26.5×70×10		26.5	20.9	70	10	34.75	201.62	5.72	磨平	
CGS 2.8×26.5×40×6.5	2.8	26.5	20.9	40	6.5	20.34	173.79	8.84	磨平	不锈钢
CGS 2.8×26.5×50×7.75		26.5	20.9	50	7.75	24.88	173.79	6.92	磨平	
CGS 2.8×26.5×60×9		26.5	20.9	60	9	29.42	173.79	5.68	磨平	
CGS 2.8×26.5×70×10.25		26.5	20.9	70	10.25	33.96	173.79	4.82	磨平	
CGM 2.9×26.5×40×6.5	2.9	26.5	20.7	40	6.5	21.23	222.44	11.85	磨平	碳钢
CGM 2.9×26.5×50×7.75		26.5	20.7	50	7.75	26.01	222.44	9.27	磨平	
CGM 2.9×26.5×60×9		26.5	20.7	60	9	30.8	222.44	7.62	磨平	
CGM 2.9×26.5×70×10.25		26.5	20.7	70	10.25	35.58	222.44	6.46	磨平	

G: 磨平      N: 不磨平  
 M: 碳钢      S: 不锈钢



型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CGS 2.9×26.5×40×6.5	2.9	26.5	20.7	40	6.5	21.35	192.22	10.3	磨平	不锈钢
CGS 2.9×26.5×50×7.75		26.5	20.7	50	7.75	26.16	192.22	8.06	磨平	
CGS 2.9×26.5×60×9		26.5	20.7	60	9	30.98	192.22	6.62	磨平	
CGS 2.9×26.5×70×10.25		26.5	20.7	70	10.25	35.8	192.22	5.62	磨平	
CGM 3×26.5×40×6.5	3	26.5	20.5	40	6.5	22.14	245.43	13.74	磨平	碳钢
CGM 3×26.5×50×7.75		26.5	20.5	50	7.75	27.18	245.43	10.76	磨平	
CGM 3×26.5×60×9		26.5	20.5	60	9	32.22	245.43	8.84	磨平	
CGM 3×26.5×70×10.25		26.5	20.5	70	10.25	37.26	245.43	7.5	磨平	
CGS 3×26.5×40×6.5	3	26.5	20.5	40	6.5	22.28	211.84	11.95	磨平	不锈钢
CGS 3×26.5×50×7.75		26.5	20.5	50	7.75	27.35	211.84	9.35	磨平	
CGS 3×26.5×60×9		26.5	20.5	60	9	32.43	211.84	7.68	磨平	
CGS 3×26.5×70×10.5		26.5	20.5	70	10.5	36.52	211.84	6.33	磨平	
CGM 3.5×26.5×40×6.75	3.5	26.5	19.5	40	6.75	25.23	380.04	25.73	磨平	碳钢
CGM 3.5×26.5×50×8		26.5	19.5	50	8	31.34	380.04	20.37	磨平	
CGM 3.5×26.5×60×9.5		26.5	19.5	60	9.5	36.68	380.04	16.3	磨平	
CGM 3.5×26.5×70×10.75		26.5	19.5	70	10.75	42.79	380.04	13.97	磨平	
CGS 3.5×26.5×40×6.75	3.5	26.5	19.5	40	6.75	26.13	310.39	22.37	磨平	不锈钢
CGS 3.5×26.5×50×8.25		26.5	19.5	50	8.25	31.75	310.39	17	磨平	
CGS 3.5×26.5×60×9.75		26.5	19.5	60	9.75	37.37	310.39	13.71	磨平	
CGS 3.5×26.5×70×11		26.5	19.5	70	11	43.72	310.39	11.81	磨平	
CNM 2×27×40×5.5	2	27	23	40	5.5	15.43	74.34	3.03	不磨平	碳钢
CNM 2×27×50×6.25		27	23	50	6.25	20.16	74.34	2.49	不磨平	
CNM 2×27×60×7.25		27	23	60	7.25	23.14	74.34	2.02	不磨平	
CNM 2×27×70×8.25		27	23	70	8.25	26.12	74.34	1.69	不磨平	
CNS 2×27×40×5.25	2	27	23	40	5.25	16.35	64.2	2.72	不磨平	不锈钢
CNS 2×27×50×6.25		27	23	50	6.25	19.08	64.2	2.08	不磨平	
CNS 2×27×60×7.25		27	23	60	7.25	21.8	64.2	1.68	不磨平	
CNS 2×27×70×8		27	23	70	8	26.35	64.2	1.47	不磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢




型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CNM 2.1×27×40×5.5	2.1	27	22.8	40	5.5	16.95	85.79	3.72	不磨平	碳钢
CNM 2.1×27×50×6.5		27	22.8	50	6.5	20.36	85.79	2.89	不磨平	
CNM 2.1×27×60×7.5		27	22.8	60	7.5	23.78	85.79	2.37	不磨平	
CNM 2.1×27×70×8.5		27	22.8	70	8.5	27.19	85.79	2	不磨平	
CNS 2.1×27×40×5.5	2.1	27	22.8	40	5.5	16.14	74.01	3.1	不磨平	不锈钢
CNS 2.1×27×50×6.5		27	22.8	50	6.5	19.32	74.01	2.41	不磨平	
CNS 2.1×27×60×7.25		27	22.8	60	7.25	24.21	74.01	2.07	不磨平	
CNS 2.1×27×70×8.25		27	22.8	70	8.25	27.39	74.01	1.74	不磨平	
CNM 2.2×27×40×5.5	2.2	27	22.6	40	5.5	18.4	97.99	4.54	不磨平	碳钢
CNM 2.2×27×50×6.75		27	22.6	50	6.75	20.69	97.99	3.34	不磨平	
CNM 2.2×27×60×7.75		27	22.6	60	7.75	24.52	97.99	2.76	不磨平	
CNM 2.2×27×70×8.75		27	22.6	70	8.75	28.35	97.99	2.35	不磨平	
CNS 2.2×27×40×5.5	2.2	27	22.6	40	5.5	17.59	84.74	3.78	不磨平	不锈钢
CNS 2.2×27×50×6.5		27	22.6	50	6.5	21.19	84.74	2.94	不磨平	
CNS 2.2×27×60×7.5		27	22.6	60	7.5	24.78	84.74	2.41	不磨平	
CNS 2.2×27×70×8.5		27	22.6	70	8.5	28.38	84.74	2.04	不磨平	
CNM 2.3×27×40×5.75	2.3	27	22.4	40	5.75	18.2	111.63	5.12	不磨平	碳钢
CNM 2.3×27×50×6.75		27	22.4	50	6.75	22.39	111.63	4.04	不磨平	
CNM 2.3×27×60×7.75		27	22.4	60	7.75	26.57	111.63	3.34	不磨平	
CNM 2.3×27×70×9		27	22.4	70	9	29.31	111.63	2.74	不磨平	
CNS 2.3×27×40×5.5	2.3	27	22.4	40	5.5	18.91	96.42	4.57	不磨平	不锈钢
CNS 2.3×27×50×6.75		27	22.4	50	6.75	21.38	96.42	3.37	不磨平	
CNS 2.3×27×60×7.75		27	22.4	60	7.75	25.35	96.42	2.78	不磨平	
CNS 2.3×27×70×8.75		27	22.4	70	8.75	29.33	96.42	2.37	不磨平	
CNM 2.4×27×40×5.75	2.4	27	22.2	40	5.75	19.43	126.43	6.15	不磨平	碳钢
CNM 2.4×27×50×7		27	22.2	50	7	22.57	126.43	4.61	不磨平	
CNM 2.4×27×60×8		27	22.2	60	8	27.08	126.43	3.84	不磨平	
CNM 2.4×27×70×9		27	22.2	70	9	31.6	126.43	3.29	不磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢




型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CNS 2.4×27×40×5.75	2.4	27	22.2	40	5.75	18.7	109.09	5.12	不磨平	不锈钢
CNS 2.4×27×50×6.75		27	22.2	50	6.75	23.02	109.09	4.04	不磨平	
CNS 2.4×27×60×7.75		27	22.2	60	7.75	27.34	109.09	3.34	不磨平	
CNS 2.4×27×70×9		27	22.2	70	9	30.24	109.09	2.74	不磨平	
CGM 2.5×27×40×6.25	2.5	27	22	40	6.25	17.96	142.45	6.46	磨平	碳钢
CGM 2.5×27×50×7.25		27	22	50	7.25	22.77	142.45	5.23	磨平	
CGM 2.5×27×60×8.5		27	22	60	8.5	26.29	142.45	4.23	磨平	
CGM 2.5×27×70×9.5		27	22	70	9.5	31.1	142.45	3.66	磨平	
CGS 2.5×27×40×6	2.5	27	22	40	6	18.54	122.77	5.72	磨平	不锈钢
CGS 2.5×27×50×7.25		27	22	50	7.25	21.84	122.77	4.36	磨平	
CGS 2.5×27×60×8.25		27	22	60	8.25	26.48	122.77	3.66	磨平	
CGS 2.5×27×70×9.5		27	22	70	9.5	29.77	122.77	3.05	磨平	
CGM 2.6×27×40×6	2.6	27	21.8	40	6	19.58	159.14	7.79	磨平	碳钢
CGM 2.6×27×50×7.25		27	21.8	50	7.25	23.2	159.14	5.94	磨平	
CGM 2.6×27×60×8.5		27	21.8	60	8.5	26.82	159.14	4.8	磨平	
CGM 2.6×27×70×9.5		27	21.8	70	9.5	31.71	159.14	4.16	磨平	
CGS 2.6×27×40×6.25	2.6	27	21.8	40	6.25	18.44	137.49	6.38	磨平	不锈钢
CGS 2.6×27×50×7.25		27	21.8	50	7.25	23.37	137.49	5.16	磨平	
CGS 2.6×27×60×8.5		27	21.8	60	8.5	27.03	137.49	4.17	磨平	
CGS 2.6×27×70×9.5		27	21.8	70	9.5	31.96	137.49	3.61	磨平	
CGM 2.7×27×40×6.25	2.7	27	21.6	40	6.25	19.43	177.63	8.64	磨平	碳钢
CGM 2.7×27×50×7.25		27	21.6	50	7.25	24.59	177.63	6.99	磨平	
CGM 2.7×27×60×8.5		27	21.6	60	8.5	28.54	177.63	5.65	磨平	
CGM 2.7×27×70×9.75		27	21.6	70	9.75	32.49	177.63	4.74	磨平	
CGS 2.7×27×40×6.25	2.7	27	21.6	40	6.25	19.59	153.29	7.51	磨平	不锈钢
CGS 2.7×27×50×7.5		27	21.6	50	7.5	23.58	153.29	5.8	磨平	
CGS 2.7×27×60×8.5		27	21.6	60	8.5	28.78	153.29	4.91	磨平	
CGS 2.7×27×70×9.75		27	21.6	70	9.75	32.78	153.29	4.12	磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢



型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CGM 2.8×27×40×6.25	2.8	27	21.4	40	6.25	20.47	197.46	10.11	磨平	碳钢
CGM 2.8×27×50×7.5		27	21.4	50	7.5	24.73	197.46	7.81	磨平	
CGM 2.8×27×60×8.75		27	21.4	60	8.75	28.99	197.46	6.37	磨平	
CGM 2.8×27×70×9.75		27	21.4	70	9.75	34.39	197.46	5.55	磨平	
CGS 2.8×27×40×6.25	2.8	27	21.4	40	6.25	20.64	170.2	8.79	磨平	不锈钢
CGS 2.8×27×50×7.5		27	21.4	50	7.5	24.95	170.2	6.79	磨平	
CGS 2.8×27×60×8.75		27	21.4	60	8.75	29.26	170.2	5.54	磨平	
CGS 2.8×27×70×10		27	21.4	70	10	33.57	170.2	4.67	磨平	
CGM 2.9×27×40×6.25	2.9	27	21.2	40	6.25	21.51	217.82	11.78	磨平	碳钢
CGM 2.9×27×50×7.5		27	21.2	50	7.5	26.07	217.82	9.1	磨平	
CGM 2.9×27×60×8.75		27	21.2	60	8.75	30.64	217.82	7.42	磨平	
CGM 2.9×27×70×10		27	21.2	70	10	35.2	217.82	6.26	磨平	
CGS 2.9×27×40×6.25	2.9	27	21.2	40	6.25	21.63	188.23	10.25	磨平	不锈钢
CGS 2.9×27×50×7.5		27	21.2	50	7.5	26.22	188.23	7.92	磨平	
CGS 2.9×27×60×8.75		27	21.2	60	8.75	30.82	188.23	6.45	磨平	
CGS 2.9×27×70×10		27	21.2	70	10	35.42	188.23	5.44	磨平	
CGM 3×27×40×6.5	3	27	21	40	6.5	21.38	240.32	12.9	磨平	碳钢
CGM 3×27×50×7.75		27	21	50	7.75	26.2	240.32	10.1	磨平	
CGM 3×27×60×9		27	21	60	9	31.03	240.32	8.29	磨平	
CGM 3×27×70×10.25		27	21	70	10.25	35.85	240.32	7.04	磨平	
CGS 3×27×40×6.5	3	27	21	40	6.5	21.51	207.42	11.22	磨平	不锈钢
CGS 3×27×50×7.75		27	21	50	7.75	26.38	207.42	8.78	磨平	
CGS 3×27×60×9		27	21	60	9	31.24	207.42	7.21	磨平	
CGS 3×27×70×10.25		27	21	70	10.25	36.11	207.42	6.12	磨平	
CGM 3.5×27×40×6.5	3.5	27	20	40	6.5	25.39	371.95	25.46	磨平	碳钢
CGM 3.5×27×50×8		27	20	50	8	30.52	371.95	19.1	磨平	
CGM 3.5×27×60×9.25		27	20	60	9.25	36.47	371.95	15.8	磨平	
CGM 3.5×27×70×10.75		27	20	70	10.75	41.6	371.95	13.1	磨平	


G: 磨平    N: 不磨平  
M: 碳钢    S: 不锈钢



型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CGS 3.5×27×40×6.75	3.5	27	20	40	6.75	25.52	303.79	20.98	磨平	不锈钢
CGS 3.5×27×50×8.25		27	20	50	8.25	30.94	303.79	15.94	磨平	
CGS 3.5×27×60×9.5		27	20	60	9.5	37.13	303.79	13.29	磨平	
CGS 3.5×27×70×11		27	20	70	11	42.56	303.79	11.07	磨平	
CGM 4×27×40×6.5	4	27	19	40	6.5	27.9	560.51	46.33	磨平	碳钢
CGM 4×27×50×8		27	19	50	8	33.87	560.51	34.75	磨平	
CGM 4×27×60×9.25		27	19	60	9.25	40.51	560.51	28.76	磨平	
CGM 4×27×70×10.75		27	19	70	10.75	46.48	560.51	23.83	磨平	
CGS 4×27×40×6.75	4	27	19	40	6.75	28.16	452.02	38.17	磨平	不锈钢
CGS 4×27×50×8.25		27	19	50	8.25	34.42	452.02	29.01	磨平	
CGS 4×27×60×9.5		27	19	60	9.5	41.3	452.02	24.17	磨平	
CGS 4×27×70×11		27	19	70	11	47.56	452.02	20.15	磨平	
CNM 2.1×27.5×40×5.5	2.1	27.5	23.3	40	5.5	16.01	84.1	3.51	不磨平	碳钢
CNM 2.1×27.5×50×6.25		27.5	23.3	50	6.25	20.88	84.1	2.89	不磨平	
CNM 2.1×27.5×60×7.25		27.5	23.3	60	7.25	24.02	84.1	2.34	不磨平	
CNM 2.1×27.5×70×8.25		27.5	23.3	70	8.25	27.17	84.1	1.96	不磨平	
CNS 2.1×27.5×40×5.25	2.1	27.5	23.3	40	5.25	16.94	72.56	3.15	不磨平	不锈钢
CNS 2.1×27.5×50×6.25		27.5	23.3	50	6.25	19.85	72.56	2.41	不磨平	
CNS 2.1×27.5×60×7.25		27.5	23.3	60	7.25	22.75	72.56	1.95	不磨平	
CNS 2.1×27.5×70×8.25		27.5	23.3	70	8.25	25.66	72.56	1.64	不磨平	
CNM 2.2×27.5×40×5.5	2.2	27.5	23.1	40	5.5	17.52	96.06	4.27	不磨平	碳钢
CNM 2.2×27.5×50×6.5		27.5	23.1	50	6.5	21.1	96.06	3.32	不磨平	
CNM 2.2×27.5×60×7.5		27.5	23.1	60	7.5	24.68	96.06	2.72	不磨平	
CNM 2.2×27.5×70×8.5		27.5	23.1	70	8.5	28.26	96.06	2.3	不磨平	
CNS 2.2×27.5×40×5.5	2.2	27.5	23.1	40	5.5	16.67	83.07	3.56	不磨平	不锈钢
CNS 2.2×27.5×50×6.5		27.5	23.1	50	6.5	20.01	83.07	2.77	不磨平	
CNS 2.2×27.5×60×7.25		27.5	23.1	60	7.25	25.01	83.07	2.37	不磨平	
CNS 2.2×27.5×70×8.25		27.5	23.1	70	8.25	28.35	83.07	1.99	不磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢






型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CNM 2.3×27.5×40×5.5	2.3	27.5	22.9	40	5.5	18.82	109.41	5.17	不磨平	碳钢
CNM 2.3×27.5×50×6.75		27.5	22.9	50	6.75	21.26	109.41	3.81	不磨平	
CNM 2.3×27.5×60×7.75		27.5	22.9	60	7.75	25.21	109.41	3.14	不磨平	
CNM 2.3×27.5×70×8.75		27.5	22.9	70	8.75	29.16	109.41	2.68	不磨平	
CNS 2.3×27.5×40×5.5	2.3	27.5	22.9	40	5.5	18.05	94.51	4.31	不磨平	不锈钢
CNS 2.3×27.5×50×6.5		27.5	22.9	50	6.5	21.78	94.51	3.35	不磨平	
CNS 2.3×27.5×60×7.5		27.5	22.9	60	7.5	25.5	94.51	2.74	不磨平	
CNS 2.3×27.5×70×8.5		27.5	22.9	70	8.5	29.23	94.51	2.32	不磨平	
CNM 2.4×27.5×40×5.75	2.4	27.5	22.7	40	5.75	18.58	123.91	5.79	不磨平	碳钢
CNM 2.4×27.5×50×6.75		27.5	22.7	50	6.75	22.87	123.91	4.57	不磨平	
CNM 2.4×27.5×60×7.75		27.5	22.7	60	7.75	27.16	123.91	3.77	不磨平	
CNM 2.4×27.5×70×9		27.5	22.7	70	9	30.02	123.91	3.1	不磨平	
CNS 2.4×27.5×40×5.5	2.4	27.5	22.7	40	5.5	19.3	106.91	5.17	不磨平	不锈钢
CNS 2.4×27.5×50×6.75		27.5	22.7	50	6.75	21.91	106.91	3.81	不磨平	
CNS 2.4×27.5×60×7.75		27.5	22.7	60	7.75	26	106.91	3.14	不磨平	
CNS 2.4×27.5×70×8.75		27.5	22.7	70	8.75	30.08	106.91	2.68	不磨平	
CGM 2.5×27.5×40×6	2.5	27.5	22.5	40	6	18.4	139.6	6.46	磨平	碳钢
CGM 2.5×27.5×50×7.25		27.5	22.5	50	7.25	21.65	139.6	4.92	磨平	
CGM 2.5×27.5×60×8.25		27.5	22.5	60	8.25	26.25	139.6	4.14	磨平	
CGM 2.5×27.5×70×9.25		27.5	22.5	70	9.25	30.85	139.6	3.57	磨平	
CGS 2.5×27.5×40×6	2.5	27.5	22.5	40	6	17.66	120.31	5.39	磨平	不锈钢
CGS 2.5×27.5×50×7		27.5	22.5	50	7	22.08	120.31	4.31	磨平	
CGS 2.5×27.5×60×8		27.5	22.5	60	8	26.49	120.31	3.59	磨平	
CGS 2.5×27.5×70×9.25		27.5	22.5	70	9.25	29.51	120.31	2.97	磨平	
CGM 2.6×27.5×40×6	2.6	27.5	22.3	40	6	18.74	155.94	7.33	磨平	碳钢
CGM 2.6×27.5×50×7		27.5	22.3	50	7	23.42	155.94	5.87	磨平	
CGM 2.6×27.5×60×8.25		27.5	22.3	60	8.25	26.77	155.94	4.69	磨平	
CGM 2.6×27.5×70×9.25		27.5	22.3	70	9.25	31.46	155.94	4.05	磨平	

G: 磨平      N: 不磨平  
 M: 碳钢      S: 不锈钢




型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CGS 2.6×27.5×40×6	2.6	27.5	22.3	40	6	18.87	134.73	6.38	磨平	不锈钢
CGS 2.6×27.5×50×7.25		27.5	22.3	50	7.25	22.27	134.73	4.86	磨平	
CGS 2.6×27.5×60×8.25		27.5	22.3	60	8.25	26.99	134.73	4.08	磨平	
CGS 2.6×27.5×70×9.25		27.5	22.3	70	9.25	31.7	134.73	3.52	磨平	
CGM 2.7×27.5×40×6	2.7	27.5	22.1	40	6	19.84	174.05	8.63	磨平	碳钢
CGM 2.7×27.5×50×7.25		27.5	22.1	50	7.25	23.53	174.05	6.58	磨平	
CGM 2.7×27.5×60×8.25		27.5	22.1	60	8.25	28.49	174.05	5.52	磨平	
CGM 2.7×27.5×70×9.5		27.5	22.1	70	9.5	32.19	174.05	4.6	磨平	
CGS 2.7×27.5×40×6	2.7	27.5	22.1	40	6	19.99	150.2	7.51	磨平	不锈钢
CGS 2.7×27.5×50×7.25		27.5	22.1	50	7.25	23.74	150.2	5.72	磨平	
CGS 2.7×27.5×60×8.5		27.5	22.1	60	8.5	27.48	150.2	4.62	磨平	
CGS 2.7×27.5×70×9.5		27.5	22.1	70	9.5	32.48	150.2	4	磨平	
CGM 2.8×27.5×40×6.25	2.8	27.5	21.9	40	6.25	19.66	193.46	9.51	磨平	碳钢
CGM 2.8×27.5×50×7.25		27.5	21.9	50	7.25	24.87	193.46	7.7	磨平	
CGM 2.8×27.5×60×8.5		27.5	21.9	60	8.5	28.89	193.46	6.22	磨平	
CGM 2.8×27.5×70×9.75		27.5	21.9	70	9.75	32.91	193.46	5.22	磨平	
CGS 2.8×27.5×40×6.25	2.8	27.5	21.9	40	6.25	19.84	166.75	8.27	磨平	不锈钢
CGS 2.8×27.5×50×7.25		27.5	21.9	50	7.25	25.09	166.75	6.69	磨平	
CGS 2.8×27.5×60×8.5		27.5	21.9	60	8.5	29.16	166.75	5.41	磨平	
CGS 2.8×27.5×70×9.75		27.5	21.9	70	9.75	33.23	166.75	4.54	磨平	
CGM 2.9×27.5×40×6.25	2.9	27.5	21.7	40	6.25	20.74	213.39	11.08	磨平	碳钢
CGM 2.9×27.5×50×7.5		27.5	21.7	50	7.5	25.07	213.39	8.56	磨平	
CGM 2.9×27.5×60×8.5		27.5	21.7	60	8.5	30.54	213.39	7.24	磨平	
CGM 2.9×27.5×70×9.75		27.5	21.7	70	9.75	34.87	213.39	6.08	磨平	
CGS 2.9×27.5×40×6.25	2.9	27.5	21.7	40	6.25	20.86	184.41	9.63	磨平	不锈钢
CGS 2.9×27.5×50×7.5		27.5	21.7	50	7.5	25.23	184.41	7.44	磨平	
CGS 2.9×27.5×60×8.75		27.5	21.7	60	8.75	29.6	184.41	6.07	磨平	
CGS 2.9×27.5×70×9.75		27.5	21.7	70	9.75	35.09	184.41	5.28	磨平	

G: 磨平      N: 不磨平  
 M: 碳钢      S: 不锈钢




型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CGM 3×27.5×40×6.25	3	27.5	21.5	40	6.25	21.67	235.41	12.84	磨平	碳钢
CGM 3×27.5×50×7.5		27.5	21.5	50	7.5	26.28	235.41	9.92	磨平	
CGM 3×27.5×60×8.75		27.5	21.5	60	8.75	30.89	235.41	8.09	磨平	
CGM 3×27.5×70×10		27.5	21.5	70	10	35.5	235.41	6.82	磨平	
CGS 3×27.5×40×6.25	3	27.5	21.5	40	6.25	21.81	203.19	11.17	磨平	不锈钢
CGS 3×27.5×50×7.5		27.5	21.5	50	7.5	26.45	203.19	8.63	磨平	
CGS 3×27.5×60×8.75		27.5	21.5	60	8.75	31.1	203.19	7.03	磨平	
CGS 3×27.5×70×10		27.5	21.5	70	10	35.75	203.19	5.93	磨平	
CGM 3.5×27.5×40×6.5	3.5	27.5	20.5	40	6.5	24.76	364.2	23.9	磨平	碳钢
CGM 3.5×27.5×50×7.75		27.5	20.5	50	7.75	30.53	364.2	18.71	磨平	
CGM 3.5×27.5×60×9.25		27.5	20.5	60	9.25	35.45	364.2	14.84	磨平	
CGM 3.5×27.5×70×10.5		27.5	20.5	70	10.5	41.22	364.2	12.66	磨平	
CGS 3.5×27.5×40×6.75	3.5	27.5	20.5	40	6.75	24.89	297.46	19.69	磨平	不锈钢
CGS 3.5×27.5×50×8		27.5	20.5	50	8	30.92	297.46	15.59	磨平	
CGS 3.5×27.5×60×9.25		27.5	20.5	60	9.25	36.95	297.46	12.9	磨平	
CGS 3.5×27.5×70×10.75		27.5	20.5	70	10.75	42.18	297.46	10.69	磨平	
CGM 4×27.5×40×6.5	4	27.5	19.5	40	6.5	27.37	548.58	43.44	磨平	碳钢
CGM 4×27.5×50×7.75		27.5	19.5	50	7.75	33.86	548.58	34	磨平	
CGM 4×27.5×60×9.25		27.5	19.5	60	9.25	39.65	548.58	26.96	磨平	
CGM 4×27.5×70×10.5		27.5	19.5	70	10.5	46.15	548.58	23	磨平	
CGS 4×27.5×40×6.5	4	27.5	19.5	40	6.5	28.29	442.41	37.77	磨平	不锈钢
CGS 4×27.5×50×8		27.5	19.5	50	8	34.38	442.41	28.33	磨平	
CGS 4×27.5×60×9.5		27.5	19.5	60	9.5	40.48	442.41	22.66	磨平	
CGS 4×27.5×70×10.75		27.5	19.5	70	10.75	47.23	442.41	19.43	磨平	
CNM 2.2×28×40×5.5	2.2	28	23.6	40	5.5	16.63	94.2	4.03	不磨平	碳钢
CNM 2.2×28×50×6.25		28	23.6	50	6.25	21.62	94.2	3.32	不磨平	
CNM 2.2×28×60×7.25		28	23.6	60	7.25	24.94	94.2	2.69	不磨平	
CNM 2.2×28×70×8.25		28	23.6	70	8.25	28.26	94.2	2.26	不磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢



型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CNS 2.2×28×40×5.25	2.2	28	23.6	40	5.25	17.48	81.46	3.62	不磨平	不锈钢
CNS 2.2×28×50×6.25		28	23.6	50	6.25	20.55	81.46	2.77	不磨平	
CNS 2.2×28×60×7.25		28	23.6	60	7.25	23.62	81.46	2.24	不磨平	
CNS 2.2×28×70×8.25		28	23.6	70	8.25	26.69	81.46	1.88	不磨平	
CNM 2.3×28×40×5.5	2.3	28	23.4	40	5.5	17.97	107.28	4.87	不磨平	碳钢
CNM 2.3×28×50×6.5		28	23.4	50	6.5	21.68	107.28	3.79	不磨平	
CNM 2.3×28×60×7.5		28	23.4	60	7.5	25.39	107.28	3.1	不磨平	
CNM 2.3×28×70×8.5		28	23.4	70	8.5	29.1	107.28	2.62	不磨平	
CNS 2.3×28×40×5.5	2.3	28	23.4	40	5.5	17.17	92.67	4.06	不磨平	不锈钢
CNS 2.3×28×50×6.5		28	23.4	50	6.5	20.65	92.67	3.16	不磨平	
CNS 2.3×28×60×7.25		28	23.4	60	7.25	25.75	92.67	2.71	不磨平	
CNS 2.3×28×70×8.25		28	23.4	70	8.25	29.23	92.67	2.27	不磨平	
CNM 2.4×28×40×5.5	2.4	28	23.2	40	5.5	19.21	121.49	5.84	不磨平	碳钢
CNM 2.4×28×50×6.5		28	23.2	50	6.5	23.26	121.49	4.54	不磨平	
CNM 2.4×28×60×7.75		28	23.2	60	7.75	25.84	121.49	3.56	不磨平	
CNM 2.4×28×70×8.75		28	23.2	70	8.75	29.9	121.49	3.03	不磨平	
CNS 2.4×28×40×5.5	2.4	28	23.2	40	5.5	18.47	104.83	4.87	不磨平	不锈钢
CNS 2.4×28×50×6.5		28	23.2	50	6.5	22.32	104.83	3.79	不磨平	
CNS 2.4×28×60×7.5		28	23.2	60	7.5	26.17	104.83	3.1	不磨平	
CNS 2.4×28×70×8.5		28	23.2	70	8.5	30.01	104.83	2.62	不磨平	
CNM 2.5×28×40×5.75	2.5	28	23	40	5.75	18.93	136.86	6.5	不磨平	碳钢
CNM 2.5×28×50×6.75		28	23	50	6.75	23.31	136.86	5.13	不磨平	
CNM 2.5×28×60×7.75		28	23	60	7.75	27.7	136.86	4.24	不磨平	
CNM 2.5×28×70×9		28	23	70	9	30.67	136.86	3.48	不磨平	
CNS 2.5×28×40×5.5	2.5	28	23	40	5.5	19.66	117.95	5.8	不磨平	不锈钢
CNS 2.5×28×50×6.5		28	23	50	6.5	23.85	117.95	4.51	不磨平	
CNS 2.5×28×60×7.75		28	23	60	7.75	26.59	117.95	3.53	不磨平	
CNS 2.5×28×70×8.75		28	23	70	8.75	30.78	117.95	3.01	不磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢




型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CGM 2.6×28×40×6	2.6	28	22.8	40	6	17.87	152.87	6.91	磨平	碳钢
CGM 2.6×28×50×7		28	22.8	50	7	22.34	152.87	5.53	磨平	
CGM 2.6×28×60×8		28	22.8	60	8	26.81	152.87	4.61	磨平	
CGM 2.6×28×70×9.25		28	22.8	70	9.25	29.89	152.87	3.81	磨平	
CGS 2.6×28×40×6	2.6	28	22.8	40	6	18.01	132.08	6.01	磨平	不锈钢
CGS 2.6×28×50×7		28	22.8	50	7	22.52	132.08	4.81	磨平	
CGS 2.6×28×60×8		28	22.8	60	8	27.02	132.08	4.01	磨平	
CGS 2.6×28×70×9.25		28	22.8	70	9.25	30.15	132.08	3.31	磨平	
CGM 2.7×28×40×6	2.7	28	22.6	40	6	19.02	170.61	8.13	磨平	碳钢
CGM 2.7×28×50×7		28	22.6	50	7	23.77	170.61	6.5	磨平	
CGM 2.7×28×60×8.25		28	22.6	60	8.25	27.21	170.61	5.2	磨平	
CGM 2.7×28×70×9.25		28	22.6	70	9.25	31.96	170.61	4.49	磨平	
CGS 2.7×28×40×6	2.7	28	22.6	40	6	19.17	147.23	7.07	磨平	不锈钢
CGS 2.7×28×50×7		28	22.6	50	7	23.97	147.23	5.66	磨平	
CGS 2.7×28×60×8.25		28	22.6	60	8.25	27.46	147.23	4.52	磨平	
CGS 2.7×28×70×9.25		28	22.6	70	9.25	32.25	147.23	3.9	磨平	
CGM 2.8×28×40×6	2.8	28	22.4	40	6	20.07	189.62	9.52	磨平	碳钢
CGM 2.8×28×50×7.25		28	22.4	50	7.25	23.85	189.62	7.25	磨平	
CGM 2.8×28×60×8.25		28	22.4	60	8.25	28.86	189.62	6.09	磨平	
CGM 2.8×28×70×9.5		28	22.4	70	9.5	32.64	189.62	5.07	磨平	
CGS 2.8×28×40×6	2.8	28	22.4	40	6	20.25	163.44	8.27	磨平	不锈钢
CGS 2.8×28×50×7.25		28	22.4	50	7.25	24.07	163.44	6.3	磨平	
CGS 2.8×28×60×8.25		28	22.4	60	8.25	29.14	163.44	5.3	磨平	
CGS 2.8×28×70×9.5		28	22.4	70	9.5	32.96	163.44	4.41	磨平	
CGM 2.9×28×40×6	2.9	28	22.2	40	6	21.13	209.14	11.08	磨平	碳钢
CGM 2.9×28×50×7.25		28	22.2	50	7.25	25.23	209.14	8.44	磨平	
CGM 2.9×28×60×8.5		28	22.2	60	8.5	29.33	209.14	6.82	磨平	
CGM 2.9×28×70×9.5		28	22.2	70	9.5	34.61	209.14	5.91	磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢




型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CGS 2.9×28×40×6.25	2.9	28	22.2	40	6.25	20.07	180.73	9.07	磨平	不锈钢
CGS 2.9×28×50×7.25		28	22.2	50	7.25	25.38	180.73	7.34	磨平	
CGS 2.9×28×60×8.5		28	22.2	60	8.5	29.52	180.73	5.93	磨平	
CGS 2.9×28×70×9.75		28	22.2	70	9.75	33.66	180.73	4.97	磨平	
CGM 3×28×40×6.25	3	28	22	40	6.25	20.91	230.71	12.09	磨平	碳钢
CGM 3×28×50×7.25		28	22	50	7.25	26.42	230.71	9.79	磨平	
CGM 3×28×60×8.5		28	22	60	8.5	30.81	230.71	7.9	磨平	
CGM 3×28×70×9.75		28	22	70	9.75	35.19	230.71	6.63	磨平	
CGS 3×28×40×6.25	3	28	22	40	6.25	21.05	199.13	10.51	磨平	不锈钢
CGS 3×28×50×7.5		28	22	50	7.5	25.48	199.13	8.12	磨平	
CGS 3×28×60×8.5		28	22	60	8.5	31.03	199.13	6.87	磨平	
CGS 3×28×70×9.75		28	22	70	9.75	35.45	199.13	5.76	磨平	
CGM 3.5×28×40×6.5	3.5	28	21	40	6.5	24.12	356.77	22.47	磨平	碳钢
CGM 3.5×28×50×7.75		28	21	50	7.75	29.71	356.77	17.59	磨平	
CGM 3.5×28×60×9		28	21	60	9	35.3	356.77	14.45	磨平	
CGM 3.5×28×70×10.25		28	21	70	10.25	40.89	356.77	12.26	磨平	
CGS 3.5×28×40×6.5	3.5	28	21	40	6.5	25.09	291.39	19.54	磨平	不锈钢
CGS 3.5×28×50×8		28	21	50	8	30.12	291.39	14.66	磨平	
CGS 3.5×28×60×9.25		28	21	60	9.25	35.97	291.39	12.13	磨平	
CGS 3.5×28×70×10.5		28	21	70	10.5	41.83	291.39	10.34	磨平	
CGM 4×28×40×6.5	4	28	20	40	6.5	26.83	537.15	40.78	磨平	碳钢
CGM 4×28×50×7.75		28	20	50	7.75	33.17	537.15	31.92	磨平	
CGM 4×28×60×9		28	20	60	9	39.51	537.15	26.22	磨平	
CGM 4×28×70×10.5		28	20	70	10.5	45.12	537.15	21.59	磨平	
CGS 4×28×40×6.5	4	28	20	40	6.5	27.78	433.19	35.46	磨平	不锈钢
CGS 4×28×50×8		28	20	50	8	33.71	433.19	26.6	磨平	
CGS 4×28×60×9.25		28	20	60	9.25	40.32	433.19	22.01	磨平	
CGS 4×28×70×10.75		28	20	70	10.75	46.25	433.19	18.24	磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢



型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CNM 2.2×28.5×40×5.25		28.5	24.1	40	5.25	17.45	92.41	4.1	不磨平	
CNM 2.2×28.5×50×6.25		28.5	24.1	50	6.25	20.51	92.41	3.13	不磨平	
CNM 2.2×28.5×60×7.25		28.5	24.1	60	7.25	23.57	92.41	2.54	不磨平	
CNM 2.2×28.5×70×8.25	2.2	28.5	24.1	70	8.25	26.63	92.41	2.13	不磨平	碳钢
CNM 2.2×28.5×80×9		28.5	24.1	80	9	31.42	92.41	1.9	不磨平	
CNM 2.2×28.5×90×10		28.5	24.1	90	10	34.48	92.41	1.66	不磨平	
CNM 2.2×28.5×100×11		28.5	24.1	100	11	37.54	92.41	1.48	不磨平	
CNS 2.2×28.5×40×5.25		28.5	24.1	40	5.25	16.6	79.91	3.41	不磨平	
CNS 2.2×28.5×50×6.25		28.5	24.1	50	6.25	19.39	79.91	2.61	不磨平	
CNS 2.2×28.5×60×7		28.5	24.1	60	7	23.99	79.91	2.22	不磨平	
CNS 2.2×28.5×70×8	2.2	28.5	24.1	70	8	26.79	79.91	1.85	不磨平	不锈钢
CNS 2.2×28.5×80×9		28.5	24.1	80	9	29.59	79.91	1.59	不磨平	
CNS 2.2×28.5×90×9.75		28.5	24.1	90	9.75	34.19	79.91	1.43	不磨平	
CNS 2.2×28.5×100×10.75		28.5	24.1	100	10.75	36.99	79.91	1.27	不磨平	
CNM 2.3×28.5×40×5.5		28.5	23.9	40	5.5	17.11	105.24	4.6	不磨平	
CNM 2.3×28.5×50×6.25		28.5	23.9	50	6.25	22.2	105.24	3.79	不磨平	
CNM 2.3×28.5×60×7.25		28.5	23.9	60	7.25	25.66	105.24	3.06	不磨平	
CNM 2.3×28.5×70×8.25	2.3	28.5	23.9	70	8.25	29.12	105.24	2.57	不磨平	碳钢
CNM 2.3×28.5×80×9.25		28.5	23.9	80	9.25	32.58	105.24	2.22	不磨平	
CNM 2.3×28.5×90×10.25		28.5	23.9	90	10.25	36.04	105.24	1.95	不磨平	
CNM 2.3×28.5×100×11.25		28.5	23.9	100	11.25	39.5	105.24	1.74	不磨平	
CNS 2.3×28.5×40×5.25		28.5	23.9	40	5.25	17.97	90.9	4.13	不磨平	
CNS 2.3×28.5×50×6.25		28.5	23.9	50	6.25	21.19	90.9	3.15	不磨平	
CNS 2.3×28.5×60×7.25		28.5	23.9	60	7.25	24.41	90.9	2.55	不磨平	
CNS 2.3×28.5×70×8.25	2.3	28.5	23.9	70	8.25	27.63	90.9	2.15	不磨平	不锈钢
CNS 2.3×28.5×80×9.25		28.5	23.9	80	9.25	30.85	90.9	1.85	不磨平	
CNS 2.3×28.5×90×10		28.5	23.9	90	10	35.76	90.9	1.68	不磨平	
CNS 2.3×28.5×100×11		28.5	23.9	100	11	38.99	90.9	1.49	不磨平	


G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢



型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CNM 2.4×28.5×40×5.5		28.5	23.7	40	5.5	18.38	119.17	5.51	不磨平	
CNM 2.4×28.5×50×6.5		28.5	23.7	50	6.5	22.21	119.17	4.29	不磨平	
CNM 2.4×28.5×60×7.5		28.5	23.7	60	7.5	26.03	119.17	3.51	不磨平	
CNM 2.4×28.5×70×8.5	2.4	28.5	23.7	70	8.5	29.86	119.17	2.97	不磨平	碳钢
CNM 2.4×28.5×80×9.5		28.5	23.7	80	9.5	33.68	119.17	2.57	不磨平	
CNM 2.4×28.5×90×10.5		28.5	23.7	90	10.5	37.5	119.17	2.27	不磨平	
CNM 2.4×28.5×100×11.5		28.5	23.7	100	11.5	41.33	119.17	2.03	不磨平	
CNS 2.4×28.5×40×5.5		28.5	23.7	40	5.5	17.62	102.82	4.59	不磨平	
CNS 2.4×28.5×50×6.25		28.5	23.7	50	6.25	22.82	102.82	3.78	不磨平	
CNS 2.4×28.5×60×7.25		28.5	23.7	60	7.25	26.43	102.82	3.06	不磨平	
CNS 2.4×28.5×70×8.25	2.4	28.5	23.7	70	8.25	30.04	102.82	2.57	不磨平	不锈钢
CNS 2.4×28.5×80×9.25		28.5	23.7	80	9.25	33.64	102.82	2.22	不磨平	
CNS 2.4×28.5×90×10.25		28.5	23.7	90	10.25	37.25	102.82	1.95	不磨平	
CNS 2.4×28.5×100×11.25		28.5	23.7	100	11.25	40.85	102.82	1.74	不磨平	
CNM 2.5×28.5×40×5.5		28.5	23.5	40	5.5	19.56	134.23	6.57	不磨平	
CNM 2.5×28.5×50×6.5		28.5	23.5	50	6.5	23.72	134.23	5.11	不磨平	
CNM 2.5×28.5×60×7.75		28.5	23.5	60	7.75	26.42	134.23	4	不磨平	
CNM 2.5×28.5×70×8.75	2.5	28.5	23.5	70	8.75	30.58	134.23	3.4	不磨平	碳钢
CNM 2.5×28.5×80×9.75		28.5	23.5	80	9.75	34.73	134.23	2.97	不磨平	
CNM 2.5×28.5×90×10.75		28.5	23.5	90	10.75	38.89	134.23	2.63	不磨平	
CNM 2.5×28.5×100×11.75		28.5	23.5	100	11.75	43.05	134.23	2.36	不磨平	
CNS 2.5×28.5×40×5.5		28.5	23.5	40	5.5	18.86	115.68	5.47	不磨平	
CNS 2.5×28.5×50×6.5		28.5	23.5	50	6.5	22.82	115.68	4.26	不磨平	
CNS 2.5×28.5×60×7.5		28.5	23.5	60	7.5	26.78	115.68	3.48	不磨平	
CNS 2.5×28.5×70×8.5	2.5	28.5	23.5	70	8.5	30.74	115.68	2.95	不磨平	不锈钢
CNS 2.5×28.5×80×9.5		28.5	23.5	80	9.5	34.7	115.68	2.55	不磨平	
CNS 2.5×28.5×90×10.5		28.5	23.5	90	10.5	38.66	115.68	2.25	不磨平	
CNS 2.5×28.5×100×11.5		28.5	23.5	100	11.5	42.62	115.68	2.02	不磨平	


G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢






型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CGM 2.6×28.5×40×5.75		28.5	23.3	40	5.75	18.43	149.92	6.95	磨平	
CGM 2.6×28.5×50×6.75		28.5	23.3	50	6.75	22.68	149.92	5.49	磨平	
CGM 2.6×28.5×60×8		28.5	23.3	60	8	25.49	149.92	4.34	磨平	
CGM 2.6×28.5×70×9	2.6	28.5	23.3	70	9	29.74	149.92	3.72	磨平	碳钢
CGM 2.6×28.5×80×10		28.5	23.3	80	10	33.99	149.92	3.26	磨平	
CGM 2.6×28.5×90×11		28.5	23.3	90	11	38.23	149.92	2.9	磨平	
CGM 2.6×28.5×100×12		28.5	23.3	100	12	42.48	149.92	2.61	磨平	
CGS 2.6×28.5×40×5.75		28.5	23.3	40	5.75	18.57	129.53	6.04	磨平	
CGS 2.6×28.5×50×6.75		28.5	23.3	50	6.75	22.85	129.53	4.77	磨平	
CGS 2.6×28.5×60×8		28.5	23.3	60	8	25.71	129.53	3.78	磨平	
CGS 2.6×28.5×70×9	2.6	28.5	23.3	70	9	30	129.53	3.24	磨平	不锈钢
CGS 2.6×28.5×80×10		28.5	23.3	80	10	34.28	129.53	2.83	磨平	
CGS 2.6×28.5×90×11		28.5	23.3	90	11	38.56	129.53	2.52	磨平	
CGS 2.6×28.5×100×12.25		28.5	23.3	100	12.25	41.42	129.53	2.21	磨平	
CGM 2.7×28.5×40×5.75		28.5	23.1	40	5.75	19.54	167.31	8.18	磨平	
CGM 2.7×28.5×50×7		28.5	23.1	50	7	22.72	167.31	6.13	磨平	
CGM 2.7×28.5×60×8		28.5	23.1	60	8	27.26	167.31	5.11	磨平	
CGM 2.7×28.5×70×9	2.7	28.5	23.1	70	9	31.81	167.31	4.38	磨平	碳钢
CGM 2.7×28.5×80×10.25		28.5	23.1	80	10.25	34.99	167.31	3.72	磨平	
CGM 2.7×28.5×90×11.25		28.5	23.1	90	11.25	39.53	167.31	3.32	磨平	
CGM 2.7×28.5×100×12.25		28.5	23.1	100	12.25	44.08	167.31	2.99	磨平	
CGS 2.7×28.5×40×6		28.5	23.1	40	6	18.34	144.38	6.67	磨平	
CGS 2.7×28.5×50×7		28.5	23.1	50	7	22.93	144.38	5.33	磨平	
CGS 2.7×28.5×60×8		28.5	23.1	60	8	27.51	144.38	4.44	磨平	
CGS 2.7×28.5×70×9.25	2.7	28.5	23.1	70	9.25	30.75	144.38	3.68	磨平	不锈钢
CGS 2.7×28.5×80×10.25		28.5	23.1	80	10.25	35.33	144.38	3.23	磨平	
CGS 2.7×28.5×90×11.25		28.5	23.1	90	11.25	39.92	144.38	2.88	磨平	
CGS 2.7×28.5×100×12.5		28.5	23.1	100	12.5	43.15	144.38	2.54	磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢




型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CGM 2.8×28.5×40×6		28.5	22.9	40	6	19.27	185.93	8.97	磨平	
CGM 2.8×28.5×50×7		28.5	22.9	50	7	24.09	185.93	7.18	磨平	
CGM 2.8×28.5×60×8.25		28.5	22.9	60	8.25	27.62	185.93	5.74	磨平	
CGM 2.8×28.5×70×9.25	2.8	28.5	22.9	70	9.25	32.43	185.93	4.95	磨平	碳钢
CGM 2.8×28.5×80×10.5		28.5	22.9	80	10.5	35.96	185.93	4.22	磨平	
CGM 2.8×28.5×90×11.5		28.5	22.9	90	11.5	40.78	185.93	3.78	磨平	
CGM 2.8×28.5×100×12.5		28.5	22.9	100	12.5	45.59	185.93	3.42	磨平	
CGS 2.8×28.5×40×6		28.5	22.9	40	6	19.46	160.26	7.8	磨平	
CGS 2.8×28.5×50×7		28.5	22.9	50	7	24.32	160.26	6.24	磨平	
CGS 2.8×28.5×60×8.25		28.5	22.9	60	8.25	27.9	160.26	4.99	磨平	
CGS 2.8×28.5×70×9.25	2.8	28.5	22.9	70	9.25	32.76	160.26	4.3	磨平	不锈钢
CGS 2.8×28.5×80×10.5		28.5	22.9	80	10.5	36.34	160.26	3.67	磨平	
CGS 2.8×28.5×90×11.5		28.5	22.9	90	11.5	41.21	160.26	3.28	磨平	
CGS 2.8×28.5×100×12.75		28.5	22.9	100	12.75	44.79	160.26	2.9	磨平	
CGM 2.9×28.5×40×6		28.5	22.7	40	6	20.37	205.06	10.44	磨平	
CGM 2.9×28.5×50×7.25		28.5	22.7	50	7.25	24.23	205.06	7.96	磨平	
CGM 2.9×28.5×60×8.25		28.5	22.7	60	8.25	29.32	205.06	6.68	磨平	
CGM 2.9×28.5×70×9.5	2.9	28.5	22.7	70	9.5	33.19	205.06	5.57	磨平	碳钢
CGM 2.9×28.5×80×10.5		28.5	22.7	80	10.5	38.28	205.06	4.91	磨平	
CGM 2.9×28.5×90×11.75		28.5	22.7	90	11.75	42.14	205.06	4.28	磨平	
CGM 2.9×28.5×100×12.75		28.5	22.7	100	12.75	47.23	205.06	3.89	磨平	
CGS 2.9×28.5×40×6		28.5	22.7	40	6	20.49	177.2	9.08	磨平	
CGS 2.9×28.5×50×7.25		28.5	22.7	50	7.25	24.39	177.2	6.92	磨平	
CGS 2.9×28.5×60×8.25		28.5	22.7	60	8.25	29.51	177.2	5.81	磨平	
CGS 2.9×28.5×70×9.5	2.9	28.5	22.7	70	9.5	33.42	177.2	4.84	磨平	不锈钢
CGS 2.9×28.5×80×10.5		28.5	22.7	80	10.5	38.54	177.2	4.27	磨平	
CGS 2.9×28.5×90×11.75		28.5	22.7	90	11.75	42.44	177.2	3.73	磨平	
CGS 2.9×28.5×100×13		28.5	22.7	100	13	46.34	177.2	3.3	磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢




型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CGM 3×28.5×40×6		28.5	22.5	40	6	21.31	226.18	12.1	磨平	
CGM 3×28.5×50×7.25		28.5	22.5	50	7.25	25.47	226.18	9.22	磨平	
CGM 3×28.5×60×8.5		28.5	22.5	60	8.5	29.63	226.18	7.45	磨平	
CGM 3×28.5×70×9.5	3	28.5	22.5	70	9.5	34.96	226.18	6.45	磨平	碳钢
CGM 3×28.5×80×10.75		28.5	22.5	80	10.75	39.12	226.18	5.53	磨平	
CGM 3×28.5×90×12		28.5	22.5	90	12	43.28	226.18	4.84	磨平	
CGM 3×28.5×100×13		28.5	22.5	100	13	48.6	226.18	4.4	磨平	
CGS 3×28.5×40×6		28.5	22.5	40	6	21.45	195.22	10.52	磨平	
CGS 3×28.5×50×7.25		28.5	22.5	50	7.25	25.65	195.22	8.02	磨平	
CGS 3×28.5×60×8.5		28.5	22.5	60	8.5	29.86	195.22	6.48	磨平	
CGS 3×28.5×70×9.5	3	28.5	22.5	70	9.5	35.22	195.22	5.61	磨平	不锈钢
CGS 3×28.5×80×10.75		28.5	22.5	80	10.75	39.42	195.22	4.81	磨平	
CGS 3×28.5×90×12		28.5	22.5	90	12	43.62	195.22	4.21	磨平	
CGS 3×28.5×100×13		28.5	22.5	100	13	48.99	195.22	3.83	磨平	
CGM 3.5×28.5×40×6.25		28.5	21.5	40	6.25	24.39	349.64	22.39	磨平	
CGM 3.5×28.5×50×7.5		28.5	21.5	50	7.5	29.79	349.64	17.3	磨平	
CGM 3.5×28.5×60×8.75		28.5	21.5	60	8.75	35.2	349.64	14.1	磨平	
CGM 3.5×28.5×70×10	3.5	28.5	21.5	70	10	40.61	349.64	11.9	磨平	碳钢
CGM 3.5×28.5×80×11.25		28.5	21.5	80	11.25	46.02	349.64	10.29	磨平	
CGM 3.5×28.5×90×12.5		28.5	21.5	90	12.5	51.43	349.64	9.06	磨平	
CGM 3.5×28.5×100×14		28.5	21.5	100	14	55.92	349.64	7.93	磨平	
CGS 3.5×28.5×40×6.5		28.5	21.5	40	6.5	24.47	285.56	18.39	磨平	
CGS 3.5×28.5×50×7.75		28.5	21.5	50	7.75	30.16	285.56	14.39	磨平	
CGS 3.5×28.5×60×9		28.5	21.5	60	9	35.85	285.56	11.82	磨平	
CGS 3.5×28.5×70×10.25	3.5	28.5	21.5	70	10.25	41.53	285.56	10.03	磨平	不锈钢
CGS 3.5×28.5×80×11.75		28.5	21.5	80	11.75	46.36	285.56	8.49	磨平	
CGS 3.5×28.5×90×13		28.5	21.5	90	13	52.04	285.56	7.52	磨平	
CGS 3.5×28.5×100×14.25		28.5	21.5	100	14.25	57.73	285.56	6.76	磨平	

G: 磨平      N: 不磨平  
 M: 碳钢      S: 不锈钢



型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CGM 4×28.5×40×6.25		28.5	20.5	40	6.25	27.04	526.19	40.59	磨平	
CGM 4×28.5×50×7.5		28.5	20.5	50	7.5	33.22	526.19	31.36	磨平	
CGM 4×28.5×60×9		28.5	20.5	60	9	38.65	526.19	24.64	磨平	
CGM 4×28.5×70×10.25	4	28.5	20.5	70	10.25	44.84	526.19	20.91	磨平	碳钢
CGM 4×28.5×80×11.5		28.5	20.5	80	11.5	51.02	526.19	18.16	磨平	
CGM 4×28.5×90×12.75		28.5	20.5	90	12.75	57.21	526.19	16.05	磨平	
CGM 4×28.5×100×14.25		28.5	20.5	100	14.25	62.63	526.19	14.08	磨平	
CGS 4×28.5×40×6.5		28.5	20.5	40	6.5	27.27	424.35	33.33	磨平	
CGS 4×28.5×50×7.75		28.5	20.5	50	7.75	33.73	424.35	26.09	磨平	
CGS 4×28.5×60×9.25		28.5	20.5	60	9.25	39.49	424.35	20.69	磨平	
CGS 4×28.5×70×10.5	4	28.5	20.5	70	10.5	45.95	424.35	17.65	磨平	不锈钢
CGS 4×28.5×80×11.75		28.5	20.5	80	11.75	52.42	424.35	15.39	磨平	
CGS 4×28.5×90×13.25		28.5	20.5	90	13.25	58.17	424.35	13.33	磨平	
CGS 4×28.5×100×14.5		28.5	20.5	100	14.5	64.64	424.35	12	磨平	
CNM 2.3×29×40×5.25		29	24.4	40	5.25	17.92	103.27	4.68	不磨平	
CNM 2.3×29×50×6.25		29	24.4	50	6.25	21.13	103.27	3.58	不磨平	
CNM 2.3×29×60×7.25		29	24.4	60	7.25	24.34	103.27	2.9	不磨平	
CNM 2.3×29×70×8.25	2.3	29	24.4	70	8.25	27.54	103.27	2.43	不磨平	碳钢
CNM 2.3×29×80×9		29	24.4	80	9	32.45	103.27	2.17	不磨平	
CNM 2.3×29×90×10		29	24.4	90	10	35.66	103.27	1.9	不磨平	
CNM 2.3×29×100×11		29	24.4	100	11	38.86	103.27	1.69	不磨平	
CNS 2.3×29×40×5.25		29	24.4	40	5.25	17.12	89.2	3.9	不磨平	
CNS 2.3×29×50×6.25		29	24.4	50	6.25	20.08	89.2	2.98	不磨平	
CNS 2.3×29×60×7		29	24.4	60	7	24.8	89.2	2.53	不磨平	
CNS 2.3×29×70×8	2.3	29	24.4	70	8	27.76	89.2	2.11	不磨平	不锈钢
CNS 2.3×29×80×9		29	24.4	80	9	30.71	89.2	1.81	不磨平	
CNS 2.3×29×90×9.75		29	24.4	90	9.75	35.43	89.2	1.63	不磨平	
CNS 2.3×29×100×10.75		29	24.4	100	10.75	38.39	89.2	1.45	不磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢




型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CNM 2.4×29×40×5.25		29	24.2	40	5.25	19.15	116.93	5.61	不磨平	
CNM 2.4×29×50×6.25		29	24.2	50	6.25	22.74	116.93	4.29	不磨平	
CNM 2.4×29×60×7.25		29	24.2	60	7.25	26.32	116.93	3.47	不磨平	
CNM 2.4×29×70×8.25	2.4	29	24.2	70	8.25	29.91	116.93	2.92	不磨平	碳钢
CNM 2.4×29×80×9.25		29	24.2	80	9.25	33.49	116.93	2.51	不磨平	
CNM 2.4×29×90×10.25		29	24.2	90	10.25	37.08	116.93	2.21	不磨平	
CNM 2.4×29×100×11.25		29	24.2	100	11.25	40.66	116.93	1.97	不磨平	
CNS 2.4×29×40×5.25		29	24.2	40	5.25	18.41	100.89	4.67	不磨平	
CNS 2.4×29×50×6.25		29	24.2	50	6.25	21.77	100.89	3.57	不磨平	
CNS 2.4×29×60×7.25		29	24.2	60	7.25	25.13	100.89	2.89	不磨平	
CNS 2.4×29×70×8.25	2.4	29	24.2	70	8.25	28.49	100.89	2.43	不磨平	不锈钢
CNS 2.4×29×80×9.25		29	24.2	80	9.25	31.85	100.89	2.1	不磨平	
CNS 2.4×29×90×10		29	24.2	90	10	36.87	100.89	1.9	不磨平	
CNS 2.4×29×100×11		29	24.2	100	11	40.22	100.89	1.69	不磨平	
CNM 2.5×29×40×5.5		29	24	40	5.5	18.76	131.7	6.2	不磨平	
CNM 2.5×29×50×6.5		29	24	50	6.5	22.7	131.7	4.82	不磨平	
CNM 2.5×29×60×7.5		29	24	60	7.5	26.63	131.7	3.95	不磨平	
CNM 2.5×29×70×8.5	2.5	29	24	70	8.5	30.56	131.7	3.34	不磨平	碳钢
CNM 2.5×29×80×9.5		29	24	80	9.5	34.49	131.7	2.89	不磨平	
CNM 2.5×29×90×10.5		29	24	90	10.5	38.43	131.7	2.55	不磨平	
CNM 2.5×29×100×11.5		29	24	100	11.5	42.36	131.7	2.28	不磨平	
CNS 2.5×29×40×5.25		29	24	40	5.25	19.61	113.5	5.57	不磨平	
CNS 2.5×29×50×6.25		29	24	50	6.25	23.33	113.5	4.26	不磨平	
CNS 2.5×29×60×7.25		29	24	60	7.25	27.06	113.5	3.45	不磨平	
CNS 2.5×29×70×8.25	2.5	29	24	70	8.25	30.78	113.5	2.89	不磨平	不锈钢
CNS 2.5×29×80×9.25		29	24	80	9.25	34.51	113.5	2.49	不磨平	
CNS 2.5×29×90×10.25		29	24	90	10.25	38.23	113.5	2.19	不磨平	
CNS 2.5×29×100×11.25		29	24	100	11.25	41.96	113.5	1.96	不磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢




型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CNM 2.6×29×40×5.5		29	23.8	40	5.5	19.08	147.08	7.03	不磨平	
CNM 2.6×29×50×6.5		29	23.8	50	6.5	23.11	147.08	5.47	不磨平	
CNM 2.6×29×60×7.5		29	23.8	60	7.5	27.13	147.08	4.47	不磨平	
CNM 2.6×29×70×8.5	2.6	29	23.8	70	8.5	31.16	147.08	3.79	不磨平	碳钢
CNM 2.6×29×80×9.5		29	23.8	80	9.5	35.18	147.08	3.28	不磨平	
CNM 2.6×29×90×10.5		29	23.8	90	10.5	39.2	147.08	2.9	不磨平	
CNM 2.6×29×100×11.5		29	23.8	100	11.5	43.23	147.08	2.59	不磨平	
CNS 2.6×29×40×5.5		29	23.8	40	5.5	19.22	127.08	6.11	不磨平	
CNS 2.6×29×50×6.5		29	23.8	50	6.5	23.28	127.08	4.76	不磨平	
CNS 2.6×29×60×7.5		29	23.8	60	7.5	27.34	127.08	3.89	不磨平	
CNS 2.6×29×70×8.5	2.6	29	23.8	70	8.5	31.4	127.08	3.29	不磨平	不锈钢
CNS 2.6×29×80×9.5		29	23.8	80	9.5	35.47	127.08	2.85	不磨平	
CNS 2.6×29×90×10.5		29	23.8	90	10.5	39.53	127.08	2.52	不磨平	
CNS 2.6×29×100×11.5		29	23.8	100	11.5	43.59	127.08	2.25	不磨平	
CGM 2.7×29×40×5.75		29	23.6	40	5.75	18.74	164.13	7.72	磨平	
CGM 2.7×29×50×6.75		29	23.6	50	6.75	23.07	164.13	6.09	磨平	
CGM 2.7×29×60×7.75		29	23.6	60	7.75	27.4	164.13	5.03	磨平	
CGM 2.7×29×70×9	2.7	29	23.6	70	9	30.31	164.13	4.14	磨平	碳钢
CGM 2.7×29×80×10		29	23.6	80	10	34.64	164.13	3.62	磨平	
CGM 2.7×29×90×11		29	23.6	90	11	38.98	164.13	3.22	磨平	
CGM 2.7×29×100×12		29	23.6	100	12	43.31	164.13	2.9	磨平	
CGS 2.7×29×40×5.75		29	23.6	40	5.75	18.9	141.63	6.71	磨平	
CGS 2.7×29×50×6.75		29	23.6	50	6.75	23.28	141.63	5.3	磨平	
CGS 2.7×29×60×8		29	23.6	60	8	26.24	141.63	4.2	磨平	
CGS 2.7×29×70×9	2.7	29	23.6	70	9	30.62	141.63	3.6	磨平	不锈钢
CGS 2.7×29×80×10		29	23.6	80	10	34.99	141.63	3.15	磨平	
CGS 2.7×29×90×11		29	23.6	90	11	39.37	141.63	2.8	磨平	
CGS 2.7×29×100×12.25		29	23.6	100	12.25	42.33	141.63	2.46	磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢



型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CGM 2.8×29×40×5.75		29	23.4	40	5.75	19.81	182.38	9.03	磨平	
CGM 2.8×29×50×7		29	23.4	50	7	23.07	182.38	6.77	磨平	
CGM 2.8×29×60×8		29	23.4	60	8	27.69	182.38	5.64	磨平	
CGM 2.8×29×70×9	2.8	29	23.4	70	9	32.3	182.38	4.84	磨平	碳钢
CGM 2.8×29×80×10.25		29	23.4	80	10.25	35.57	182.38	4.11	磨平	
CGM 2.8×29×90×11.25		29	23.4	90	11.25	40.19	182.38	3.66	磨平	
CGM 2.8×29×100×12.25		29	23.4	100	12.25	44.8	182.38	3.3	磨平	
CGS 2.8×29×40×5.75		29	23.4	40	5.75	19.98	157.2	7.85	磨平	
CGS 2.8×29×50×7		29	23.4	50	7	23.31	157.2	5.89	磨平	
CGS 2.8×29×60×8		29	23.4	60	8	27.97	157.2	4.91	磨平	
CGS 2.8×29×70×9	2.8	29	23.4	70	9	32.64	157.2	4.21	磨平	不锈钢
CGS 2.8×29×80×10.25		29	23.4	80	10.25	35.96	157.2	3.57	磨平	
CGS 2.8×29×90×11.25		29	23.4	90	11.25	40.63	157.2	3.18	磨平	
CGS 2.8×29×100×12.5		29	23.4	100	12.5	43.95	157.2	2.8	磨平	
CGM 2.9×29×40×6		29	23.2	40	6	19.59	201.13	9.86	磨平	
CGM 2.9×29×50×7		29	23.2	50	7	24.49	201.13	7.88	磨平	
CGM 2.9×29×60×8.25		29	23.2	60	8.25	28.11	201.13	6.31	磨平	
CGM 2.9×29×70×9.25	2.9	29	23.2	70	9.25	33.01	201.13	5.44	磨平	碳钢
CGM 2.9×29×80×10.25		29	23.2	80	10.25	37.91	201.13	4.78	磨平	
CGM 2.9×29×90×11.5		29	23.2	90	11.5	41.53	201.13	4.15	磨平	
CGM 2.9×29×100×12.5		29	23.2	100	12.5	46.43	201.13	3.75	磨平	
CGS 2.9×29×40×6		29	23.2	40	6	19.72	173.81	8.57	磨平	
CGS 2.9×29×50×7		29	23.2	50	7	24.65	173.81	6.86	磨平	
CGS 2.9×29×60×8.25		29	23.2	60	8.25	28.31	173.81	5.48	磨平	
CGS 2.9×29×70×9.25	2.9	29	23.2	70	9.25	33.24	173.81	4.73	磨平	不锈钢
CGS 2.9×29×80×10.5		29	23.2	80	10.5	36.9	173.81	4.03	磨平	
CGS 2.9×29×90×11.5		29	23.2	90	11.5	41.83	173.81	3.61	磨平	
CGS 2.9×29×100×12.5		29	23.2	100	12.5	46.76	173.81	3.26	磨平	


G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢



型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CGM 3×29×40×6		29	23	40	6	20.57	221.83	11.42	磨平	
CGM 3×29×50×7		29	23	50	7	25.71	221.83	9.13	磨平	
CGM 3×29×60×8.25		29	23	60	8.25	29.64	221.83	7.31	磨平	
CGM 3×29×70×9.25	3	29	23	70	9.25	34.78	221.83	6.3	磨平	碳钢
CGM 3×29×80×10.5		29	23	80	10.5	38.71	221.83	5.37	磨平	
CGM 3×29×90×11.75		29	23	90	11.75	42.64	221.83	4.68	磨平	
CGM 3×29×100×12.75		29	23	100	12.75	47.78	221.83	4.25	磨平	
CGS 3×29×40×6		29	23	40	6	20.71	191.47	9.93	磨平	
CGS 3×29×50×7.25		29	23	50	7.25	24.69	191.47	7.56	磨平	
CGS 3×29×60×8.25		29	23	60	8.25	29.87	191.47	6.35	磨平	
CGS 3×29×70×9.5	3	29	23	70	9.5	33.84	191.47	5.3	磨平	不锈钢
CGS 3×29×80×10.5		29	23	80	10.5	39.02	191.47	4.67	磨平	
CGS 3×29×90×11.75		29	23	90	11.75	42.99	191.47	4.07	磨平	
CGS 3×29×100×12.75		29	23	100	12.75	48.17	191.47	3.69	磨平	
CGM 3.5×29×40×6.25		29	22	40	6.25	23.76	342.78	21.1	磨平	
CGM 3.5×29×50×7.5		29	22	50	7.5	28.98	342.78	16.31	磨平	
CGM 3.5×29×60×8.75		29	22	60	8.75	34.2	342.78	13.29	磨平	
CGM 3.5×29×70×10	3.5	29	22	70	10	39.42	342.78	11.21	磨平	碳钢
CGM 3.5×29×80×11.25		29	22	80	11.25	44.65	342.78	9.7	磨平	
CGM 3.5×29×90×12.5		29	22	90	12.5	49.87	342.78	8.54	磨平	
CGM 3.5×29×100×13.75		29	22	100	13.75	55.09	342.78	7.63	磨平	
CGS 3.5×29×40×6.25		29	22	40	6.25	24.74	279.96	18.35	磨平	
CGS 3.5×29×50×7.75		29	22	50	7.75	29.36	279.96	13.56	磨平	
CGS 3.5×29×60×9		29	22	60	9	34.87	279.96	11.14	磨平	
CGS 3.5×29×70×10.25	3.5	29	22	70	10.25	40.38	279.96	9.45	磨平	不锈钢
CGS 3.5×29×80×11.5		29	22	80	11.5	45.9	279.96	8.21	磨平	
CGS 3.5×29×90×12.75		29	22	90	12.75	51.41	279.96	7.25	磨平	
CGS 3.5×29×100×14		29	22	100	14	56.92	279.96	6.5	磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢






型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CGM 4×29×40×6.25		29	21	40	6.25	26.5	515.67	38.2	磨平	
CGM 4×29×50×7.5		29	21	50	7.5	32.53	515.67	29.52	磨平	
CGM 4×29×60×8.75		29	21	60	8.75	38.56	515.67	24.05	磨平	
CGM 4×29×70×10	4	29	21	70	10	44.59	515.67	20.3	磨平	碳钢
CGM 4×29×80×11.25		29	21	80	11.25	50.62	515.67	17.55	磨平	
CGM 4×29×90×12.5		29	21	90	12.5	56.65	515.67	15.46	磨平	
CGM 4×29×100×14		29	21	100	14	61.89	515.67	13.53	磨平	
CGS 4×29×40×6.25		29	21	40	6.25	27.48	415.86	33.22	磨平	
CGS 4×29×50×7.75		29	21	50	7.75	33.06	415.86	24.55	磨平	
CGS 4×29×60×9		29	21	60	9	39.38	415.86	20.17	磨平	
CGS 4×29×70×10.25	4	29	21	70	10.25	45.7	415.86	17.11	磨平	不锈钢
CGS 4×29×80×11.75		29	21	80	11.75	51.28	415.86	14.48	磨平	
CGS 4×29×90×13		29	21	90	13	57.6	415.86	12.83	磨平	
CGS 4×29×100×14.25		29	21	100	14.25	63.92	415.86	11.53	磨平	
CNM 2.3×29.5×40×5.25		29.5	24.9	40	5.25	17.09	101.37	4.42	不磨平	
CNM 2.3×29.5×50×6.25		29.5	24.9	50	6.25	20.04	101.37	3.38	不磨平	
CNM 2.3×29.5×60×7		29.5	24.9	60	7	24.75	101.37	2.88	不磨平	
CNM 2.3×29.5×70×8	2.3	29.5	24.9	70	8	27.7	101.37	2.4	不磨平	碳钢
CNM 2.3×29.5×80×9		29.5	24.9	80	9	30.65	101.37	2.05	不磨平	
CNM 2.3×29.5×90×9.75		29.5	24.9	90	9.75	35.36	101.37	1.86	不磨平	
CNM 2.3×29.5×100×10.75		29.5	24.9	100	10.75	38.32	101.37	1.64	不磨平	
CNS 2.3×29.5×40×5		29.5	24.9	40	5	18.08	87.56	3.99	不磨平	
CNS 2.3×29.5×50×6		29.5	24.9	50	6	20.77	87.56	3	不磨平	
CNS 2.3×29.5×60×7		29.5	24.9	60	7	23.46	87.56	2.4	不磨平	
CNS 2.3×29.5×70×7.75	2.3	29.5	24.9	70	7.75	27.98	87.56	2.08	不磨平	不锈钢
CNS 2.3×29.5×80×8.75		29.5	24.9	80	8.75	30.68	87.56	1.78	不磨平	
CNS 2.3×29.5×90×9.75		29.5	24.9	90	9.75	33.37	87.56	1.55	不磨平	
CNS 2.3×29.5×100×10.5		29.5	24.9	100	10.5	37.89	87.56	1.41	不磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢




型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CNM 2.4×29.5×40×5.25		29.5	24.7	40	5.25	18.36	114.77	5.3	不磨平	
CNM 2.4×29.5×50×6.25		29.5	24.7	50	6.25	21.7	114.77	4.06	不磨平	
CNM 2.4×29.5×60×7.25		29.5	24.7	60	7.25	25.05	114.77	3.28	不磨平	
CNM 2.4×29.5×70×8.25	2.4	29.5	24.7	70	8.25	28.39	114.77	2.76	不磨平	碳钢
CNM 2.4×29.5×80×9.25		29.5	24.7	80	9.25	31.73	114.77	2.38	不磨平	
CNM 2.4×29.5×90×10		29.5	24.7	90	10	36.74	114.77	2.15	不磨平	
CNM 2.4×29.5×100×11		29.5	24.7	100	11	40.08	114.77	1.92	不磨平	
CNS 2.4×29.5×40×5.25		29.5	24.7	40	5.25	17.6	99.02	4.42	不磨平	
CNS 2.4×29.5×50×6.25		29.5	24.7	50	6.25	20.7	99.02	3.38	不磨平	
CNS 2.4×29.5×60×7		29.5	24.7	60	7	25.53	99.02	2.87	不磨平	
CNS 2.4×29.5×70×8	2.4	29.5	24.7	70	8	28.64	99.02	2.39	不磨平	不锈钢
CNS 2.4×29.5×80×9		29.5	24.7	80	9	31.75	99.02	2.05	不磨平	
CNS 2.4×29.5×90×10		29.5	24.7	90	10	34.85	99.02	1.8	不磨平	
CNS 2.4×29.5×100×10.75		29.5	24.7	100	10.75	39.68	99.02	1.64	不磨平	
CNM 2.5×29.5×40×5.25		29.5	24.5	40	5.25	19.53	129.26	6.31	不磨平	
CNM 2.5×29.5×50×6.25		29.5	24.5	50	6.25	23.23	129.26	4.83	不磨平	
CNM 2.5×29.5×60×7.25		29.5	24.5	60	7.25	26.93	129.26	3.91	不磨平	
CNM 2.5×29.5×70×8.25	2.5	29.5	24.5	70	8.25	30.63	129.26	3.28	不磨平	碳钢
CNM 2.5×29.5×80×9.25		29.5	24.5	80	9.25	34.33	129.26	2.83	不磨平	
CNM 2.5×29.5×90×10.25		29.5	24.5	90	10.25	38.04	129.26	2.49	不磨平	
CNM 2.5×29.5×100×11.25		29.5	24.5	100	11.25	41.74	129.26	2.22	不磨平	
CNS 2.5×29.5×40×5.25		29.5	24.5	40	5.25	18.83	111.4	5.26	不磨平	
CNS 2.5×29.5×50×6.25		29.5	24.5	50	6.25	22.32	111.4	4.02	不磨平	
CNS 2.5×29.5×60×7.25		29.5	24.5	60	7.25	25.8	111.4	3.26	不磨平	
CNS 2.5×29.5×70×8.25	2.5	29.5	24.5	70	8.25	29.29	111.4	2.74	不磨平	不锈钢
CNS 2.5×29.5×80×9.25		29.5	24.5	80	9.25	32.77	111.4	2.36	不磨平	
CNS 2.5×29.5×90×10		29.5	24.5	90	10	37.89	111.4	2.14	不磨平	
CNS 2.5×29.5×100×11		29.5	24.5	100	11	41.37	111.4	1.9	不磨平	

G: 磨平      N: 不磨平  
 M: 碳钢      S: 不锈钢




型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CNM 2.6×29.5×40×5.25		29.5	24.3	40	5.25	19.83	144.35	7.16	不磨平	
CNM 2.6×29.5×50×6.25		29.5	24.3	50	6.25	23.63	144.35	5.47	不磨平	
CNM 2.6×29.5×60×7.25		29.5	24.3	60	7.25	27.43	144.35	4.43	不磨平	
CNM 2.6×29.5×70×8.25	2.6	29.5	24.3	70	8.25	31.22	144.35	3.72	不磨平	碳钢
CNM 2.6×29.5×80×9.25		29.5	24.3	80	9.25	35.02	144.35	3.21	不磨平	
CNM 2.6×29.5×90×10.25		29.5	24.3	90	10.25	38.81	144.35	2.82	不磨平	
CNM 2.6×29.5×100×11.25		29.5	24.3	100	11.25	42.61	144.35	2.52	不磨平	
CNS 2.6×29.5×40×5.25		29.5	24.3	40	5.25	19.97	124.71	6.22	不磨平	
CNS 2.6×29.5×50×6.25		29.5	24.3	50	6.25	23.8	124.71	4.76	不磨平	
CNS 2.6×29.5×60×7.25		29.5	24.3	60	7.25	27.64	124.71	3.85	不磨平	
CNS 2.6×29.5×70×8.25	2.6	29.5	24.3	70	8.25	31.47	124.71	3.24	不磨平	不锈钢
CNS 2.6×29.5×80×9.25		29.5	24.3	80	9.25	35.31	124.71	2.79	不磨平	
CNS 2.6×29.5×90×10.25		29.5	24.3	90	10.25	39.14	124.71	2.45	不磨平	
CNS 2.6×29.5×100×11.25		29.5	24.3	100	11.25	42.98	124.71	2.19	不磨平	
CGM 2.7×29.5×40×5.75		29.5	24.1	40	5.75	17.92	161.06	7.3	磨平	
CGM 2.7×29.5×50×6.75		29.5	24.1	50	6.75	22.04	161.06	5.76	磨平	
CGM 2.7×29.5×60×7.75		29.5	24.1	60	7.75	26.15	161.06	4.76	磨平	
CGM 2.7×29.5×70×8.75	2.7	29.5	24.1	70	8.75	30.26	161.06	4.05	磨平	碳钢
CGM 2.7×29.5×80×9.75		29.5	24.1	80	9.75	34.38	161.06	3.53	磨平	
CGM 2.7×29.5×90×10.75		29.5	24.1	90	10.75	38.49	161.06	3.13	磨平	
CGM 2.7×29.5×100×11.75		29.5	24.1	100	11.75	42.6	161.06	2.81	磨平	
CGS 2.7×29.5×40×5.75		29.5	24.1	40	5.75	18.09	138.99	6.34	磨平	
CGS 2.7×29.5×50×6.75		29.5	24.1	50	6.75	22.25	138.99	5.01	磨平	
CGS 2.7×29.5×60×7.75		29.5	24.1	60	7.75	26.41	138.99	4.14	磨平	
CGS 2.7×29.5×70×8.75	2.7	29.5	24.1	70	8.75	30.57	138.99	3.52	磨平	不锈钢
CGS 2.7×29.5×80×9.75		29.5	24.1	80	9.75	34.72	138.99	3.07	磨平	
CGS 2.7×29.5×90×10.75		29.5	24.1	90	10.75	38.88	138.99	2.72	磨平	
CGS 2.7×29.5×100×11.75		29.5	24.1	100	11.75	43.04	138.99	2.44	磨平	

G: 磨平      N: 不磨平  
 M: 碳钢      S: 不锈钢



型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CGM 2.8×29.5×40×5.75		29.5	23.9	40	5.75	19.03	178.97	8.53	磨平	
CGM 2.8×29.5×50×6.75		29.5	23.9	50	6.75	23.43	178.97	6.74	磨平	
CGM 2.8×29.5×60×7.75		29.5	23.9	60	7.75	27.84	178.97	5.57	磨平	
CGM 2.8×29.5×70×9	2.8	29.5	23.9	70	9	30.85	178.97	4.57	磨平	碳钢
CGM 2.8×29.5×80×10		29.5	23.9	80	10	35.26	178.97	4	磨平	
CGM 2.8×29.5×90×11		29.5	23.9	90	11	39.67	178.97	3.56	磨平	
CGM 2.8×29.5×100×12		29.5	23.9	100	12	44.07	178.97	3.2	磨平	
CGS 2.8×29.5×40×5.75		29.5	23.9	40	5.75	19.21	154.26	7.42	磨平	
CGS 2.8×29.5×50×6.75		29.5	23.9	50	6.75	23.67	154.26	5.86	磨平	
CGS 2.8×29.5×60×8		29.5	23.9	60	8	26.74	154.26	4.64	磨平	
CGS 2.8×29.5×70×9	2.8	29.5	23.9	70	9	31.19	154.26	3.98	磨平	不锈钢
CGS 2.8×29.5×80×10		29.5	23.9	80	10	35.65	154.26	3.48	磨平	
CGS 2.8×29.5×90×11		29.5	23.9	90	11	40.11	154.26	3.09	磨平	
CGS 2.8×29.5×100×12		29.5	23.9	100	12	44.56	154.26	2.78	磨平	
CGM 2.9×29.5×40×5.75		29.5	23.7	40	5.75	20.13	197.35	9.93	磨平	
CGM 2.9×29.5×50×7		29.5	23.7	50	7	23.5	197.35	7.45	磨平	
CGM 2.9×29.5×60×8		29.5	23.7	60	8	28.2	197.35	6.21	磨平	
CGM 2.9×29.5×70×9	2.9	29.5	23.7	70	9	32.9	197.35	5.32	磨平	碳钢
CGM 2.9×29.5×80×10.25		29.5	23.7	80	10.25	36.28	197.35	4.51	磨平	
CGM 2.9×29.5×90×11.25		29.5	23.7	90	11.25	40.98	197.35	4.03	磨平	
CGM 2.9×29.5×100×12.25		29.5	23.7	100	12.25	45.68	197.35	3.63	磨平	
CGS 2.9×29.5×40×5.75		29.5	23.7	40	5.75	20.25	170.54	8.64	磨平	
CGS 2.9×29.5×50×7		29.5	23.7	50	7	23.67	170.54	6.48	磨平	
CGS 2.9×29.5×60×8		29.5	23.7	60	8	28.4	170.54	5.4	磨平	
CGS 2.9×29.5×70×9	2.9	29.5	23.7	70	9	33.14	170.54	4.63	磨平	不锈钢
CGS 2.9×29.5×80×10.25		29.5	23.7	80	10.25	36.55	170.54	3.93	磨平	
CGS 2.9×29.5×90×11.25		29.5	23.7	90	11.25	41.29	170.54	3.5	磨平	
CGS 2.9×29.5×100×12.25		29.5	23.7	100	12.25	46.02	170.54	3.16	磨平	

G: 磨平      N: 不磨平  
 M: 碳钢      S: 不锈钢




型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CGM 3×29.5×40×6		29.5	23.5	40	6	19.82	217.65	10.78	磨平	
CGM 3×29.5×50×7		29.5	23.5	50	7	24.77	217.65	8.63	磨平	
CGM 3×29.5×60×8		29.5	23.5	60	8	29.72	217.65	7.19	磨平	
CGM 3×29.5×70×9.25	3	29.5	23.5	70	9.25	33.42	217.65	5.95	磨平	碳钢
CGM 3×29.5×80×10.25		29.5	23.5	80	10.25	38.37	217.65	5.23	磨平	
CGM 3×29.5×90×11.5		29.5	23.5	90	11.5	42.06	217.65	4.54	磨平	
CGM 3×29.5×100×12.5		29.5	23.5	100	12.5	47.02	217.65	4.11	磨平	
CGS 3×29.5×40×6		29.5	23.5	40	6	19.97	187.85	9.38	磨平	
CGS 3×29.5×50×7		29.5	23.5	50	7	24.96	187.85	7.5	磨平	
CGS 3×29.5×60×8		29.5	23.5	60	8	29.95	187.85	6.25	磨平	
CGS 3×29.5×70×9.25	3	29.5	23.5	70	9.25	33.69	187.85	5.17	磨平	不锈钢
CGS 3×29.5×80×10.25		29.5	23.5	80	10.25	38.68	187.85	4.55	磨平	
CGS 3×29.5×90×11.5		29.5	23.5	90	11.5	42.42	187.85	3.95	磨平	
CGS 3×29.5×100×12.5		29.5	23.5	100	12.5	47.41	187.85	3.57	磨平	
CGM 3.5×29.5×40×6		29.5	22.5	40	6	24.11	336.19	21.15	磨平	
CGM 3.5×29.5×50×7.25		29.5	22.5	50	7.25	29.14	336.19	16.12	磨平	
CGM 3.5×29.5×60×8.5		29.5	22.5	60	8.5	34.17	336.19	13.02	磨平	
CGM 3.5×29.5×70×9.75	3.5	29.5	22.5	70	9.75	39.21	336.19	10.92	磨平	碳钢
CGM 3.5×29.5×80×11		29.5	22.5	80	11	44.24	336.19	9.4	磨平	
CGM 3.5×29.5×90×12.25		29.5	22.5	90	12.25	49.27	336.19	8.25	磨平	
CGM 3.5×29.5×100×13.25		29.5	22.5	100	13.25	55.3	336.19	7.52	磨平	
CGS 3.5×29.5×40×6.25		29.5	22.5	40	6.25	24.14	274.58	17.31	磨平	
CGS 3.5×29.5×50×7.5		29.5	22.5	50	7.5	29.47	274.58	13.38	磨平	
CGS 3.5×29.5×60×8.75		29.5	22.5	60	8.75	34.81	274.58	10.9	磨平	
CGS 3.5×29.5×70×10	3.5	29.5	22.5	70	10	40.14	274.58	9.2	磨平	不锈钢
CGS 3.5×29.5×80×11.25		29.5	22.5	80	11.25	45.48	274.58	7.95	磨平	
CGS 3.5×29.5×90×12.5		29.5	22.5	90	12.5	50.81	274.58	7.01	磨平	
CGS 3.5×29.5×100×13.75		29.5	22.5	100	13.75	56.15	274.58	6.26	磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢




型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CGM 4×29.5×40×6.25		29.5	21.5	40	6.25	25.96	505.56	36	磨平	
CGM 4×29.5×50×7.5		29.5	21.5	50	7.5	31.83	505.56	27.82	磨平	
CGM 4×29.5×60×8.75		29.5	21.5	60	8.75	37.7	505.56	22.67	磨平	
CGM 4×29.5×70×10	4	29.5	21.5	70	10	43.56	505.56	19.12	磨平	碳钢
CGM 4×29.5×80×11.25		29.5	21.5	80	11.25	49.43	505.56	16.54	磨平	
CGM 4×29.5×90×12.5		29.5	21.5	90	12.5	55.3	505.56	14.57	磨平	
CGM 4×29.5×100×13.75		29.5	21.5	100	13.75	61.17	505.56	13.02	磨平	
CGS 4×29.5×40×6.25		29.5	21.5	40	6.25	26.98	407.71	31.3	磨平	
CGS 4×29.5×50×7.5		29.5	21.5	50	7.5	33.14	407.71	24.19	磨平	
CGS 4×29.5×60×9		29.5	21.5	60	9	38.55	407.71	19.01	磨平	
CGS 4×29.5×70×10.25	4	29.5	21.5	70	10.25	44.72	407.71	16.13	磨平	不锈钢
CGS 4×29.5×80×11.5		29.5	21.5	80	11.5	50.89	407.71	14	磨平	
CGS 4×29.5×90×12.75		29.5	21.5	90	12.75	57.06	407.71	12.38	磨平	
CGS 4×29.5×100×14		29.5	21.5	100	14	63.23	407.71	11.09	磨平	
CNM 2.4×30×40×5.25		30	25.2	40	5.25	17.56	112.69	5.02	不磨平	
CNM 2.4×30×50×6.25		30	25.2	50	6.25	20.65	112.69	3.84	不磨平	
CNM 2.4×30×60×7		30	25.2	60	7	25.47	112.69	3.26	不磨平	
CNM 2.4×30×70×8	2.4	30	25.2	70	8	28.56	112.69	2.72	不磨平	碳钢
CNM 2.4×30×80×9		30	25.2	80	9	31.66	112.69	2.33	不磨平	
CNM 2.4×30×90×9.75		30	25.2	90	9.75	36.48	112.69	2.11	不磨平	
CNM 2.4×30×100×10.75		30	25.2	100	10.75	39.57	112.69	1.86	不磨平	
CNS 2.4×30×40×5		30	25.2	40	5	18.55	97.23	4.53	不磨平	
CNS 2.4×30×50×6		30	25.2	50	6	21.4	97.23	3.4	不磨平	
CNS 2.4×30×60×7		30	25.2	60	7	24.25	97.23	2.72	不磨平	
CNS 2.4×30×70×7.75	2.4	30	25.2	70	7.75	28.89	97.23	2.36	不磨平	不锈钢
CNS 2.4×30×80×8.75		30	25.2	80	8.75	31.73	97.23	2.01	不磨平	
CNS 2.4×30×90×9.75		30	25.2	90	9.75	34.59	97.23	1.75	不磨平	
CNS 2.4×30×100×10.5		30	25.2	100	10.5	39.22	97.23	1.6	不磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢



型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CNM 2.5×30×40×5.25		30	25	40	5.25	18.76	126.91	5.98	不磨平	
CNM 2.5×30×50×6.25		30	25	50	6.25	22.23	126.91	4.57	不磨平	
CNM 2.5×30×60×7.25		30	25	60	7.25	25.7	126.91	3.7	不磨平	
CNM 2.5×30×70×8.25	2.5	30	25	70	8.25	29.16	126.91	3.11	不磨平	碳钢
CNM 2.5×30×80×9.25		30	25	80	9.25	32.63	126.91	2.68	不磨平	
CNM 2.5×30×90×10		30	25	90	10	37.73	126.91	2.43	不磨平	
CNM 2.5×30×100×11		30	25	100	11	41.19	126.91	2.16	不磨平	
CNS 2.5×30×40×5.25		30	25	40	5.25	18.04	109.37	4.98	不磨平	
CNS 2.5×30×50×6.25		30	25	50	6.25	21.28	109.37	3.81	不磨平	
CNS 2.5×30×60×7		30	25	60	7	26.21	109.37	3.24	不磨平	
CNS 2.5×30×70×8	2.5	30	25	70	8	29.46	109.37	2.7	不磨平	不锈钢
CNS 2.5×30×80×9		30	25	80	9	32.7	109.37	2.31	不磨平	
CNS 2.5×30×90×10		30	25	90	10	35.94	109.37	2.02	不磨平	
CNS 2.5×30×100×10.75		30	25	100	10.75	40.87	109.37	1.85	不磨平	
CNM 2.6×30×40×5.25		30	24.8	40	5.25	19.08	141.72	6.77	不磨平	
CNM 2.6×30×50×6.25		30	24.8	50	6.25	22.64	141.72	5.18	不磨平	
CNM 2.6×30×60×7.25		30	24.8	60	7.25	26.2	141.72	4.19	不磨平	
CNM 2.6×30×70×8.25	2.6	30	24.8	70	8.25	29.76	141.72	3.52	不磨平	碳钢
CNM 2.6×30×80×9		30	24.8	80	9	34.94	141.72	3.14	不磨平	
CNM 2.6×30×90×10		30	24.8	90	10	38.5	141.72	2.75	不磨平	
CNM 2.6×30×100×11		30	24.8	100	11	42.06	141.72	2.45	不磨平	
CNS 2.6×30×40×5.25		30	24.8	40	5.25	19.21	122.44	5.89	不磨平	
CNS 2.6×30×50×6.25		30	24.8	50	6.25	22.82	122.44	4.5	不磨平	
CNS 2.6×30×60×7.25		30	24.8	60	7.25	26.42	122.44	3.65	不磨平	
CNS 2.6×30×70×8.25	2.6	30	24.8	70	8.25	30.02	122.44	3.06	不磨平	不锈钢
CNS 2.6×30×80×9.25		30	24.8	80	9.25	33.63	122.44	2.64	不磨平	
CNS 2.6×30×90×10		30	24.8	90	10	38.83	122.44	2.39	不磨平	
CNS 2.6×30×100×11		30	24.8	100	11	42.44	122.44	2.13	不磨平	


G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢



型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CNM 2.7×30×40×5.25		30	24.6	40	5.25	20.15	158.11	7.96	不磨平	
CNM 2.7×30×50×6.25		30	24.6	50	6.25	24.04	158.11	6.09	不磨平	
CNM 2.7×30×60×7.25		30	24.6	60	7.25	27.93	158.11	4.93	不磨平	
CNM 2.7×30×70×8.25	2.7	30	24.6	70	8.25	31.82	158.11	4.14	不磨平	碳钢
CNM 2.7×30×80×9.25		30	24.6	80	9.25	35.71	158.11	3.57	不磨平	
CNM 2.7×30×90×10.25		30	24.6	90	10.25	39.6	158.11	3.14	不磨平	
CNM 2.7×30×100×11.25		30	24.6	100	11.25	43.5	158.11	2.8	不磨平	
CNS 2.7×30×40×5.25		30	24.6	40	5.25	20.3	136.45	6.93	不磨平	
CNS 2.7×30×50×6.25		30	24.6	50	6.25	24.23	136.45	5.3	不磨平	
CNS 2.7×30×60×7.25		30	24.6	60	7.25	28.17	136.45	4.29	不磨平	
CNS 2.7×30×70×8.25	2.7	30	24.6	70	8.25	32.11	136.45	3.6	不磨平	不锈钢
CNS 2.7×30×80×9.25		30	24.6	80	9.25	36.05	136.45	3.1	不磨平	
CNS 2.7×30×90×10.25		30	24.6	90	10.25	39.99	136.45	2.73	不磨平	
CNS 2.7×30×100×11.25		30	24.6	100	11.25	43.92	136.45	2.43	不磨平	
CGM 2.8×30×40×5.75		30	24.4	40	5.75	18.23	175.68	8.07	磨平	
CGM 2.8×30×50×6.75		30	24.4	50	6.75	22.43	175.68	6.37	磨平	
CGM 2.8×30×60×7.75		30	24.4	60	7.75	26.63	175.68	5.26	磨平	
CGM 2.8×30×70×8.75	2.8	30	24.4	70	8.75	30.82	175.68	4.48	磨平	碳钢
CGM 2.8×30×80×9.75		30	24.4	80	9.75	35.02	175.68	3.91	磨平	
CGM 2.8×30×90×10.75		30	24.4	90	10.75	39.21	175.68	3.46	磨平	
CGM 2.8×30×100×11.75		30	24.4	100	11.75	43.41	175.68	3.1	磨平	
CGS 2.8×30×40×5.75		30	24.4	40	5.75	18.43	151.42	7.02	磨平	
CGS 2.8×30×50×6.75		30	24.4	50	6.75	22.67	151.42	5.54	磨平	
CGS 2.8×30×60×7.75		30	24.4	60	7.75	26.92	151.42	4.58	磨平	
CGS 2.8×30×70×8.75	2.8	30	24.4	70	8.75	31.17	151.42	3.9	磨平	不锈钢
CGS 2.8×30×80×9.75		30	24.4	80	9.75	35.41	151.42	3.4	磨平	
CGS 2.8×30×90×10.75		30	24.4	90	10.75	39.66	151.42	3.01	磨平	
CGS 2.8×30×100×11.75		30	24.4	100	11.75	43.91	151.42	2.7	磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢






型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CGM 2.9×30×40×5.75		30	24.2	40	5.75	19.37	193.71	9.39	磨平	
CGM 2.9×30×50×6.75		30	24.2	50	6.75	23.87	193.71	7.41	磨平	
CGM 2.9×30×60×7.75		30	24.2	60	7.75	28.37	193.71	6.12	磨平	
CGM 2.9×30×70×9	2.9	30	24.2	70	9	31.5	193.71	5.03	磨平	碳钢
CGM 2.9×30×80×10		30	24.2	80	10	36	193.71	4.4	磨平	
CGM 2.9×30×90×11		30	24.2	90	11	40.49	193.71	3.91	磨平	
CGM 2.9×30×100×12		30	24.2	100	12	44.99	193.71	3.52	磨平	
CGS 2.9×30×40×5.75		30	24.2	40	5.75	19.5	167.39	8.17	磨平	
CGS 2.9×30×50×6.75		30	24.2	50	6.75	24.04	167.39	6.45	磨平	
CGS 2.9×30×60×7.75		30	24.2	60	7.75	28.57	167.39	5.33	磨平	
CGS 2.9×30×70×9	2.9	30	24.2	70	9	31.74	167.39	4.37	磨平	不锈钢
CGS 2.9×30×80×10		30	24.2	80	10	36.27	167.39	3.83	磨平	
CGS 2.9×30×90×11		30	24.2	90	11	40.8	167.39	3.4	磨平	
CGS 2.9×30×100×12		30	24.2	100	12	45.34	167.39	3.06	磨平	
CGM 3×30×40×5.75		30	24	40	5.75	20.36	213.62	10.87	磨平	
CGM 3×30×50×6.75		30	24	50	6.75	25.12	213.62	8.59	磨平	
CGM 3×30×60×8		30	24	60	8	28.57	213.62	6.8	磨平	
CGM 3×30×70×9	3	30	24	70	9	33.33	213.62	5.83	磨平	碳钢
CGM 3×30×80×10		30	24	80	10	38.09	213.62	5.1	磨平	
CGM 3×30×90×11.25		30	24	90	11.25	41.55	213.62	4.41	磨平	
CGM 3×30×100×12.25		30	24	100	12.25	46.31	213.62	3.98	磨平	
CGS 3×30×40×5.75		30	24	40	5.75	20.5	184.38	9.46	磨平	
CGS 3×30×50×7		30	24	50	7	24	184.38	7.09	磨平	
CGS 3×30×60×8		30	24	60	8	28.8	184.38	5.91	磨平	
CGS 3×30×70×9	3	30	24	70	9	33.6	184.38	5.07	磨平	不锈钢
CGS 3×30×80×10.25		30	24	80	10.25	37.1	184.38	4.3	磨平	
CGS 3×30×90×11.25		30	24	90	11.25	41.91	184.38	3.83	磨平	
CGS 3×30×100×12.25		30	24	100	12.25	46.71	184.38	3.46	磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢




型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CGM 3.5×30×40×6		30	23	40	6	23.49	329.85	19.98	磨平	
CGM 3.5×30×50×7.25		30	23	50	7.25	28.33	329.85	15.22	磨平	
CGM 3.5×30×60×8.5		30	23	60	8.5	33.17	329.85	12.29	磨平	
CGM 3.5×30×70×9.5	3.5	30	23	70	9.5	39.04	329.85	10.65	磨平	碳钢
CGM 3.5×30×80×10.75		30	23	80	10.75	43.88	329.85	9.13	磨平	
CGM 3.5×30×90×12		30	23	90	12	48.72	329.85	7.99	磨平	
CGM 3.5×30×100×13.25		30	23	100	13.25	53.56	329.85	7.1	磨平	
CGS 3.5×30×40×6.25		30	23	40	6.25	23.52	269.4	16.35	磨平	
CGS 3.5×30×50×7.5		30	23	50	7.5	28.68	269.4	12.63	磨平	
CGS 3.5×30×60×8.75		30	23	60	8.75	33.83	269.4	10.29	磨平	
CGS 3.5×30×70×9.75	3.5	30	23	70	9.75	39.95	269.4	8.97	磨平	不锈钢
CGS 3.5×30×80×11		30	23	80	11	45.11	269.4	7.72	磨平	
CGS 3.5×30×90×12.25		30	23	90	12.25	50.26	269.4	6.78	磨平	
CGS 3.5×30×100×13.5		30	23	100	13.5	55.41	269.4	6.04	磨平	
CGM 4×30×40×6		30	22	40	6	26.26	495.83	36.08	磨平	
CGM 4×30×50×7.25		30	22	50	7.25	31.97	495.83	27.49	磨平	
CGM 4×30×60×8.5		30	22	60	8.5	37.67	495.83	22.21	磨平	
CGM 4×30×70×9.75	4	30	22	70	9.75	43.38	495.83	18.62	磨平	碳钢
CGM 4×30×80×11		30	22	80	11	49.08	495.83	16.04	磨平	
CGM 4×30×90×12.25		30	22	90	12.25	54.79	495.83	14.08	磨平	
CGM 4×30×100×13.5		30	22	100	13.5	60.5	495.83	12.55	磨平	
CGS 4×30×40×6.25		30	22	40	6.25	26.46	399.87	29.53	磨平	
CGS 4×30×50×7.5		30	22	50	7.5	32.48	399.87	22.82	磨平	
CGS 4×30×60×8.75		30	22	60	8.75	38.49	399.87	18.59	磨平	
CGS 4×30×70×10	4	30	22	70	10	44.51	399.87	15.69	磨平	不锈钢
CGS 4×30×80×11.25		30	22	80	11.25	50.53	399.87	13.57	磨平	
CGS 4×30×90×12.5		30	22	90	12.5	56.55	399.87	11.95	磨平	
CGS 4×30×100×14		30	22	100	14	61.77	399.87	10.46	磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢




型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CNM 2.4×30.5×40×5		30.5	25.7	40	5	18.53	110.68	5.15	不磨平	
CNM 2.4×30.5×50×6		30.5	25.7	50	6	21.37	110.68	3.87	不磨平	
CNM 2.4×30.5×60×7		30.5	25.7	60	7	24.21	110.68	3.09	不磨平	
CNM 2.4×30.5×70×7.75	2.4	30.5	25.7	70	7.75	28.84	110.68	2.69	不磨平	碳钢
CNM 2.4×30.5×80×8.75		30.5	25.7	80	8.75	31.68	110.68	2.29	不磨平	
CNM 2.4×30.5×90×9.75		30.5	25.7	90	9.75	34.52	110.68	2	不磨平	
CNM 2.4×30.5×100×10.5		30.5	25.7	100	10.5	39.16	110.68	1.82	不磨平	
CNS 2.4×30.5×40×5		30.5	25.7	40	5	17.76	95.5	4.3	不磨平	
CNS 2.4×30.5×50×6		30.5	25.7	50	6	20.35	95.5	3.22	不磨平	
CNS 2.4×30.5×60×6.75		30.5	25.7	60	6.75	24.8	95.5	2.71	不磨平	
CNS 2.4×30.5×70×7.75	2.4	30.5	25.7	70	7.75	27.38	95.5	2.24	不磨平	不锈钢
CNS 2.4×30.5×80×8.5		30.5	25.7	80	8.5	31.82	95.5	1.98	不磨平	
CNS 2.4×30.5×90×9.5		30.5	25.7	90	9.5	34.41	95.5	1.72	不磨平	
CNS 2.4×30.5×100×10.25		30.5	25.7	100	10.25	38.85	95.5	1.56	不磨平	
CNM 2.5×30.5×40×5.25		30.5	25.5	40	5.25	17.99	124.64	5.66	不磨平	
CNM 2.5×30.5×50×6		30.5	25.5	50	6	22.9	124.64	4.6	不磨平	
CNM 2.5×30.5×60×7		30.5	25.5	60	7	26.13	124.64	3.68	不磨平	
CNM 2.5×30.5×70×8	2.5	30.5	25.5	70	8	29.36	124.64	3.07	不磨平	碳钢
CNM 2.5×30.5×80×9		30.5	25.5	80	9	32.58	124.64	2.63	不磨平	
CNM 2.5×30.5×90×10		30.5	25.5	90	10	35.81	124.64	2.3	不磨平	
CNM 2.5×30.5×100×10.75		30.5	25.5	100	10.75	40.73	124.64	2.1	不磨平	
CNS 2.5×30.5×40×5		30.5	25.5	40	5	18.98	107.42	5.11	不磨平	
CNS 2.5×30.5×50×6		30.5	25.5	50	6	21.98	107.42	3.83	不磨平	
CNS 2.5×30.5×60×7		30.5	25.5	60	7	24.97	107.42	3.07	不磨平	
CNS 2.5×30.5×70×7.75	2.5	30.5	25.5	70	7.75	29.72	107.42	2.67	不磨平	不锈钢
CNS 2.5×30.5×80×8.75		30.5	25.5	80	8.75	32.71	107.42	2.27	不磨平	
CNS 2.5×30.5×90×9.75		30.5	25.5	90	9.75	35.71	107.42	1.98	不磨平	
CNS 2.5×30.5×100×10.5		30.5	25.5	100	10.5	40.45	107.42	1.8	不磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢



型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CNM 2.6×30.5×40×5.25		30.5	25.3	40	5.25	18.31	139.18	6.42	不磨平	
CNM 2.6×30.5×50×6		30.5	25.3	50	6	23.3	139.18	5.21	不磨平	
CNM 2.6×30.5×60×7		30.5	25.3	60	7	26.63	139.18	4.17	不磨平	
CNM 2.6×30.5×70×8	2.6	30.5	25.3	70	8	29.95	139.18	3.48	不磨平	碳钢
CNM 2.6×30.5×80×9		30.5	25.3	80	9	33.28	139.18	2.98	不磨平	
CNM 2.6×30.5×90×9.75		30.5	25.3	90	9.75	38.27	139.18	2.69	不磨平	
CNM 2.6×30.5×100×10.75		30.5	25.3	100	10.75	41.59	139.18	2.38	不磨平	
CNS 2.6×30.5×40×5.25		30.5	25.3	40	5.25	18.45	120.24	5.58	不磨平	
CNS 2.6×30.5×50×6		30.5	25.3	50	6	23.47	120.24	4.53	不磨平	
CNS 2.6×30.5×60×7		30.5	25.3	60	7	26.84	120.24	3.63	不磨平	
CNS 2.6×30.5×70×8	2.6	30.5	25.3	70	8	30.21	120.24	3.02	不磨平	不锈钢
CNS 2.6×30.5×80×9		30.5	25.3	80	9	33.58	120.24	2.59	不磨平	
CNS 2.6×30.5×90×10		30.5	25.3	90	10	36.95	120.24	2.27	不磨平	
CNS 2.6×30.5×100×10.75		30.5	25.3	100	10.75	41.97	120.24	2.07	不磨平	
CNM 2.7×30.5×40×5.25		30.5	25.1	40	5.25	19.41	155.27	7.54	不磨平	
CNM 2.7×30.5×50×6.25		30.5	25.1	50	6.25	23.08	155.27	5.77	不磨平	
CNM 2.7×30.5×60×7.25		30.5	25.1	60	7.25	26.74	155.27	4.67	不磨平	
CNM 2.7×30.5×70×8.25	2.7	30.5	25.1	70	8.25	30.41	155.27	3.92	不磨平	碳钢
CNM 2.7×30.5×80×9		30.5	25.1	80	9	35.66	155.27	3.5	不磨平	
CNM 2.7×30.5×90×10		30.5	25.1	90	10	39.32	155.27	3.06	不磨平	
CNM 2.7×30.5×100×11		30.5	25.1	100	11	42.99	155.27	2.72	不磨平	
CNS 2.7×30.5×40×5.25		30.5	25.1	40	5.25	19.57	133.99	6.56	不磨平	
CNS 2.7×30.5×50×6.25		30.5	25.1	50	6.25	23.28	133.99	5.02	不磨平	
CNS 2.7×30.5×60×7.25		30.5	25.1	60	7.25	27	133.99	4.06	不磨平	
CNS 2.7×30.5×70×8.25	2.7	30.5	25.1	70	8.25	30.71	133.99	3.41	不磨平	不锈钢
CNS 2.7×30.5×80×9.25		30.5	25.1	80	9.25	34.43	133.99	2.94	不磨平	
CNS 2.7×30.5×90×10		30.5	25.1	90	10	39.71	133.99	2.66	不磨平	
CNS 2.7×30.5×100×11		30.5	25.1	100	11	43.42	133.99	2.37	不磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢




型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CGM 2.8×30.5×40×5.5		30.5	24.9	40	5.5	18.93	172.51	8.19	磨平	
CGM 2.8×30.5×50×6.5		30.5	24.9	50	6.5	22.91	172.51	6.37	磨平	
CGM 2.8×30.5×60×7.5		30.5	24.9	60	7.5	26.89	172.51	5.21	磨平	
CGM 2.8×30.5×70×8.5	2.8	30.5	24.9	70	8.5	30.87	172.51	4.41	磨平	碳钢
CGM 2.8×30.5×80×9.5		30.5	24.9	80	9.5	34.85	172.51	3.82	磨平	
CGM 2.8×30.5×90×10.5		30.5	24.9	90	10.5	38.83	172.51	3.37	磨平	
CGM 2.8×30.5×100×11.5		30.5	24.9	100	11.5	42.81	172.51	3.02	磨平	
CGS 2.8×30.5×40×5.5		30.5	24.9	40	5.5	19.12	148.69	7.12	磨平	
CGS 2.8×30.5×50×6.5		30.5	24.9	50	6.5	23.15	148.69	5.54	磨平	
CGS 2.8×30.5×60×7.5		30.5	24.9	60	7.5	27.18	148.69	4.53	磨平	
CGS 2.8×30.5×70×8.5	2.8	30.5	24.9	70	8.5	31.22	148.69	3.83	磨平	不锈钢
CGS 2.8×30.5×80×9.5		30.5	24.9	80	9.5	35.25	148.69	3.32	磨平	
CGS 2.8×30.5×90×10.5		30.5	24.9	90	10.5	39.28	148.69	2.93	磨平	
CGS 2.8×30.5×100×11.5		30.5	24.9	100	11.5	43.32	148.69	2.62	磨平	
CGM 2.9×30.5×40×5.75		30.5	24.7	40	5.75	18.6	190.2	8.89	磨平	
CGM 2.9×30.5×50×6.75		30.5	24.7	50	6.75	22.9	190.2	7.02	磨平	
CGM 2.9×30.5×60×7.75		30.5	24.7	60	7.75	27.19	190.2	5.8	磨平	
CGM 2.9×30.5×70×8.75	2.9	30.5	24.7	70	8.75	31.49	190.2	4.94	磨平	碳钢
CGM 2.9×30.5×80×9.75		30.5	24.7	80	9.75	35.78	190.2	4.3	磨平	
CGM 2.9×30.5×90×10.75		30.5	24.7	90	10.75	40.08	190.2	3.81	磨平	
CGM 2.9×30.5×100×11.75		30.5	24.7	100	11.75	44.37	190.2	3.42	磨平	
CGS 2.9×30.5×40×5.75		30.5	24.7	40	5.75	18.74	164.36	7.73	磨平	
CGS 2.9×30.5×50×6.75		30.5	24.7	50	6.75	23.07	164.36	6.1	磨平	
CGS 2.9×30.5×60×7.75		30.5	24.7	60	7.75	27.4	164.36	5.04	磨平	
CGS 2.9×30.5×70×8.75	2.9	30.5	24.7	70	8.75	31.73	164.36	4.29	磨平	不锈钢
CGS 2.9×30.5×80×9.75		30.5	24.7	80	9.75	36.06	164.36	3.74	磨平	
CGS 2.9×30.5×90×10.75		30.5	24.7	90	10.75	40.39	164.36	3.31	磨平	
CGS 2.9×30.5×100×11.75		30.5	24.7	100	11.75	44.72	164.36	2.97	磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢




型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CGM 3×30.5×40×5.75		30.5	24.5	40	5.75	19.62	209.73	10.29	磨平	
CGM 3×30.5×50×6.75		30.5	24.5	50	6.75	24.19	209.73	8.13	磨平	
CGM 3×30.5×60×7.75		30.5	24.5	60	7.75	28.75	209.73	6.71	磨平	
CGM 3×30.5×70×8.75	3	30.5	24.5	70	8.75	33.32	209.73	5.72	磨平	碳钢
CGM 3×30.5×80×10		30.5	24.5	80	10	36.53	209.73	4.82	磨平	
CGM 3×30.5×90×11		30.5	24.5	90	11	41.09	209.73	4.29	磨平	
CGM 3×30.5×100×12		30.5	24.5	100	12	45.66	209.73	3.86	磨平	
CGS 3×30.5×40×5.75		30.5	24.5	40	5.75	19.77	181.02	8.95	磨平	
CGS 3×30.5×50×6.75		30.5	24.5	50	6.75	24.38	181.02	7.07	磨平	
CGS 3×30.5×60×7.75		30.5	24.5	60	7.75	28.99	181.02	5.84	磨平	
CGS 3×30.5×70×9	3	30.5	24.5	70	9	32.25	181.02	4.79	磨平	不锈钢
CGS 3×30.5×80×10		30.5	24.5	80	10	36.85	181.02	4.2	磨平	
CGS 3×30.5×90×11		30.5	24.5	90	11	41.46	181.02	3.73	磨平	
CGS 3×30.5×100×12		30.5	24.5	100	12	46.06	181.02	3.36	磨平	
CGM 3.5×30.5×40×6		30.5	23.5	40	6	22.86	323.74	18.89	磨平	
CGM 3.5×30.5×50×7		30.5	23.5	50	7	28.57	323.74	15.11	磨平	
CGM 3.5×30.5×60×8.25		30.5	23.5	60	8.25	33.22	323.74	12.09	磨平	
CGM 3.5×30.5×70×9.5	3.5	30.5	23.5	70	9.5	37.86	323.74	10.07	磨平	碳钢
CGM 3.5×30.5×80×10.5		30.5	23.5	80	10.5	43.58	323.74	8.89	磨平	
CGM 3.5×30.5×90×11.75		30.5	23.5	90	11.75	48.22	323.74	7.75	磨平	
CGM 3.5×30.5×100×13		30.5	23.5	100	13	52.86	323.74	6.87	磨平	
CGS 3.5×30.5×40×6		30.5	23.5	40	6	23.9	264.41	16.42	磨平	
CGS 3.5×30.5×50×7.25		30.5	23.5	50	7.25	28.87	264.41	12.51	磨平	
CGS 3.5×30.5×60×8.5		30.5	23.5	60	8.5	33.84	264.41	10.11	磨平	
CGS 3.5×30.5×70×9.75	3.5	30.5	23.5	70	9.75	38.81	264.41	8.48	磨平	不锈钢
CGS 3.5×30.5×80×11		30.5	23.5	80	11	43.78	264.41	7.3	磨平	
CGS 3.5×30.5×90×12		30.5	23.5	90	12	49.75	264.41	6.57	磨平	
CGS 3.5×30.5×100×13.25		30.5	23.5	100	13.25	54.72	264.41	5.84	磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢



型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CGM 4×30.5×40×6		30.5	22.5	40	6	25.73	486.48	34.08	磨平	
CGM 4×30.5×50×7.25		30.5	22.5	50	7.25	31.26	486.48	25.97	磨平	
CGM 4×30.5×60×8.5		30.5	22.5	60	8.5	36.8	486.48	20.97	磨平	
CGM 4×30.5×70×9.5	4	30.5	22.5	70	9.5	43.24	486.48	18.18	磨平	碳钢
CGM 4×30.5×80×10.75		30.5	22.5	80	10.75	48.77	486.48	15.58	磨平	
CGM 4×30.5×90×12		30.5	22.5	90	12	54.31	486.48	13.63	磨平	
CGM 4×30.5×100×13.25		30.5	22.5	100	13.25	59.85	486.48	12.12	磨平	
CGS 4×30.5×40×6.25		30.5	22.5	40	6.25	25.93	392.32	27.89	磨平	
CGS 4×30.5×50×7.5		30.5	22.5	50	7.5	31.8	392.32	21.55	磨平	
CGS 4×30.5×60×8.75		30.5	22.5	60	8.75	37.66	392.32	17.56	磨平	
CGS 4×30.5×70×10	4	30.5	22.5	70	10	43.52	392.32	14.82	磨平	不锈钢
CGS 4×30.5×80×11.25		30.5	22.5	80	11.25	49.39	392.32	12.82	磨平	
CGS 4×30.5×90×12.5		30.5	22.5	90	12.5	55.25	392.32	11.29	磨平	
CGS 4×30.5×100×13.75		30.5	22.5	100	13.75	61.11	392.32	10.09	磨平	
CNM 2.4×31×40×5		31	26.2	40	5	17.75	108.75	4.89	不磨平	
CNM 2.4×31×50×6		31	26.2	50	6	20.34	108.75	3.67	不磨平	
CNM 2.4×31×60×6.75		31	26.2	60	6.75	24.78	108.75	3.09	不磨平	
CNM 2.4×31×70×7.75	2.4	31	26.2	70	7.75	27.36	108.75	2.55	不磨平	碳钢
CNM 2.4×31×80×8.5		31	26.2	80	8.5	31.8	108.75	2.26	不磨平	
CNM 2.4×31×90×9.5		31	26.2	90	9.5	34.38	108.75	1.96	不磨平	
CNM 2.4×31×100×10.25		31	26.2	100	10.25	38.82	108.75	1.78	不磨平	
CNS 2.4×31×40×5		31	26.2	40	5	16.97	93.83	4.07	不磨平	
CNS 2.4×31×50×5.75		31	26.2	50	5.75	21.21	93.83	3.26	不磨平	
CNS 2.4×31×60×6.75		31	26.2	60	6.75	23.53	93.83	2.57	不磨平	
CNS 2.4×31×70×7.5	2.4	31	26.2	70	7.5	27.77	93.83	2.22	不磨平	不锈钢
CNS 2.4×31×80×8.5		31	26.2	80	8.5	30.1	93.83	1.88	不磨平	
CNS 2.4×31×90×9.25		31	26.2	90	9.25	34.34	93.83	1.69	不磨平	
CNS 2.4×31×100×10		31	26.2	100	10	38.58	93.83	1.53	不磨平	


G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢



型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CNM 2.5×31×40×5		31	26	40	5	18.95	122.46	5.82	不磨平	
CNM 2.5×31×50×6		31	26	50	6	21.93	122.46	4.36	不磨平	
CNM 2.5×31×60×7		31	26	60	7	24.91	122.46	3.49	不磨平	
CNM 2.5×31×70×7.75	2.5	31	26	70	7.75	29.65	122.46	3.03	不磨平	碳钢
CNM 2.5×31×80×8.75		31	26	80	8.75	32.63	122.46	2.59	不磨平	
CNM 2.5×31×90×9.75		31	26	90	9.75	35.61	122.46	2.25	不磨平	
CNM 2.5×31×100×10.5		31	26	100	10.5	40.34	122.46	2.05	不磨平	
CNS 2.5×31×40×5		31	26	40	5	18.23	105.54	4.85	不磨平	
CNS 2.5×31×50×6		31	26	50	6	20.97	105.54	3.64	不磨平	
CNS 2.5×31×60×6.75		31	26	60	6.75	25.52	105.54	3.06	不磨平	
CNS 2.5×31×70×7.75	2.5	31	26	70	7.75	28.26	105.54	2.53	不磨平	不锈钢
CNS 2.5×31×80×8.5		31	26	80	8.5	32.82	105.54	2.24	不磨平	
CNS 2.5×31×90×9.5		31	26	90	9.5	35.56	105.54	1.94	不磨平	
CNS 2.5×31×100×10.5		31	26	100	10.5	38.31	105.54	1.71	不磨平	
CNM 2.6×31×40×5		31	25.8	40	5	19.25	136.73	6.59	不磨平	
CNM 2.6×31×50×6		31	25.8	50	6	22.34	136.73	4.94	不磨平	
CNM 2.6×31×60×7		31	25.8	60	7	25.42	136.73	3.95	不磨平	
CNM 2.6×31×70×7.75	2.6	31	25.8	70	7.75	30.23	136.73	3.44	不磨平	碳钢
CNM 2.6×31×80×8.75		31	25.8	80	8.75	33.32	136.73	2.93	不磨平	
CNM 2.6×31×90×9.75		31	25.8	90	9.75	36.4	136.73	2.55	不磨平	
CNM 2.6×31×100×10.5		31	25.8	100	10.5	41.21	136.73	2.33	不磨平	
CNS 2.6×31×40×5		31	25.8	40	5	19.39	118.13	5.73	不磨平	
CNS 2.6×31×50×6		31	25.8	50	6	22.51	118.13	4.3	不磨平	
CNS 2.6×31×60×7		31	25.8	60	7	25.64	118.13	3.44	不磨平	
CNS 2.6×31×70×7.75	2.6	31	25.8	70	7.75	30.49	118.13	2.99	不磨平	不锈钢
CNS 2.6×31×80×8.75		31	25.8	80	8.75	33.62	118.13	2.55	不磨平	
CNS 2.6×31×90×9.75		31	25.8	90	9.75	36.75	118.13	2.22	不磨平	
CNS 2.6×31×100×10.75		31	25.8	100	10.75	39.87	118.13	1.96	不磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢






型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CNM 2.7×31×40×5.25		31	25.6	40	5.25	18.67	152.53	7.15	不磨平	
CNM 2.7×31×50×6		31	25.6	50	6	23.74	152.53	5.81	不磨平	
CNM 2.7×31×60×7		31	25.6	60	7	27.18	152.53	4.65	不磨平	
CNM 2.7×31×70×8	2.7	31	25.6	70	8	30.61	152.53	3.87	不磨平	碳钢
CNM 2.7×31×80×9		31	25.6	80	9	34.05	152.53	3.32	不磨平	
CNM 2.7×31×90×9.75		31	25.6	90	9.75	39.13	152.53	3	不磨平	
CNM 2.7×31×100×10.75		31	25.6	100	10.75	42.56	152.53	2.66	不磨平	
CNS 2.7×31×40×5.25		31	25.6	40	5.25	18.83	131.63	6.22	不磨平	
CNS 2.7×31×50×6		31	25.6	50	6	23.94	131.63	5.05	不磨平	
CNS 2.7×31×60×7		31	25.6	60	7	27.43	131.63	4.04	不磨平	
CNS 2.7×31×70×8	2.7	31	25.6	70	8	30.91	131.63	3.37	不磨平	不锈钢
CNS 2.7×31×80×9		31	25.6	80	9	34.4	131.63	2.89	不磨平	
CNS 2.7×31×90×10		31	25.6	90	10	37.88	131.63	2.53	不磨平	
CNS 2.7×31×100×10.75		31	25.6	100	10.75	43	131.63	2.31	不磨平	
CNM 2.8×31×40×5.25		31	25.4	40	5.25	19.72	169.45	8.36	不磨平	
CNM 2.8×31×50×6.25		31	25.4	50	6.25	23.49	169.45	6.39	不磨平	
CNM 2.8×31×60×7.25		31	25.4	60	7.25	27.25	169.45	5.17	不磨平	
CNM 2.8×31×70×8	2.8	31	25.4	70	8	32.57	169.45	4.53	不磨平	碳钢
CNM 2.8×31×80×9		31	25.4	80	9	36.33	169.45	3.88	不磨平	
CNM 2.8×31×90×10		31	25.4	90	10	40.09	169.45	3.4	不磨平	
CNM 2.8×31×100×11		31	25.4	100	11	43.85	169.45	3.02	不磨平	
CNS 2.8×31×40×5.25		31	25.4	40	5.25	19.9	146.05	7.27	不磨平	
CNS 2.8×31×50×6.25		31	25.4	50	6.25	23.72	146.05	5.56	不磨平	
CNS 2.8×31×60×7.25		31	25.4	60	7.25	27.54	146.05	4.5	不磨平	
CNS 2.8×31×70×8.25	2.8	31	25.4	70	8.25	31.35	146.05	3.78	不磨平	不锈钢
CNS 2.8×31×80×9.25		31	25.4	80	9.25	35.17	146.05	3.26	不磨平	
CNS 2.8×31×90×10		31	25.4	90	10	40.53	146.05	2.95	不磨平	
CNS 2.8×31×100×11		31	25.4	100	11	44.34	146.05	2.62	不磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢




型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CGM 2.9×31×40×5.5		31	25.2	40	5.5	19.3	186.82	9.03	磨平	
CGM 2.9×31×50×6.5		31	25.2	50	6.5	23.39	186.82	7.02	磨平	
CGM 2.9×31×60×7.5		31	25.2	60	7.5	27.47	186.82	5.74	磨平	
CGM 2.9×31×70×8.5	2.9	31	25.2	70	8.5	31.56	186.82	4.86	磨平	碳钢
CGM 2.9×31×80×9.5		31	25.2	80	9.5	35.64	186.82	4.21	磨平	
CGM 2.9×31×90×10.5		31	25.2	90	10.5	39.73	186.82	3.72	磨平	
CGM 2.9×31×100×11.5		31	25.2	100	11.5	43.82	186.82	3.33	磨平	
CGS 2.9×31×40×5.5		31	25.2	40	5.5	19.43	161.44	7.85	磨平	
CGS 2.9×31×50×6.5		31	25.2	50	6.5	23.55	161.44	6.1	磨平	
CGS 2.9×31×60×7.5		31	25.2	60	7.5	27.68	161.44	4.99	磨平	
CGS 2.9×31×70×8.5	2.9	31	25.2	70	8.5	31.8	161.44	4.23	磨平	不锈钢
CGS 2.9×31×80×9.5		31	25.2	80	9.5	35.92	161.44	3.66	磨平	
CGS 2.9×31×90×10.5		31	25.2	90	10.5	40.04	161.44	3.23	磨平	
CGS 2.9×31×100×11.5		31	25.2	100	11.5	44.17	161.44	2.89	磨平	
CGM 3×31×40×5.5		31	25	40	5.5	20.28	205.99	10.45	磨平	
CGM 3×31×50×6.75		31	25	50	6.75	23.24	205.99	7.7	磨平	
CGM 3×31×60×7.75		31	25	60	7.75	27.61	205.99	6.36	磨平	
CGM 3×31×70×8.75	3	31	25	70	8.75	31.97	205.99	5.42	磨平	碳钢
CGM 3×31×80×9.75		31	25	80	9.75	36.34	205.99	4.72	磨平	
CGM 3×31×90×10.75		31	25	90	10.75	40.71	205.99	4.18	磨平	
CGM 3×31×100×11.75		31	25	100	11.75	45.07	205.99	3.75	磨平	
CGS 3×31×40×5.75		31	25	40	5.75	19.03	177.79	8.48	磨平	
CGS 3×31×50×6.75		31	25	50	6.75	23.44	177.79	6.69	磨平	
CGS 3×31×60×7.75		31	25	60	7.75	27.85	177.79	5.53	磨平	
CGS 3×31×70×8.75	3	31	25	70	8.75	32.26	177.79	4.71	磨平	不锈钢
CGS 3×31×80×9.75		31	25	80	9.75	36.67	177.79	4.1	磨平	
CGS 3×31×90×10.75		31	25	90	10.75	41.07	177.79	3.63	磨平	
CGS 3×31×100×11.75		31	25	100	11.75	45.48	177.79	3.26	磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢




型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CGM 3.5×31×40×5.75		31	24	40	5.75	23.33	317.85	19.07	磨平	
CGM 3.5×31×50×7		31	24	50	7	27.77	317.85	14.3	磨平	
CGM 3.5×31×60×8		31	24	60	8	33.33	317.85	11.92	磨平	
CGM 3.5×31×70×9.25	3.5	31	24	70	9.25	37.77	317.85	9.86	磨平	碳钢
CGM 3.5×31×80×10.5		31	24	80	10.5	42.22	317.85	8.41	磨平	
CGM 3.5×31×90×11.5		31	24	90	11.5	47.77	317.85	7.53	磨平	
CGM 3.5×31×100×12.75		31	24	100	12.75	52.21	317.85	6.65	磨平	
CGS 3.5×31×40×6		31	24	40	6	23.3	259.6	15.54	磨平	
CGS 3.5×31×50×7.25		31	24	50	7.25	28.08	259.6	11.84	磨平	
CGS 3.5×31×60×8.25		31	24	60	8.25	33.91	259.6	9.95	磨平	
CGS 3.5×31×70×9.5	3.5	31	24	70	9.5	38.69	259.6	8.29	磨平	不锈钢
CGS 3.5×31×80×10.75		31	24	80	10.75	43.47	259.6	7.11	磨平	
CGS 3.5×31×90×12		31	24	90	12	48.25	259.6	6.22	磨平	
CGS 3.5×31×100×13		31	24	100	13	54.07	259.6	5.65	磨平	
CGM 4×31×40×6		31	23	40	6	25.18	477.47	32.22	磨平	
CGM 4×31×50×7		31	23	50	7	31.48	477.47	25.78	磨平	
CGM 4×31×60×8.25		31	23	60	8.25	36.85	477.47	20.62	磨平	
CGM 4×31×70×9.5	4	31	23	70	9.5	42.22	477.47	17.18	磨平	碳钢
CGM 4×31×80×10.75		31	23	80	10.75	47.58	477.47	14.73	磨平	
CGM 4×31×90×11.75		31	23	90	11.75	53.88	477.47	13.22	磨平	
CGM 4×31×100×13		31	23	100	13	59.25	477.47	11.72	磨平	
CGS 4×31×40×6		31	23	40	6	26.26	385.06	28.02	磨平	
CGS 4×31×50×7.25		31	23	50	7.25	31.96	385.06	21.35	磨平	
CGS 4×31×60×8.5		31	23	60	8.5	37.67	385.06	17.24	磨平	
CGS 4×31×70×9.75	4	31	23	70	9.75	43.37	385.06	14.46	磨平	不锈钢
CGS 4×31×80×11		31	23	80	11	49.08	385.06	12.45	磨平	
CGS 4×31×90×12.25		31	23	90	12.25	54.78	385.06	10.93	磨平	
CGS 4×31×100×13.5		31	23	100	13.5	60.49	385.06	9.75	磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢



型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CNM 2.1×31.5×40×4.75		31.5	27.3	40	4.75	14.75	72.66	2.88	不磨平	
CNM 2.1×31.5×50×5.5		31.5	27.3	50	5.5	17.87	72.66	2.26	不磨平	
CNM 2.1×31.5×60×6.25		31.5	27.3	60	6.25	20.98	72.66	1.86	不磨平	
CNM 2.1×31.5×70×7	2.1	31.5	27.3	70	7	24.09	72.66	1.58	不磨平	碳钢
CNM 2.1×31.5×80×7.75		31.5	27.3	80	7.75	27.21	72.66	1.38	不磨平	
CNM 2.1×31.5×90×8.5		31.5	27.3	90	8.5	30.32	72.66	1.22	不磨平	
CNM 2.1×31.5×100×9.25		31.5	27.3	100	9.25	33.43	72.66	1.09	不磨平	
CNS 2.1×31.5×40×4.5		31.5	27.3	40	4.5	16.24	62.68	2.64	不磨平	
CNS 2.1×31.5×50×5.25		31.5	27.3	50	5.25	19.11	62.68	2.03	不磨平	
CNS 2.1×31.5×60×6		31.5	27.3	60	6	21.98	62.68	1.65	不磨平	
CNS 2.1×31.5×70×6.75	2.1	31.5	27.3	70	6.75	24.85	62.68	1.39	不磨平	不锈钢
CNS 2.1×31.5×80×7.5		31.5	27.3	80	7.5	27.72	62.68	1.2	不磨平	
CNS 2.1×31.5×90×8.25		31.5	27.3	90	8.25	30.6	62.68	1.06	不磨平	
CNS 2.1×31.5×100×9		31.5	27.3	100	9	33.47	62.68	0.94	不磨平	
CNM 2.2×31.5×40×4.75		31.5	27.1	40	4.75	16.32	82.94	3.5	不磨平	
CNM 2.2×31.5×50×5.5		31.5	27.1	50	5.5	19.86	82.94	2.75	不磨平	
CNM 2.2×31.5×60×6.5		31.5	27.1	60	6.5	21.24	82.94	2.14	不磨平	
CNM 2.2×31.5×70×7.25	2.2	31.5	27.1	70	7.25	24.78	82.94	1.83	不磨平	碳钢
CNM 2.2×31.5×80×8		31.5	27.1	80	8	28.32	82.94	1.61	不磨平	
CNM 2.2×31.5×90×8.75		31.5	27.1	90	8.75	31.87	82.94	1.43	不磨平	
CNM 2.2×31.5×100×9.5		31.5	27.1	100	9.5	35.4	82.94	1.28	不磨平	
CNS 2.2×31.5×40×4.75		31.5	27.1	40	4.75	15.42	71.73	2.92	不磨平	
CNS 2.2×31.5×50×5.5		31.5	27.1	50	5.5	18.72	71.73	2.29	不磨平	
CNS 2.2×31.5×60×6.25		31.5	27.1	60	6.25	22.01	71.73	1.89	不磨平	
CNS 2.2×31.5×70×7	2.2	31.5	27.1	70	7	25.31	71.73	1.61	不磨平	不锈钢
CNS 2.2×31.5×80×7.75		31.5	27.1	80	7.75	28.61	71.73	1.4	不磨平	
CNS 2.2×31.5×90×8.5		31.5	27.1	90	8.5	31.9	71.73	1.23	不磨平	
CNS 2.2×31.5×100×9.25		31.5	27.1	100	9.25	35.2	71.73	1.11	不磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢




型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CNM 2.3×31.5×40×4.75		31.5	26.9	40	4.75	17.66	94.42	4.23	不磨平	
CNM 2.3×31.5×50×5.75		31.5	26.9	50	5.75	19.54	94.42	3.1	不磨平	
CNM 2.3×31.5×60×6.5		31.5	26.9	60	6.5	23.44	94.42	2.58	不磨平	
CNM 2.3×31.5×70×7.25	2.3	31.5	26.9	70	7.25	27.35	94.42	2.21	不磨平	碳钢
CNM 2.3×31.5×80×8.25		31.5	26.9	80	8.25	29.23	94.42	1.86	不磨平	
CNM 2.3×31.5×90×9		31.5	26.9	90	9	33.13	94.42	1.66	不磨平	
CNM 2.3×31.5×100×9.75		31.5	26.9	100	9.75	37.04	94.42	1.5	不磨平	
CNS 2.3×31.5×40×4.75		31.5	26.9	40	4.75	16.84	81.56	3.52	不磨平	
CNS 2.3×31.5×50×5.5		31.5	26.9	50	5.5	20.53	81.56	2.77	不磨平	
CNS 2.3×31.5×60×6.5		31.5	26.9	60	6.5	22.11	81.56	2.15	不磨平	
CNS 2.3×31.5×70×7.25	2.3	31.5	26.9	70	7.25	25.79	81.56	1.84	不磨平	不锈钢
CNS 2.3×31.5×80×8		31.5	26.9	80	8	29.48	81.56	1.61	不磨平	
CNS 2.3×31.5×90×8.75		31.5	26.9	90	8.75	33.16	81.56	1.43	不磨平	
CNS 2.3×31.5×100×9.75		31.5	26.9	100	9.75	34.74	81.56	1.25	不磨平	
CNM 2.4×31.5×40×5		31.5	26.7	40	5	16.97	106.88	4.64	不磨平	
CNM 2.4×31.5×50×5.75		31.5	26.7	50	5.75	21.21	106.88	3.71	不磨平	
CNM 2.4×31.5×60×6.75		31.5	26.7	60	6.75	23.53	106.88	2.93	不磨平	
CNM 2.4×31.5×70×7.5	2.4	31.5	26.7	70	7.5	27.78	106.88	2.53	不磨平	碳钢
CNM 2.4×31.5×80×8.5		31.5	26.7	80	8.5	30.1	106.88	2.14	不磨平	
CNM 2.4×31.5×90×9.25		31.5	26.7	90	9.25	34.34	106.88	1.92	不磨平	
CNM 2.4×31.5×100×10		31.5	26.7	100	10	38.59	106.88	1.74	不磨平	
CNS 2.4×31.5×40×4.75		31.5	26.7	40	4.75	18.14	92.22	4.22	不磨平	
CNS 2.4×31.5×50×5.75		31.5	26.7	50	5.75	20.19	92.22	3.09	不磨平	
CNS 2.4×31.5×60×6.5		31.5	26.7	60	6.5	24.23	92.22	2.58	不磨平	
CNS 2.4×31.5×70×7.5	2.4	31.5	26.7	70	7.5	26.28	92.22	2.11	不磨平	不锈钢
CNS 2.4×31.5×80×8.25		31.5	26.7	80	8.25	30.32	92.22	1.86	不磨平	
CNS 2.4×31.5×90×9		31.5	26.7	90	9	34.36	92.22	1.66	不磨平	
CNS 2.4×31.5×100×10		31.5	26.7	100	10	36.41	92.22	1.45	不磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢




型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CNM 2.5×31.5×40×5		31.5	26.5	40	5	18.2	120.35	5.52	不磨平	
CNM 2.5×31.5×50×6		31.5	26.5	50	6	20.93	120.35	4.14	不磨平	
CNM 2.5×31.5×60×6.75		31.5	26.5	60	6.75	25.48	120.35	3.49	不磨平	
CNM 2.5×31.5×70×7.75	2.5	31.5	26.5	70	7.75	28.22	120.35	2.88	不磨平	碳钢
CNM 2.5×31.5×80×8.5		31.5	26.5	80	8.5	32.77	120.35	2.55	不磨平	
CNM 2.5×31.5×90×9.5		31.5	26.5	90	9.5	35.5	120.35	2.21	不磨平	
CNM 2.5×31.5×100×10.25		31.5	26.5	100	10.25	40.05	120.35	2.01	不磨平	
CNS 2.5×31.5×40×5		31.5	26.5	40	5	17.45	103.72	4.6	不磨平	
CNS 2.5×31.5×50×5.75		31.5	26.5	50	5.75	21.82	103.72	3.68	不磨平	
CNS 2.5×31.5×60×6.75		31.5	26.5	60	6.75	24.3	103.72	2.91	不磨平	
CNS 2.5×31.5×70×7.5	2.5	31.5	26.5	70	7.5	28.67	103.72	2.51	不磨平	不锈钢
CNS 2.5×31.5×80×8.5		31.5	26.5	80	8.5	31.15	103.72	2.12	不磨平	
CNS 2.5×31.5×90×9.25		31.5	26.5	90	9.25	35.52	103.72	1.9	不磨平	
CNS 2.5×31.5×100×10.25		31.5	26.5	100	10.25	38	103.72	1.67	不磨平	
CNM 2.6×31.5×40×5		31.5	26.3	40	5	18.52	134.36	6.25	不磨平	
CNM 2.6×31.5×50×6		31.5	26.3	50	6	21.35	134.36	4.69	不磨平	
CNM 2.6×31.5×60×6.75		31.5	26.3	60	6.75	25.98	134.36	3.95	不磨平	
CNM 2.6×31.5×70×7.75	2.6	31.5	26.3	70	7.75	28.82	134.36	3.26	不磨平	碳钢
CNM 2.6×31.5×80×8.5		31.5	26.3	80	8.5	33.45	134.36	2.89	不磨平	
CNM 2.6×31.5×90×9.5		31.5	26.3	90	9.5	36.29	134.36	2.5	不磨平	
CNM 2.6×31.5×100×10.25		31.5	26.3	100	10.25	40.92	134.36	2.27	不磨平	
CNS 2.6×31.5×40×5		31.5	26.3	40	5	18.65	116.08	5.44	不磨平	
CNS 2.6×31.5×50×6		31.5	26.3	50	6	21.54	116.08	4.08	不磨平	
CNS 2.6×31.5×60×6.75		31.5	26.3	60	6.75	26.2	116.08	3.43	不磨平	
CNS 2.6×31.5×70×7.75	2.6	31.5	26.3	70	7.75	29.09	116.08	2.84	不磨平	不锈钢
CNS 2.6×31.5×80×8.5		31.5	26.3	80	8.5	33.75	116.08	2.51	不磨平	
CNS 2.6×31.5×90×9.5		31.5	26.3	90	9.5	36.63	116.08	2.18	不磨平	
CNS 2.6×31.5×100×10.5		31.5	26.3	100	10.5	39.52	116.08	1.92	不磨平	

G: 磨平      N: 不磨平  
 M: 碳钢      S: 不锈钢



型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CNM 2.7×31.5×40×5		31.5	26.1	40	5	19.6	149.88	7.35	不磨平	
CNM 2.7×31.5×50×6		31.5	26.1	50	6	22.81	149.88	5.51	不磨平	
CNM 2.7×31.5×60×7		31.5	26.1	60	7	26.01	149.88	4.41	不磨平	
CNM 2.7×31.5×70×7.75	2.7	31.5	26.1	70	7.75	30.91	149.88	3.83	不磨平	碳钢
CNM 2.7×31.5×80×8.75		31.5	26.1	80	8.75	34.11	149.88	3.27	不磨平	
CNM 2.7×31.5×90×9.75		31.5	26.1	90	9.75	37.31	149.88	2.84	不磨平	
CNM 2.7×31.5×100×10.5		31.5	26.1	100	10.5	42.21	149.88	2.59	不磨平	
CNS 2.7×31.5×40×5		31.5	26.1	40	5	19.76	129.34	6.39	不磨平	
CNS 2.7×31.5×50×6		31.5	26.1	50	6	23.01	129.34	4.79	不磨平	
CNS 2.7×31.5×60×7		31.5	26.1	60	7	26.27	129.34	3.83	不磨平	
CNS 2.7×31.5×70×7.75	2.7	31.5	26.1	70	7.75	31.21	129.34	3.33	不磨平	不锈钢
CNS 2.7×31.5×80×8.75		31.5	26.1	80	8.75	34.46	129.34	2.84	不磨平	
CNS 2.7×31.5×90×9.75		31.5	26.1	90	9.75	37.71	129.34	2.47	不磨平	
CNS 2.7×31.5×100×10.75		31.5	26.1	100	10.75	40.96	129.34	2.19	不磨平	
CNM 2.8×31.5×40×5		31.5	25.9	40	5	20.61	166.5	8.59	不磨平	
CNM 2.8×31.5×50×6		31.5	25.9	50	6	24.15	166.5	6.44	不磨平	
CNM 2.8×31.5×60×7		31.5	25.9	60	7	27.69	166.5	5.15	不磨平	
CNM 2.8×31.5×70×8	2.8	31.5	25.9	70	8	31.23	166.5	4.29	不磨平	碳钢
CNM 2.8×31.5×80×9		31.5	25.9	80	9	34.77	166.5	3.68	不磨平	
CNM 2.8×31.5×90×9.75		31.5	25.9	90	9.75	39.92	166.5	3.32	不磨平	
CNM 2.8×31.5×100×10.75		31.5	25.9	100	10.75	43.46	166.5	2.94	不磨平	
CNS 2.8×31.5×40×5.25		31.5	25.9	40	5.25	19.18	143.51	6.89	不磨平	
CNS 2.8×31.5×50×6		31.5	25.9	50	6	24.38	143.51	5.6	不磨平	
CNS 2.8×31.5×60×7		31.5	25.9	60	7	27.97	143.51	4.48	不磨平	
CNS 2.8×31.5×70×8	2.8	31.5	25.9	70	8	31.57	143.51	3.73	不磨平	不锈钢
CNS 2.8×31.5×80×9		31.5	25.9	80	9	35.16	143.51	3.2	不磨平	
CNS 2.8×31.5×90×10		31.5	25.9	90	10	38.76	143.51	2.8	不磨平	
CNS 2.8×31.5×100×10.75		31.5	25.9	100	10.75	43.95	143.51	2.56	不磨平	


G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢



型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CGM 2.9×31.5×40×5.5		31.5	25.7	40	5.5	18.56	183.55	8.56	磨平	
CGM 2.9×31.5×50×6.5		31.5	25.7	50	6.5	22.43	183.55	6.66	磨平	
CGM 2.9×31.5×60×7.5		31.5	25.7	60	7.5	26.31	183.55	5.45	磨平	
CGM 2.9×31.5×70×8.5	2.9	31.5	25.7	70	8.5	30.18	183.55	4.61	磨平	碳钢
CGM 2.9×31.5×80×9.25		31.5	25.7	80	9.25	35.58	183.55	4.13	磨平	
CGM 2.9×31.5×90×10.25		31.5	25.7	90	10.25	39.46	183.55	3.63	磨平	
CGM 2.9×31.5×100×11.25		31.5	25.7	100	11.25	43.33	183.55	3.24	磨平	
CGS 2.9×31.5×40×5.5		31.5	25.7	40	5.5	18.69	158.61	7.44	磨平	
CGS 2.9×31.5×50×6.5		31.5	25.7	50	6.5	22.6	158.61	5.79	磨平	
CGS 2.9×31.5×60×7.5		31.5	25.7	60	7.5	26.52	158.61	4.74	磨平	
CGS 2.9×31.5×70×8.5	2.9	31.5	25.7	70	8.5	30.43	158.61	4.01	磨平	不锈钢
CGS 2.9×31.5×80×9.5		31.5	25.7	80	9.5	34.34	158.61	3.47	磨平	
CGS 2.9×31.5×90×10.5		31.5	25.7	90	10.5	38.25	158.61	3.07	磨平	
CGS 2.9×31.5×100×11.25		31.5	25.7	100	11.25	43.69	158.61	2.82	磨平	
CGM 3×31.5×40×5.5		31.5	25.5	40	5.5	19.57	202.37	9.91	磨平	
CGM 3×31.5×50×6.5		31.5	25.5	50	6.5	23.74	202.37	7.71	磨平	
CGM 3×31.5×60×7.5		31.5	25.5	60	7.5	27.9	202.37	6.3	磨平	
CGM 3×31.5×70×8.5	3	31.5	25.5	70	8.5	32.06	202.37	5.33	磨平	碳钢
CGM 3×31.5×80×9.5		31.5	25.5	80	9.5	36.23	202.37	4.62	磨平	
CGM 3×31.5×90×10.5		31.5	25.5	90	10.5	40.39	202.37	4.08	磨平	
CGM 3×31.5×100×11.5		31.5	25.5	100	11.5	44.56	202.37	3.65	磨平	
CGS 3×31.5×40×5.5		31.5	25.5	40	5.5	19.72	174.67	8.61	磨平	
CGS 3×31.5×50×6.5		31.5	25.5	50	6.5	23.93	174.67	6.7	磨平	
CGS 3×31.5×60×7.5		31.5	25.5	60	7.5	28.14	174.67	5.48	磨平	
CGS 3×31.5×70×8.5	3	31.5	25.5	70	8.5	32.35	174.67	4.64	磨平	不锈钢
CGS 3×31.5×80×9.5		31.5	25.5	80	9.5	36.55	174.67	4.02	磨平	
CGS 3×31.5×90×10.5		31.5	25.5	90	10.5	40.76	174.67	3.55	磨平	
CGS 3×31.5×100×11.5		31.5	25.5	100	11.5	44.97	174.67	3.17	磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢






型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CGM 3.5×31.5×40×5.75		31.5	24.5	40	5.75	22.72	312.18	18.06	磨平	
CGM 3.5×31.5×50×7		31.5	24.5	50	7	26.96	312.18	13.55	磨平	
CGM 3.5×31.5×60×8		31.5	24.5	60	8	32.35	312.18	11.29	磨平	
CGM 3.5×31.5×70×9	3.5	31.5	24.5	70	9	37.74	312.18	9.68	磨平	碳钢
CGM 3.5×31.5×80×10.25		31.5	24.5	80	10.25	41.98	312.18	8.21	磨平	
CGM 3.5×31.5×90×11.25		31.5	24.5	90	11.25	47.37	312.18	7.32	磨平	
CGM 3.5×31.5×100×12.5		31.5	24.5	100	12.5	51.61	312.18	6.45	磨平	
CGS 3.5×31.5×40×6		31.5	24.5	40	6	22.69	254.96	14.73	磨平	
CGS 3.5×31.5×50×7		31.5	24.5	50	7	28.36	254.96	11.78	磨平	
CGS 3.5×31.5×60×8.25		31.5	24.5	60	8.25	32.95	254.96	9.43	磨平	
CGS 3.5×31.5×70×9.25	3.5	31.5	24.5	70	9.25	38.62	254.96	8.13	磨平	不锈钢
CGS 3.5×31.5×80×10.5		31.5	24.5	80	10.5	43.21	254.96	6.93	磨平	
CGS 3.5×31.5×90×11.75		31.5	24.5	90	11.75	47.8	254.96	6.04	磨平	
CGS 3.5×31.5×100×12.75		31.5	24.5	100	12.75	53.47	254.96	5.48	磨平	
CGM 4×31.5×40×5.75		31.5	23.5	40	5.75	25.59	468.79	32.53	磨平	
CGM 4×31.5×50×7		31.5	23.5	50	7	30.78	468.79	24.4	磨平	
CGM 4×31.5×60×8.25		31.5	23.5	60	8.25	35.98	468.79	19.52	磨平	
CGM 4×31.5×70×9.25	4	31.5	23.5	70	9.25	42.14	468.79	16.83	磨平	碳钢
CGM 4×31.5×80×10.5		31.5	23.5	80	10.5	47.33	468.79	14.35	磨平	
CGM 4×31.5×90×11.75		31.5	23.5	90	11.75	52.53	468.79	12.51	磨平	
CGM 4×31.5×100×12.75		31.5	23.5	100	12.75	58.69	468.79	11.35	磨平	
CGS 4×31.5×40×6		31.5	23.5	40	6	25.74	378.06	26.52	磨平	
CGS 4×31.5×50×7.25		31.5	23.5	50	7.25	31.29	378.06	20.2	磨平	
CGS 4×31.5×60×8.5		31.5	23.5	60	8.5	36.83	378.06	16.32	磨平	
CGS 4×31.5×70×9.5	4	31.5	23.5	70	9.5	43.27	378.06	14.14	磨平	不锈钢
CGS 4×31.5×80×10.75		31.5	23.5	80	10.75	48.81	378.06	12.12	磨平	
CGS 4×31.5×90×12		31.5	23.5	90	12	54.36	378.06	10.61	磨平	
CGS 4×31.5×100×13.25		31.5	23.5	100	13.25	59.9	378.06	9.43	磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢




型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CNM 2.5×32×40×5		32	27	40	5	17.44	118.31	5.24	不磨平	
CNM 2.5×32×50×5.75		32	27	50	5.75	21.8	118.31	4.2	不磨平	
CNM 2.5×32×60×6.75		32	27	60	6.75	24.28	118.31	3.31	不磨平	
CNM 2.5×32×70×7.5	2.5	32	27	70	7.5	28.64	118.31	2.86	不磨平	碳钢
CNM 2.5×32×80×8.5		32	27	80	8.5	31.12	118.31	2.42	不磨平	
CNM 2.5×32×90×9.25		32	27	90	9.25	35.48	118.31	2.17	不磨平	
CNM 2.5×32×100×10.25		32	27	100	10.25	37.96	118.31	1.91	不磨平	
CNS 2.5×32×40×4.75		32	27	40	4.75	18.62	101.96	4.77	不磨平	
CNS 2.5×32×50×5.75		32	27	50	5.75	20.84	101.96	3.5	不磨平	
CNS 2.5×32×60×6.5		32	27	60	6.5	25.01	101.96	2.91	不磨平	
CNS 2.5×32×70×7.5	2.5	32	27	70	7.5	27.23	101.96	2.38	不磨平	不锈钢
CNS 2.5×32×80×8.25		32	27	80	8.25	31.4	101.96	2.1	不磨平	
CNS 2.5×32×90×9		32	27	90	9	35.57	101.96	1.87	不磨平	
CNS 2.5×32×100×10		32	27	100	10	37.79	101.96	1.64	不磨平	
CNM 2.6×32×40×5		32	26.8	40	5	17.77	132.07	5.94	不磨平	
CNM 2.6×32×50×5.75		32	26.8	50	5.75	22.21	132.07	4.75	不磨平	
CNM 2.6×32×60×6.75		32	26.8	60	6.75	24.8	132.07	3.75	不磨平	
CNM 2.6×32×70×7.5	2.6	32	26.8	70	7.5	29.24	132.07	3.24	不磨平	碳钢
CNM 2.6×32×80×8.5		32	26.8	80	8.5	31.83	132.07	2.74	不磨平	
CNM 2.6×32×90×9.25		32	26.8	90	9.25	36.27	132.07	2.46	不磨平	
CNM 2.6×32×100×10.25		32	26.8	100	10.25	38.86	132.07	2.16	不磨平	
CNS 2.6×32×40×5		32	26.8	40	5	17.91	114.11	5.17	不磨平	
CNS 2.6×32×50×5.75		32	26.8	50	5.75	22.39	114.11	4.13	不磨平	
CNS 2.6×32×60×6.75		32	26.8	60	6.75	25.02	114.11	3.26	不磨平	
CNS 2.6×32×70×7.5	2.6	32	26.8	70	7.5	29.5	114.11	2.82	不磨平	不锈钢
CNS 2.6×32×80×8.5		32	26.8	80	8.5	32.14	114.11	2.38	不磨平	
CNS 2.6×32×90×9.25		32	26.8	90	9.25	36.61	114.11	2.14	不磨平	
CNS 2.6×32×100×10.25		32	26.8	100	10.25	39.25	114.11	1.88	不磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢




型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CNM 2.7×32×40×5		32	26.6	40	5	18.89	147.32	6.98	不磨平	
CNM 2.7×32×50×6		32	26.6	50	6	21.85	147.32	5.23	不磨平	
CNM 2.7×32×60×6.75		32	26.6	60	6.75	26.58	147.32	4.41	不磨平	
CNM 2.7×32×70×7.75	2.7	32	26.6	70	7.75	29.54	147.32	3.64	不磨平	碳钢
CNM 2.7×32×80×8.5		32	26.6	80	8.5	34.26	147.32	3.22	不磨平	
CNM 2.7×32×90×9.5		32	26.6	90	9.5	37.23	147.32	2.79	不磨平	
CNM 2.7×32×100×10.25		32	26.6	100	10.25	41.95	147.32	2.54	不磨平	
CNS 2.7×32×40×5		32	26.6	40	5	19.05	127.13	6.07	不磨平	
CNS 2.7×32×50×6		32	26.6	50	6	22.07	127.13	4.55	不磨平	
CNS 2.7×32×60×6.75		32	26.6	60	6.75	26.83	127.13	3.83	不磨平	
CNS 2.7×32×70×7.75	2.7	32	26.6	70	7.75	29.85	127.13	3.17	不磨平	不锈钢
CNS 2.7×32×80×8.5		32	26.6	80	8.5	34.61	127.13	2.8	不磨平	
CNS 2.7×32×90×9.5		32	26.6	90	9.5	37.63	127.13	2.43	不磨平	
CNS 2.7×32×100×10.5		32	26.6	100	10.5	40.65	127.13	2.14	不磨平	
CNM 2.8×32×40×5		32	26.4	40	5	19.93	163.65	8.16	不磨平	
CNM 2.8×32×50×6		32	26.4	50	6	23.24	163.65	6.12	不磨平	
CNM 2.8×32×60×7		32	26.4	60	7	26.55	163.65	4.89	不磨平	
CNM 2.8×32×70×7.75	2.8	32	26.4	70	7.75	31.54	163.65	4.25	不磨平	碳钢
CNM 2.8×32×80×8.75		32	26.4	80	8.75	34.85	163.65	3.62	不磨平	
CNM 2.8×32×90×9.75		32	26.4	90	9.75	38.16	163.65	3.16	不磨平	
CNM 2.8×32×100×10.5		32	26.4	100	10.5	43.14	163.65	2.88	不磨平	
CNS 2.8×32×40×5		32	26.4	40	5	20.11	141.05	7.09	不磨平	
CNS 2.8×32×50×6		32	26.4	50	6	23.48	141.05	5.32	不磨平	
CNS 2.8×32×60×7		32	26.4	60	7	26.85	141.05	4.25	不磨平	
CNS 2.8×32×70×7.75	2.8	32	26.4	70	7.75	31.88	141.05	3.7	不磨平	不锈钢
CNS 2.8×32×80×8.75		32	26.4	80	8.75	35.25	141.05	3.15	不磨平	
CNS 2.8×32×90×9.75		32	26.4	90	9.75	38.62	141.05	2.75	不磨平	
CNS 2.8×32×100×10.75		32	26.4	100	10.75	41.99	141.05	2.43	不磨平	

G: 磨平      N: 不磨平  
 M: 碳钢      S: 不锈钢



型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CNM 2.9×32×40×5		32	26.2	40	5	20.97	180.4	9.48	不磨平	
CNM 2.9×32×50×6		32	26.2	50	6	24.63	180.4	7.11	不磨平	
CNM 2.9×32×60×7		32	26.2	60	7	28.29	180.4	5.69	不磨平	
CNM 2.9×32×70×8	2.9	32	26.2	70	8	31.94	180.4	4.74	不磨平	碳钢
CNM 2.9×32×80×9		32	26.2	80	9	35.6	180.4	4.06	不磨平	
CNM 2.9×32×90×9.75		32	26.2	90	9.75	40.84	180.4	3.67	不磨平	
CNM 2.9×32×100×10.75		32	26.2	100	10.75	44.5	180.4	3.25	不磨平	
CNS 2.9×32×40×5		32	26.2	40	5	21.09	155.89	8.24	不磨平	
CNS 2.9×32×50×6		32	26.2	50	6	24.79	155.89	6.18	不磨平	
CNS 2.9×32×60×7		32	26.2	60	7	28.49	155.89	4.95	不磨平	
CNS 2.9×32×70×8	2.9	32	26.2	70	8	32.18	155.89	4.12	不磨平	不锈钢
CNS 2.9×32×80×9		32	26.2	80	9	35.88	155.89	3.53	不磨平	
CNS 2.9×32×90×10		32	26.2	90	10	39.58	155.89	3.09	不磨平	
CNS 2.9×32×100×10.75		32	26.2	100	10.75	44.85	155.89	2.83	不磨平	
CGM 3×32×40×5.5		32	26	40	5.5	18.85	198.88	9.4	磨平	
CGM 3×32×50×6.5		32	26	50	6.5	22.81	198.88	7.31	磨平	
CGM 3×32×60×7.5		32	26	60	7.5	26.76	198.88	5.98	磨平	
CGM 3×32×70×8.25	3	32	26	70	8.25	32.23	198.88	5.27	磨平	碳钢
CGM 3×32×80×9.25		32	26	80	9.25	36.19	198.88	4.54	磨平	
CGM 3×32×90×10.25		32	26	90	10.25	40.15	198.88	3.99	磨平	
CGM 3×32×100×11.25		32	26	100	11.25	44.1	198.88	3.56	磨平	
CGS 3×32×40×5.5		32	26	40	5.5	19.01	171.66	8.18	磨平	
CGS 3×32×50×6.5		32	26	50	6.5	23.01	171.66	6.36	磨平	
CGS 3×32×60×7.5		32	26	60	7.5	27.01	171.66	5.2	磨平	
CGS 3×32×70×8.5	3	32	26	70	8.5	31.01	171.66	4.4	磨平	不锈钢
CGS 3×32×80×9.5		32	26	80	9.5	35.01	171.66	3.82	磨平	
CGS 3×32×90×10.25		32	26	90	10.25	40.52	171.66	3.47	磨平	
CGS 3×32×100×11.25		32	26	100	11.25	44.52	171.66	3.09	磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢




型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CGM 3.5×32×40×5.75		32	25	40	5.75	22.1	306.7	17.13	磨平	
CGM 3.5×32×50×6.75		32	25	50	6.75	27.32	306.7	13.52	磨平	
CGM 3.5×32×60×7.75		32	25	60	7.75	32.55	306.7	11.17	磨平	
CGM 3.5×32×70×9	3.5	32	25	70	9	36.58	306.7	9.18	磨平	碳钢
CGM 3.5×32×80×10		32	25	80	10	41.81	306.7	8.03	磨平	
CGM 3.5×32×90×11		32	25	90	11	47.03	306.7	7.14	磨平	
CGM 3.5×32×100×12.25		32	25	100	12.25	51.06	306.7	6.27	磨平	
CGS 3.5×32×40×5.75		32	25	40	5.75	23.18	250.49	14.9	磨平	
CGS 3.5×32×50×7		32	25	50	7	27.58	250.49	11.17	磨平	
CGS 3.5×32×60×8		32	25	60	8	33.09	250.49	9.31	磨平	
CGS 3.5×32×70×9.25	3.5	32	25	70	9.25	37.49	250.49	7.7	磨平	不锈钢
CGS 3.5×32×80×10.25		32	25	80	10.25	43	250.49	6.77	磨平	
CGS 3.5×32×90×11.5		32	25	90	11.5	47.4	250.49	5.88	磨平	
CGS 3.5×32×100×12.5		32	25	100	12.5	52.92	250.49	5.32	磨平	
CGM 4×32×40×5.75		32	24	40	5.75	25.06	460.42	30.82	磨平	
CGM 4×32×50×7		32	24	50	7	30.08	460.42	23.11	磨平	
CGM 4×32×60×8		32	24	60	8	36.1	460.42	19.26	磨平	
CGM 4×32×70×9.25	4	32	24	70	9.25	41.12	460.42	15.94	磨平	碳钢
CGM 4×32×80×10.25		32	24	80	10.25	47.13	460.42	14.01	磨平	
CGM 4×32×90×11.5		32	24	90	11.5	52.15	460.42	12.16	磨平	
CGM 4×32×100×12.5		32	24	100	12.5	58.17	460.42	11.01	磨平	
CGS 4×32×40×6		32	24	40	6	25.22	371.3	25.12	磨平	
CGS 4×32×50×7		32	24	50	7	31.53	371.3	20.1	磨平	
CGS 4×32×60×8.25		32	24	60	8.25	36.91	371.3	16.08	磨平	
CGS 4×32×70×9.5	4	32	24	70	9.5	42.29	371.3	13.4	磨平	不锈钢
CGS 4×32×80×10.75		32	24	80	10.75	47.67	371.3	11.48	磨平	
CGS 4×32×90×11.75		32	24	90	11.75	53.98	371.3	10.31	磨平	
CGS 4×32×100×13		32	24	100	13	59.36	371.3	9.14	磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢




型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CNM 2.5×32.5×40×4.75		32.5	27.5	40	4.75	18.62	116.33	5.44	不磨平	
CNM 2.5×32.5×50×5.75		32.5	27.5	50	5.75	20.84	116.33	3.99	不磨平	
CNM 2.5×32.5×60×6.5		32.5	27.5	60	6.5	25.01	116.33	3.32	不磨平	
CNM 2.5×32.5×70×7.5	2.5	32.5	27.5	70	7.5	27.23	116.33	2.72	不磨平	碳钢
CNM 2.5×32.5×80×8.25		32.5	27.5	80	8.25	31.4	116.33	2.39	不磨平	
CNM 2.5×32.5×90×9		32.5	27.5	90	9	35.57	116.33	2.14	不磨平	
CNM 2.5×32.5×100×10		32.5	27.5	100	10	37.79	116.33	1.87	不磨平	
CNS 2.5×32.5×40×4.75		32.5	27.5	40	4.75	17.88	100.26	4.53	不磨平	
CNS 2.5×32.5×50×5.5		32.5	27.5	50	5.5	21.85	100.26	3.56	不磨平	
CNS 2.5×32.5×60×6.5		32.5	27.5	60	6.5	23.81	100.26	2.77	不磨平	
CNS 2.5×32.5×70×7.25	2.5	32.5	27.5	70	7.25	27.78	100.26	2.37	不磨平	不锈钢
CNS 2.5×32.5×80×8		32.5	27.5	80	8	31.75	100.26	2.08	不磨平	
CNS 2.5×32.5×90×9		32.5	27.5	90	9	33.71	100.26	1.78	不磨平	
CNS 2.5×32.5×100×9.75		32.5	27.5	100	9.75	37.67	100.26	1.61	不磨平	
CNM 2.6×32.5×40×4.75		32.5	27.3	40	4.75	18.92	129.87	6.16	不磨平	
CNM 2.6×32.5×50×5.75		32.5	27.3	50	5.75	21.25	129.87	4.52	不磨平	
CNM 2.6×32.5×60×6.5		32.5	27.3	60	6.5	25.5	129.87	3.76	不磨平	
CNM 2.6×32.5×70×7.5	2.6	32.5	27.3	70	7.5	27.84	129.87	3.08	不磨平	碳钢
CNM 2.6×32.5×80×8.25		32.5	27.3	80	8.25	32.09	129.87	2.71	不磨平	
CNM 2.6×32.5×90×9		32.5	27.3	90	9	36.34	129.87	2.42	不磨平	
CNM 2.6×32.5×100×10		32.5	27.3	100	10	38.67	129.87	2.12	不磨平	
CNS 2.6×32.5×40×4.75		32.5	27.3	40	4.75	19.06	112.2	5.36	不磨平	
CNS 2.6×32.5×50×5.75		32.5	27.3	50	5.75	21.44	112.2	3.93	不磨平	
CNS 2.6×32.5×60×6.5		32.5	27.3	60	6.5	25.73	112.2	3.27	不磨平	
CNS 2.6×32.5×70×7.5	2.6	32.5	27.3	70	7.5	28.11	112.2	2.68	不磨平	不锈钢
CNS 2.6×32.5×80×8.25		32.5	27.3	80	8.25	32.4	112.2	2.36	不磨平	
CNS 2.6×32.5×90×9.25		32.5	27.3	90	9.25	34.78	112.2	2.03	不磨平	
CNS 2.6×32.5×100×10		32.5	27.3	100	10	39.07	112.2	1.84	不磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢



型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CNM 2.7×32.5×40×5		32.5	27.1	40	5	18.16	144.85	6.63	不磨平	
CNM 2.7×32.5×50×5.75		32.5	27.1	50	5.75	22.7	144.85	5.31	不磨平	
CNM 2.7×32.5×60×6.75		32.5	27.1	60	6.75	25.43	144.85	4.19	不磨平	
CNM 2.7×32.5×70×7.5	2.7	32.5	27.1	70	7.5	29.97	144.85	3.62	不磨平	碳钢
CNM 2.7×32.5×80×8.5		32.5	27.1	80	8.5	32.69	144.85	3.06	不磨平	
CNM 2.7×32.5×90×9.25		32.5	27.1	90	9.25	37.23	144.85	2.74	不磨平	
CNM 2.7×32.5×100×10.25		32.5	27.1	100	10.25	39.95	144.85	2.41	不磨平	
CNS 2.7×32.5×40×5		32.5	27.1	40	5	18.33	125	5.77	不磨平	
CNS 2.7×32.5×50×5.75		32.5	27.1	50	5.75	22.91	125	4.61	不磨平	
CNS 2.7×32.5×60×6.75		32.5	27.1	60	6.75	25.69	125	3.64	不磨平	
CNS 2.7×32.5×70×7.5	2.7	32.5	27.1	70	7.5	30.27	125	3.15	不磨平	不锈钢
CNS 2.7×32.5×80×8.5		32.5	27.1	80	8.5	33.05	125	2.66	不磨平	
CNS 2.7×32.5×90×9.25		32.5	27.1	90	9.25	37.63	125	2.39	不磨平	
CNS 2.7×32.5×100×10.25		32.5	27.1	100	10.25	40.41	125	2.1	不磨平	
CNM 2.8×32.5×40×5		32.5	26.9	40	5	19.24	160.89	7.75	不磨平	
CNM 2.8×32.5×50×5.75		32.5	26.9	50	5.75	24.05	160.89	6.2	不磨平	
CNM 2.8×32.5×60×6.75		32.5	26.9	60	6.75	27.13	160.89	4.89	不磨平	
CNM 2.8×32.5×70×7.75	2.8	32.5	26.9	70	7.75	30.21	160.89	4.04	不磨平	碳钢
CNM 2.8×32.5×80×8.5		32.5	26.9	80	8.5	35.02	160.89	3.58	不磨平	
CNM 2.8×32.5×90×9.5		32.5	26.9	90	9.5	38.1	160.89	3.1	不磨平	
CNM 2.8×32.5×100×10.25		32.5	26.9	100	10.25	42.91	160.89	2.82	不磨平	
CNS 2.8×32.5×40×5		32.5	26.9	40	5	19.42	138.68	6.74	不磨平	
CNS 2.8×32.5×50×6		32.5	26.9	50	6	22.56	138.68	5.05	不磨平	
CNS 2.8×32.5×60×6.75		32.5	26.9	60	6.75	27.42	138.68	4.26	不磨平	
CNS 2.8×32.5×70×7.75	2.8	32.5	26.9	70	7.75	30.56	138.68	3.52	不磨平	不锈钢
CNS 2.8×32.5×80×8.5		32.5	26.9	80	8.5	35.41	138.68	3.11	不磨平	
CNS 2.8×32.5×90×9.5		32.5	26.9	90	9.5	38.56	138.68	2.7	不磨平	
CNS 2.8×32.5×100×10.5		32.5	26.9	100	10.5	41.69	138.68	2.38	不磨平	


G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢



型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CNM 2.9×32.5×40×5		32.5	26.7	40	5	20.31	177.35	9.01	不磨平	
CNM 2.9×32.5×50×6		32.5	26.7	50	6	23.75	177.35	6.76	不磨平	
CNM 2.9×32.5×60×7		32.5	26.7	60	7	27.19	177.35	5.41	不磨平	
CNM 2.9×32.5×70×7.75	2.9	32.5	26.7	70	7.75	32.27	177.35	4.7	不磨平	碳钢
CNM 2.9×32.5×80×8.75		32.5	26.7	80	8.75	35.7	177.35	4	不磨平	
CNM 2.9×32.5×90×9.75		32.5	26.7	90	9.75	39.14	177.35	3.49	不磨平	
CNM 2.9×32.5×100×10.5		32.5	26.7	100	10.5	44.22	177.35	3.18	不磨平	
CNS 2.9×32.5×40×5		32.5	26.7	40	5	20.44	153.26	7.83	不磨平	
CNS 2.9×32.5×50×6		32.5	26.7	50	6	23.91	153.26	5.88	不磨平	
CNS 2.9×32.5×60×7		32.5	26.7	60	7	27.39	153.26	4.7	不磨平	
CNS 2.9×32.5×70×7.75	2.9	32.5	26.7	70	7.75	32.5	153.26	4.09	不磨平	不锈钢
CNS 2.9×32.5×80×8.75		32.5	26.7	80	8.75	35.98	153.26	3.48	不磨平	
CNS 2.9×32.5×90×9.75		32.5	26.7	90	9.75	39.46	153.26	3.03	不磨平	
CNS 2.9×32.5×100×10.75		32.5	26.7	100	10.75	42.94	153.26	2.69	不磨平	
CGM 3×32.5×40×5.25		32.5	26.5	40	5.25	19.68	195.51	9.62	磨平	
CGM 3×32.5×50×6.25		32.5	26.5	50	6.25	23.42	195.51	7.36	磨平	
CGM 3×32.5×60×7.25		32.5	26.5	60	7.25	27.17	195.51	5.96	磨平	
CGM 3×32.5×70×8.25	3	32.5	26.5	70	8.25	30.92	195.51	5	磨平	碳钢
CGM 3×32.5×80×9.25		32.5	26.5	80	9.25	34.67	195.51	4.31	磨平	
CGM 3×32.5×90×10		32.5	26.5	90	10	39.98	195.51	3.91	磨平	
CGM 3×32.5×100×11		32.5	26.5	100	11	43.72	195.51	3.47	磨平	
CGS 3×32.5×40×5.5		32.5	26.5	40	5.5	18.28	168.75	7.77	磨平	
CGS 3×32.5×50×6.25	3	32.5	26.5	50	6.25	23.62	168.75	6.4	磨平	不锈钢
CGS 3×32.5×60×7.25		32.5	26.5	60	7.25	27.41	168.75	5.18	磨平	
CGS 3×32.5×70×8.25		32.5	26.5	70	8.25	31.21	168.75	4.35	磨平	
CGM 3.5×32.5×40×5.5		32.5	25.5	40	5.5	22.7	301.41	17.42	磨平	
CGM 3.5×32.5×50×6.75	3.5	32.5	25.5	50	6.75	26.52	301.41	12.84	磨平	碳钢
CGM 3.5×32.5×60×7.75		32.5	25.5	60	7.75	31.58	301.41	10.6	磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢






型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CGM 3.5×32.5×70×8.75	3.5	32.5	25.5	70	8.75	36.63	301.41	9.03	磨平	不锈钢
CGS 3.5×32.5×40×5.75		32.5	25.5	40	5.75	22.59	246.17	14.14	磨平	
CGS 3.5×32.5×50×6.75		32.5	25.5	50	6.75	27.95	246.17	11.16	磨平	
CGS 3.5×32.5×60×8		32.5	25.5	60	8	32.14	246.17	8.84	磨平	
CGS 3.5×32.5×70×9		32.5	25.5	70	9	37.5	246.17	7.57	磨平	
CGM 4×32.5×40×5.75	4	32.5	24.5	40	5.75	24.52	452.34	29.22	磨平	碳钢
CGM 4×32.5×50×6.75		32.5	24.5	50	6.75	30.39	452.34	23.07	磨平	
CGM 4×32.5×60×8		32.5	24.5	60	8	35.23	452.34	18.26	磨平	
CGM 4×32.5×70×9		32.5	24.5	70	9	41.11	452.34	15.66	磨平	
CGS 4×32.5×40×5.75	4	32.5	24.5	40	5.75	25.64	364.79	25.41	磨平	不锈钢
CGS 4×32.5×50×7		32.5	24.5	50	7	30.86	364.79	19.06	磨平	
CGS 4×32.5×60×8.25		32.5	24.5	60	8.25	36.07	364.79	15.25	磨平	
CGS 4×32.5×70×9.25		32.5	24.5	70	9.25	42.25	364.79	13.14	磨平	
CNM 2.5×33×50×5.5	2.5	33	28	50	5.5	21.87	114.43	4.07	不磨平	碳钢
CNM 2.5×33×60×6.5		33	28	60	6.5	23.83	114.43	3.16	不磨平	
CNM 2.5×33×70×7.25		33	28	70	7.25	27.8	114.43	2.71	不磨平	
CNM 2.5×33×80×8		33	28	80	8	31.77	114.43	2.37	不磨平	
CNS 2.5×33×50×5.5	2.5	33	28	50	5.5	20.91	98.62	3.39	不磨平	不锈钢
CNS 2.5×33×60×6.25		33	28	60	6.25	24.67	98.62	2.79	不磨平	
CNS 2.5×33×70×7.25		33	28	70	7.25	26.36	98.62	2.26	不磨平	
CNS 2.5×33×80×8		33	28	80	8	30.12	98.62	1.98	不磨平	
CNM 2.6×33×50×5.5	2.6	33	27.8	50	5.5	22.27	127.73	4.61	不磨平	碳钢
CNM 2.6×33×60×6.5		33	27.8	60	6.5	24.34	127.73	3.58	不磨平	
CNM 2.6×33×70×7.25		33	27.8	70	7.25	28.4	127.73	3.07	不磨平	
CNM 2.6×33×80×8		33	27.8	80	8	32.45	127.73	2.69	不磨平	
CNM 2.6×33×90×9		33	27.8	90	9	34.53	127.73	2.3	不磨平	
CNM 2.6×33×100×9.75		33	27.8	100	9.75	38.59	127.73	2.08	不磨平	
CNM 2.6×33×110×10.5		33	27.8	110	10.5	42.64	127.73	1.9	不磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢




型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CNS 2.6×33×50×5.75		33	27.8	50	5.75	20.47	110.36	3.74	不磨平	
CNS 2.6×33×60×6.5		33	27.8	60	6.5	24.57	110.36	3.11	不磨平	
CNS 2.6×33×70×7.25		33	27.8	70	7.25	28.66	110.36	2.67	不磨平	
CNS 2.6×33×80×8	2.6	33	27.8	80	8	32.76	110.36	2.34	不磨平	不锈钢
CNS 2.6×33×90×9		33	27.8	90	9	34.88	110.36	2	不磨平	
CNS 2.6×33×100×9.75		33	27.8	100	9.75	38.98	110.36	1.81	不磨平	
CNS 2.6×33×110×10.5		33	27.8	110	10.5	43.07	110.36	1.65	不磨平	
CNM 2.7×33×50×5.75		33	27.6	50	5.75	21.78	142.46	5.05	不磨平	
CNM 2.7×33×60×6.5		33	27.6	60	6.5	26.14	142.46	4.21	不磨平	
CNM 2.7×33×70×7.5		33	27.6	70	7.5	28.61	142.46	3.44	不磨平	
CNM 2.7×33×80×8.25	2.7	33	27.6	80	8.25	32.97	142.46	3.03	不磨平	碳钢
CNM 2.7×33×90×9		33	27.6	90	9	37.32	142.46	2.7	不磨平	
CNM 2.7×33×100×10		33	27.6	100	10	39.8	142.46	2.37	不磨平	
CNM 2.7×33×110×10.75		33	27.6	110	10.75	44.16	142.46	2.16	不磨平	
CNS 2.7×33×50×5.75		33	27.6	50	5.75	21.99	122.94	4.39	不磨平	
CNS 2.7×33×60×6.5		33	27.6	60	6.5	26.39	122.94	3.66	不磨平	
CNS 2.7×33×70×7.5		33	27.6	70	7.5	28.93	122.94	2.99	不磨平	
CNS 2.7×33×80×8.25	2.7	33	27.6	80	8.25	33.33	122.94	2.63	不磨平	不锈钢
CNS 2.7×33×90×9.25		33	27.6	90	9.25	35.86	122.94	2.27	不磨平	
CNS 2.7×33×100×10		33	27.6	100	10	40.26	122.94	2.06	不磨平	
CNS 2.7×33×110×10.75		33	27.6	110	10.75	44.66	122.94	1.88	不磨平	
CNM 2.8×33×50×5.75		33	27.4	50	5.75	23.17	158.23	5.9	不磨平	
CNM 2.8×33×60×6.75		33	27.4	60	6.75	26.01	158.23	4.66	不磨平	
CNM 2.8×33×70×7.5		33	27.4	70	7.5	30.65	158.23	4.02	不磨平	
CNM 2.8×33×80×8.5	2.8	33	27.4	80	8.5	33.49	158.23	3.4	不磨平	碳钢
CNM 2.8×33×90×9.25		33	27.4	90	9.25	38.12	158.23	3.05	不磨平	
CNM 2.8×33×100×10.25		33	27.4	100	10.25	40.97	158.23	2.68	不磨平	
CNM 2.8×33×110×11		33	27.4	110	11	45.6	158.23	2.46	不磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢




型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CNS 2.8×33×50×5.75		33	27.4	50	5.75	23.4	136.38	5.13	不磨平	
CNS 2.8×33×60×6.75		33	27.4	60	6.75	26.31	136.38	4.05	不磨平	
CNS 2.8×33×70×7.5		33	27.4	70	7.5	30.99	136.38	3.5	不磨平	
CNS 2.8×33×80×8.5	2.8	33	27.4	80	8.5	33.9	136.38	2.96	不磨平	不锈钢
CNS 2.8×33×90×9.25		33	27.4	90	9.25	38.58	136.38	2.65	不磨平	
CNS 2.8×33×100×10.25		33	27.4	100	10.25	41.49	136.38	2.33	不磨平	
CNS 2.8×33×110×11		33	27.4	110	11	46.17	136.38	2.14	不磨平	
CNM 2.9×33×50×5.75		33	27.2	50	5.75	24.55	174.4	6.85	不磨平	
CNM 2.9×33×60×6.75		33	27.2	60	6.75	27.77	174.4	5.41	不磨平	
CNM 2.9×33×70×7.75		33	27.2	70	7.75	30.98	174.4	4.47	不磨平	
CNM 2.9×33×80×8.5	2.9	33	27.2	80	8.5	35.89	174.4	3.95	不磨平	碳钢
CNM 2.9×33×90×9.5		33	27.2	90	9.5	39.11	174.4	3.43	不磨平	
CNM 2.9×33×100×10.5		33	27.2	100	10.5	42.32	174.4	3.02	不磨平	
CNM 2.9×33×110×11.25		33	27.2	110	11.25	47.23	174.4	2.78	不磨平	
CNS 2.9×33×50×6		33	27.2	50	6	23.03	150.71	5.59	不磨平	
CNS 2.9×33×60×6.75		33	27.2	60	6.75	27.97	150.71	4.71	不磨平	
CNS 2.9×33×70×7.75		33	27.2	70	7.75	31.23	150.71	3.89	不磨平	
CNS 2.9×33×80×8.5	2.9	33	27.2	80	8.5	36.17	150.71	3.44	不磨平	不锈钢
CNS 2.9×33×90×9.5		33	27.2	90	9.5	39.42	150.71	2.98	不磨平	
CNS 2.9×33×100×10.5		33	27.2	100	10.5	42.68	150.71	2.63	不磨平	
CNS 2.9×33×110×11.25		33	27.2	110	11.25	47.62	150.71	2.42	不磨平	
CGM 3×33×50×6.25		33	27	50	6.25	22.52	192.25	7	磨平	
CGM 3×33×60×7.25		33	27	60	7.25	26.05	192.25	5.66	磨平	
CGM 3×33×70×8		33	27	70	8	31.2	192.25	4.95	磨平	
CGM 3×33×80×9	3	33	27	80	9	34.73	192.25	4.25	磨平	碳钢
CGM 3×33×90×10		33	27	90	10	38.27	192.25	3.72	磨平	
CGM 3×33×100×10.75		33	27	100	10.75	43.42	192.25	3.4	磨平	
CGM 3×33×110×11.75		33	27	110	11.75	46.95	192.25	3.05	磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢



型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CGS 3×33×50×6.25		33	27	50	6.25	22.72	165.94	6.08	磨平	不锈钢
CGS 3×33×60×7.25		33	27	60	7.25	26.3	165.94	4.92	磨平	
CGS 3×33×70×8		33	27	70	8	31.49	165.94	4.31	磨平	
CGS 3×33×80×9	3	33	27	80	9	35.07	165.94	3.69	磨平	
CGS 3×33×90×10		33	27	90	10	38.65	165.94	3.23	磨平	
CGS 3×33×100×11		33	27	100	11	42.23	165.94	2.87	磨平	
CGS 3×33×110×11.75		33	27	110	11.75	47.41	165.94	2.65	磨平	
CGM 3.5×33×50×6.5		33	26	50	6.5	26.98	296.3	12.87	磨平	碳钢
CGM 3.5×33×60×7.5		33	26	60	7.5	31.87	296.3	10.53	磨平	
CGM 3.5×33×70×8.75	3.5	33	26	70	8.75	35.47	296.3	8.58	磨平	
CGM 3.5×33×80×9.75		33	26	80	9.75	40.36	296.3	7.47	磨平	
CGM 3.5×33×90×10.75		33	26	90	10.75	45.24	296.3	6.62	磨平	
CGM 3.5×33×100×11.75		33	26	100	11.75	50.13	296.3	5.94	磨平	
CGS 3.5×33×40×5.75		33	26	40	5.75	21.98	242	13.43	磨平	不锈钢
CGS 3.5×33×50×6.75		33	26	50	6.75	27.18	242	10.6	磨平	
CGS 3.5×33×60×7.75		33	26	60	7.75	32.37	242	8.76	磨平	
CGS 3.5×33×70×9	3.5	33	26	70	9	36.37	242	7.2	磨平	
CGS 3.5×33×80×10		33	26	80	10	41.56	242	6.3	磨平	
CGS 3.5×33×90×11		33	26	90	11	46.76	242	5.6	磨平	
CGS 3.5×33×100×12.25		33	26	100	12.25	50.75	242	4.91	磨平	
CGS 3.5×33×110×13.25		33	26	110	13.25	55.95	242	4.48	磨平	
CGM 4×33×50×6.75		33	25	50	6.75	29.7	444.54	21.9	磨平	碳钢
CGM 4×33×60×7.75		33	25	60	7.75	35.43	444.54	18.09	磨平	
CGM 4×33×70×9		33	25	70	9	40.08	444.54	14.86	磨平	
CGM 4×33×80×10	4	33	25	80	10	45.81	444.54	13	磨平	
CGM 4×33×90×11		33	25	90	11	51.54	444.54	11.56	磨平	
CGM 4×33×100×12.25		33	25	100	12.25	56.19	444.54	10.15	磨平	
CGM 4×33×110×13.25		33	25	110	13.25	61.92	444.54	9.25	磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢




型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CGS 4×33×50×7		33	25	50	7	30.18	358.5	18.09	磨平	
CGS 4×33×60×8		33	25	60	8	36.22	358.5	15.08	磨平	
CGS 4×33×70×9.25		33	25	70	9.25	41.26	358.5	12.48	磨平	
CGS 4×33×80×10.25	4	33	25	80	10.25	47.3	358.5	10.96	磨平	不锈钢
CGS 4×33×90×11.5		33	25	90	11.5	52.35	358.5	9.52	磨平	
CGS 4×33×100×12.75		33	25	100	12.75	57.39	358.5	8.41	磨平	
CGS 4×33×110×13.75		33	25	110	13.75	63.43	358.5	7.7	磨平	
CNM 2.4×33.5×40×4.75		33.5	28.7	40	4.75	15.89	100.01	4.15	不磨平	
CNM 2.4×33.5×50×5.5		33.5	28.7	50	5.5	19.31	100.01	3.26	不磨平	
CNM 2.4×33.5×60×6.25		33.5	28.7	60	6.25	22.73	100.01	2.68	不磨平	
CNM 2.4×33.5×70×7	2.4	33.5	28.7	70	7	26.16	100.01	2.28	不磨平	碳钢
CNM 2.4×33.5×80×7.75		33.5	28.7	80	7.75	29.58	100.01	1.98	不磨平	
CNM 2.4×33.5×90×8.5		33.5	28.7	90	8.5	33	100.01	1.75	不磨平	
CNM 2.4×33.5×100×9.25		33.5	28.7	100	9.25	36.42	100.01	1.57	不磨平	
CNS 2.4×33.5×40×4.5		33.5	28.7	40	4.5	17.3	86.29	3.8	不磨平	
CNS 2.4×33.5×50×5.25		33.5	28.7	50	5.25	20.49	86.29	2.92	不磨平	
CNS 2.4×33.5×60×6		33.5	28.7	60	6	23.68	86.29	2.38	不磨平	
CNS 2.4×33.5×70×6.75	2.4	33.5	28.7	70	6.75	26.87	86.29	2	不磨平	不锈钢
CNS 2.4×33.5×80×7.5		33.5	28.7	80	7.5	30.07	86.29	1.73	不磨平	
CNS 2.4×33.5×90×8.25		33.5	28.7	90	8.25	33.26	86.29	1.52	不磨平	
CNS 2.4×33.5×100×9		33.5	28.7	100	9	36.45	86.29	1.36	不磨平	
CNM 2.5×33.5×40×4.75		33.5	28.5	40	4.75	17.17	112.58	4.93	不磨平	
CNM 2.5×33.5×50×5.5		33.5	28.5	50	5.5	20.94	112.58	3.87	不磨平	
CNM 2.5×33.5×60×6.25		33.5	28.5	60	6.25	24.71	112.58	3.19	不磨平	
CNM 2.5×33.5×70×7.25	2.5	33.5	28.5	70	7.25	26.41	112.58	2.58	不磨平	碳钢
CNM 2.5×33.5×80×8		33.5	28.5	80	8	30.18	112.58	2.26	不磨平	
CNM 2.5×33.5×90×8.75		33.5	28.5	90	8.75	33.95	112.58	2.01	不磨平	
CNM 2.5×33.5×100×9.5		33.5	28.5	100	9.5	37.73	112.58	1.81	不磨平	

G: 磨平      N: 不磨平  
 M: 碳钢      S: 不锈钢




型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CNS 2.5×33.5×40×4.75		33.5	28.5	40	4.75	16.38	97.03	4.11	不磨平	
CNS 2.5×33.5×50×5.5		33.5	28.5	50	5.5	19.94	97.03	3.23	不磨平	
CNS 2.5×33.5×60×6.25		33.5	28.5	60	6.25	23.5	97.03	2.66	不磨平	
CNS 2.5×33.5×70×7	2.5	33.5	28.5	70	7	27.06	97.03	2.26	不磨平	不锈钢
CNS 2.5×33.5×80×7.75		33.5	28.5	80	7.75	30.62	97.03	1.97	不磨平	
CNS 2.5×33.5×90×8.5		33.5	28.5	90	8.5	34.18	97.03	1.74	不磨平	
CNS 2.5×33.5×100×9.25		33.5	28.5	100	9.25	37.74	97.03	1.56	不磨平	
CNM 2.6×33.5×50×5.5		33.5	28.3	50	5.5	21.35	125.66	4.39	不磨平	
CNM 2.6×33.5×60×6.25		33.5	28.3	60	6.25	25.21	125.66	3.61	不磨平	
CNM 2.6×33.5×70×7.25		33.5	28.3	70	7.25	27.02	125.66	2.92	不磨平	
CNM 2.6×33.5×80×8	2.6	33.5	28.3	80	8	30.88	125.66	2.56	不磨平	碳钢
CNM 2.6×33.5×90×8.75		33.5	28.3	90	8.75	34.74	125.66	2.27	不磨平	
CNM 2.6×33.5×100×9.5		33.5	28.3	100	9.5	38.6	125.66	2.05	不磨平	
CNM 2.6×33.5×110×10.25		33.5	28.3	110	10.25	42.46	125.66	1.86	不磨平	
CNS 2.6×33.5×50×5.5		33.5	28.3	50	5.5	21.53	108.57	3.81	不磨平	
CNS 2.6×33.5×60×6.25		33.5	28.3	60	6.25	25.43	108.57	3.14	不磨平	
CNS 2.6×33.5×70×7.25		33.5	28.3	70	7.25	27.29	108.57	2.54	不磨平	
CNS 2.6×33.5×80×8	2.6	33.5	28.3	80	8	31.19	108.57	2.22	不磨平	不锈钢
CNS 2.6×33.5×90×8.75		33.5	28.3	90	8.75	35.09	108.57	1.98	不磨平	
CNS 2.6×33.5×100×9.5		33.5	28.3	100	9.5	38.99	108.57	1.78	不磨平	
CNS 2.6×33.5×110×10.5		33.5	28.3	110	10.5	40.86	108.57	1.57	不磨平	
CNM 2.7×33.5×50×5.5		33.5	28.1	50	5.5	22.79	140.15	5.15	不磨平	
CNM 2.7×33.5×60×6.5		33.5	28.1	60	6.5	25.01	140.15	4.01	不磨平	
CNM 2.7×33.5×70×7.25		33.5	28.1	70	7.25	29.18	140.15	3.43	不磨平	
CNM 2.7×33.5×80×8	2.7	33.5	28.1	80	8	33.35	140.15	3	不磨平	碳钢
CNM 2.7×33.5×90×9		33.5	28.1	90	9	35.57	140.15	2.57	不磨平	
CNM 2.7×33.5×100×9.75		33.5	28.1	100	9.75	39.74	140.15	2.33	不磨平	
CNM 2.7×33.5×110×10.5		33.5	28.1	110	10.5	43.91	140.15	2.12	不磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢



型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CNS 2.7×33.5×50×5.75		33.5	28.1	50	5.75	21.06	120.94	4.18	不磨平	
CNS 2.7×33.5×60×6.5		33.5	28.1	60	6.5	25.28	120.94	3.48	不磨平	
CNS 2.7×33.5×70×7.25		33.5	28.1	70	7.25	29.49	120.94	2.99	不磨平	
CNS 2.7×33.5×80×8.25	2.7	33.5	28.1	80	8.25	31.77	120.94	2.51	不磨平	不锈钢
CNS 2.7×33.5×90×9		33.5	28.1	90	9	35.99	120.94	2.24	不磨平	
CNS 2.7×33.5×100×9.75		33.5	28.1	100	9.75	40.2	120.94	2.02	不磨平	
CNS 2.7×33.5×110×10.75		33.5	28.1	110	10.75	42.48	120.94	1.79	不磨平	
CNM 2.8×33.5×50×5.75		33.5	27.9	50	5.75	22.27	155.65	5.61	不磨平	
CNM 2.8×33.5×60×6.5		33.5	27.9	60	6.5	26.73	155.65	4.68	不磨平	
CNM 2.8×33.5×70×7.5		33.5	27.9	70	7.5	29.33	155.65	3.83	不磨平	
CNM 2.8×33.5×80×8.25	2.8	33.5	27.9	80	8.25	33.79	155.65	3.37	不磨平	碳钢
CNM 2.8×33.5×90×9		33.5	27.9	90	9	38.24	155.65	3.01	不磨平	
CNM 2.8×33.5×100×10		33.5	27.9	100	10	40.85	155.65	2.63	不磨平	
CNM 2.8×33.5×110×10.75		33.5	27.9	110	10.75	45.3	155.65	2.41	不磨平	
CNS 2.8×33.5×50×5.75		33.5	27.9	50	5.75	22.52	134.16	4.88	不磨平	
CNS 2.8×33.5×60×6.5		33.5	27.9	60	6.5	27.02	134.16	4.07	不磨平	
CNS 2.8×33.5×70×7.5		33.5	27.9	70	7.5	29.69	134.16	3.33	不磨平	
CNS 2.8×33.5×80×8.25	2.8	33.5	27.9	80	8.25	34.19	134.16	2.93	不磨平	不锈钢
CNS 2.8×33.5×90×9.25		33.5	27.9	90	9.25	36.87	134.16	2.52	不磨平	
CNS 2.8×33.5×100×10		33.5	27.9	100	10	41.37	134.16	2.29	不磨平	
CNS 2.8×33.5×110×11		33.5	27.9	110	11	44.04	134.16	2.03	不磨平	
CNM 2.9×33.5×50×5.75		33.5	27.7	50	5.75	23.7	171.55	6.52	不磨平	
CNM 2.9×33.5×60×6.75		33.5	27.7	60	6.75	26.69	171.55	5.15	不磨平	
CNM 2.9×33.5×70×7.5		33.5	27.7	70	7.5	31.43	171.55	4.45	不磨平	
CNM 2.9×33.5×80×8.5	2.9	33.5	27.7	80	8.5	34.42	171.55	3.76	不磨平	碳钢
CNM 2.9×33.5×90×9.25		33.5	27.7	90	9.25	39.16	171.55	3.37	不磨平	
CNM 2.9×33.5×100×10.25		33.5	27.7	100	10.25	42.14	171.55	2.97	不磨平	
CNM 2.9×33.5×110×11		33.5	27.7	110	11	46.88	171.55	2.72	不磨平	


G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢



型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CNS 2.9×33.5×50×5.75		33.5	27.7	50	5.75	23.86	148.25	5.67	不磨平	
CNS 2.9×33.5×60×6.75		33.5	27.7	60	6.75	26.89	148.25	4.48	不磨平	
CNS 2.9×33.5×70×7.5		33.5	27.7	70	7.5	31.67	148.25	3.87	不磨平	
CNS 2.9×33.5×80×8.5	2.9	33.5	27.7	80	8.5	34.7	148.25	3.27	不磨平	不锈钢
CNS 2.9×33.5×90×9.25		33.5	27.7	90	9.25	39.47	148.25	2.93	不磨平	
CNS 2.9×33.5×100×10.25		33.5	27.7	100	10.25	42.5	148.25	2.58	不磨平	
CNS 2.9×33.5×110×11		33.5	27.7	110	11	47.28	148.25	2.36	不磨平	
CNM 3×33.5×50×5.75		33.5	27.5	50	5.75	24.93	189.1	7.54	不磨平	
CNM 3×33.5×60×6.75		33.5	27.5	60	6.75	28.25	189.1	5.96	不磨平	
CNM 3×33.5×70×7.75		33.5	27.5	70	7.75	31.57	189.1	4.92	不磨平	
CNM 3×33.5×80×8.5	3	33.5	27.5	80	8.5	36.55	189.1	4.35	不磨平	碳钢
CNM 3×33.5×90×9.5		33.5	27.5	90	9.5	39.87	189.1	3.77	不磨平	
CNM 3×33.5×100×10.5		33.5	27.5	100	10.5	43.18	189.1	3.33	不磨平	
CNM 3×33.5×110×11.25		33.5	27.5	110	11.25	48.17	189.1	3.06	不磨平	
CNS 3×33.5×50×5.75		33.5	27.5	50	5.75	25.12	163.22	6.56	不磨平	
CNS 3×33.5×60×6.75		33.5	27.5	60	6.75	28.48	163.22	5.18	不磨平	
CNS 3×33.5×70×7.75		33.5	27.5	70	7.75	31.85	163.22	4.28	不磨平	
CNS 3×33.5×80×8.5	3	33.5	27.5	80	8.5	36.87	163.22	3.78	不磨平	不锈钢
CNS 3×33.5×90×9.5		33.5	27.5	90	9.5	40.24	163.22	3.28	不磨平	
CNS 3×33.5×100×10.5		33.5	27.5	100	10.5	43.6	163.22	2.89	不磨平	
CNS 3×33.5×110×11.25		33.5	27.5	110	11.25	48.63	163.22	2.66	不磨平	
CGM 3.5×33.5×50×6.5		33.5	26.5	50	6.5	26.19	291.36	12.24	磨平	
CGM 3.5×33.5×60×7.5		33.5	26.5	60	7.5	30.9	291.36	10.01	磨平	
CGM 3.5×33.5×70×8.5		33.5	26.5	70	8.5	35.61	291.36	8.47	磨平	
CGM 3.5×33.5×80×9.5	3.5	33.5	26.5	80	9.5	40.32	291.36	7.34	磨平	碳钢
CGM 3.5×33.5×90×10.5		33.5	26.5	90	10.5	45.03	291.36	6.48	磨平	
CGM 3.5×33.5×100×11.5		33.5	26.5	100	11.5	49.74	291.36	5.8	磨平	
CGM 3.5×33.5×110×12.5		33.5	26.5	110	12.5	54.45	291.36	5.25	磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢






型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CGS 3.5×33.5×50×6.75		33.5	26.5	50	6.75	26.4	237.97	10.08	磨平	
CGS 3.5×33.5×60×7.75		33.5	26.5	60	7.75	31.43	237.97	8.33	磨平	
CGS 3.5×33.5×70×8.75		33.5	26.5	70	8.75	36.46	237.97	7.1	磨平	
CGS 3.5×33.5×80×9.75	3.5	33.5	26.5	80	9.75	41.49	237.97	6.18	磨平	不锈钢
CGS 3.5×33.5×90×11		33.5	26.5	90	11	45.28	237.97	5.32	磨平	
CGS 3.5×33.5×100×12		33.5	26.5	100	12	50.31	237.97	4.79	磨平	
CGS 3.5×33.5×110×13		33.5	26.5	110	13	55.34	237.97	4.35	磨平	
CGM 4×33.5×50×6.75		33.5	25.5	50	6.75	28.99	437.01	20.8	磨平	
CGM 4×33.5×60×7.75		33.5	25.5	60	7.75	34.57	437.01	17.19	磨平	
CGM 4×33.5×70×8.75		33.5	25.5	70	8.75	40.15	437.01	14.64	磨平	
CGM 4×33.5×80×9.75	4	33.5	25.5	80	9.75	45.73	437.01	12.75	磨平	碳钢
CGM 4×33.5×90×11		33.5	25.5	90	11	50.2	437.01	10.98	磨平	
CGM 4×33.5×100×12		33.5	25.5	100	12	55.78	437.01	9.88	磨平	
CGM 4×33.5×110×13		33.5	25.5	110	13	61.35	437.01	8.98	磨平	
CGS 4×33.5×50×6.75		33.5	25.5	50	6.75	30.52	352.42	18.09	磨平	
CGS 4×33.5×60×8		33.5	25.5	60	8	35.39	352.42	14.32	磨平	
CGS 4×33.5×70×9		33.5	25.5	70	9	41.29	352.42	12.28	磨平	
CGS 4×33.5×80×10.25	4	33.5	25.5	80	10.25	46.16	352.42	10.42	磨平	不锈钢
CGS 4×33.5×90×11.25		33.5	25.5	90	11.25	52.06	352.42	9.29	磨平	
CGS 4×33.5×100×12.5		33.5	25.5	100	12.5	56.94	352.42	8.18	磨平	
CGS 4×33.5×110×13.5		33.5	25.5	110	13.5	62.83	352.42	7.47	磨平	
CNM 2.5×34×50×5.5		34	29	50	5.5	19.99	110.8	3.69	不磨平	
CNM 2.5×34×60×6.25		34	29	60	6.25	23.56	110.8	3.04	不磨平	
CNM 2.5×34×70×7		34	29	70	7	27.13	110.8	2.58	不磨平	
CNM 2.5×34×80×7.75	2.5	34	29	80	7.75	30.7	110.8	2.25	不磨平	碳钢
CNM 2.5×34×90×8.5		34	29	90	8.5	34.27	110.8	1.99	不磨平	
CNM 2.5×34×100×9.25		34	29	100	9.25	37.84	110.8	1.78	不磨平	
CNM 2.5×34×110×10.25		34	29	110	10.25	39.27	110.8	1.57	不磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢




型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CNS 2.5×34×50×5.25		34	29	50	5.25	21.18	95.49	3.31	不磨平	
CNS 2.5×34×60×6		34	29	60	6	24.53	95.49	2.69	不磨平	
CNS 2.5×34×70×7		34	29	70	7	25.67	95.49	2.15	不磨平	
CNS 2.5×34×80×7.75	2.5	34	29	80	7.75	29.01	95.49	1.87	不磨平	不锈钢
CNS 2.5×34×90×8.5		34	29	90	8.5	32.36	95.49	1.66	不磨平	
CNS 2.5×34×100×9.25		34	29	100	9.25	35.71	95.49	1.49	不磨平	
CNS 2.5×34×110×10		34	29	110	10	39.07	95.49	1.35	不磨平	
CNM 2.6×34×50×5.5		34	28.8	50	5.5	20.41	123.66	4.18	不磨平	
CNM 2.6×34×60×6.25		34	28.8	60	6.25	24.07	123.66	3.44	不磨平	
CNM 2.6×34×70×7		34	28.8	70	7	27.73	123.66	2.93	不磨平	
CNM 2.6×34×80×7.75	2.6	34	28.8	80	7.75	31.39	123.66	2.54	不磨平	碳钢
CNM 2.6×34×90×8.5		34	28.8	90	8.5	35.05	123.66	2.25	不磨平	
CNM 2.6×34×100×9.25		34	28.8	100	9.25	38.71	123.66	2.02	不磨平	
CNM 2.6×34×110×10.25		34	28.8	110	10.25	40.25	123.66	1.77	不磨平	
CNS 2.6×34×50×5.5		34	28.8	50	5.5	20.6	106.84	3.63	不磨平	
CNS 2.6×34×60×6.25		34	28.8	60	6.25	24.3	106.84	2.99	不磨平	
CNS 2.6×34×70×7		34	28.8	70	7	28	106.84	2.54	不磨平	
CNS 2.6×34×80×7.75	2.6	34	28.8	80	7.75	31.7	106.84	2.21	不磨平	不锈钢
CNS 2.6×34×90×8.5		34	28.8	90	8.5	35.4	106.84	1.96	不磨平	
CNS 2.6×34×100×9.5		34	28.8	100	9.5	37	106.84	1.7	不磨平	
CNS 2.6×34×110×10.25		34	28.8	110	10.25	40.7	106.84	1.54	不磨平	
CNM 2.7×34×50×5.5		34	28.6	50	5.5	21.9	137.91	4.91	不磨平	
CNM 2.7×34×60×6.25		34	28.6	60	6.25	25.87	137.91	4.04	不磨平	
CNM 2.7×34×70×7.25		34	28.6	70	7.25	27.84	137.91	3.27	不磨平	
CNM 2.7×34×80×8	2.7	34	28.6	80	8	31.82	137.91	2.86	不磨平	碳钢
CNM 2.7×34×90×8.75		34	28.6	90	8.75	35.8	137.91	2.54	不磨平	
CNM 2.7×34×100×9.5		34	28.6	100	9.5	39.77	137.91	2.29	不磨平	
CNM 2.7×34×110×10.5		34	28.6	110	10.5	41.74	137.91	2.02	不磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢




型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CNS 2.7×34×50×5.5		34	28.6	50	5.5	22.11	119.01	4.27	不磨平	
CNS 2.7×34×60×6.25		34	28.6	60	6.25	26.13	119.01	3.51	不磨平	
CNS 2.7×34×70×7.25		34	28.6	70	7.25	28.16	119.01	2.84	不磨平	
CNS 2.7×34×80×8	2.7	34	28.6	80	8	32.19	119.01	2.49	不磨平	不锈钢
CNS 2.7×34×90×8.75		34	28.6	90	8.75	36.21	119.01	2.21	不磨平	
CNS 2.7×34×100×9.5		34	28.6	100	9.5	40.23	119.01	1.99	不磨平	
CNS 2.7×34×110×10.5		34	28.6	110	10.5	42.27	119.01	1.76	不磨平	
CNM 2.8×34×50×5.5		34	28.4	50	5.5	23.27	153.16	5.73	不磨平	
CNM 2.8×34×60×6.5		34	28.4	60	6.5	25.63	153.16	4.46	不磨平	
CNM 2.8×34×70×7.25		34	28.4	70	7.25	29.91	153.16	3.82	不磨平	
CNM 2.8×34×80×8	2.8	34	28.4	80	8	34.18	153.16	3.34	不磨平	碳钢
CNM 2.8×34×90×9		34	28.4	90	9	36.54	153.16	2.87	不磨平	
CNM 2.8×34×100×9.75		34	28.4	100	9.75	40.81	153.16	2.59	不磨平	
CNM 2.8×34×110×10.5		34	28.4	110	10.5	45.09	153.16	2.36	不磨平	
CNS 2.8×34×50×5.75		34	28.4	50	5.75	21.61	132.01	4.65	不磨平	
CNS 2.8×34×60×6.5		34	28.4	60	6.5	25.94	132.01	3.88	不磨平	
CNS 2.8×34×70×7.25		34	28.4	70	7.25	30.26	132.01	3.32	不磨平	
CNS 2.8×34×80×8.25	2.8	34	28.4	80	8.25	32.69	132.01	2.79	不磨平	不锈钢
CNS 2.8×34×90×9		34	28.4	90	9	37.01	132.01	2.49	不磨平	
CNS 2.8×34×100×9.75		34	28.4	100	9.75	41.33	132.01	2.25	不磨平	
CNS 2.8×34×110×10.75		34	28.4	110	10.75	43.77	132.01	1.99	不磨平	
CNM 2.9×34×50×5.75		34	28.2	50	5.75	22.84	168.79	6.21	不磨平	
CNM 2.9×34×60×6.5		34	28.2	60	6.5	27.4	168.79	5.18	不磨平	
CNM 2.9×34×70×7.5		34	28.2	70	7.5	30.16	168.79	4.24	不磨平	
CNM 2.9×34×80×8.25	2.9	34	28.2	80	8.25	34.72	168.79	3.73	不磨平	碳钢
CNM 2.9×34×90×9.25		34	28.2	90	9.25	37.48	168.79	3.21	不磨平	
CNM 2.9×34×100×10		34	28.2	100	10	42.05	168.79	2.91	不磨平	
CNM 2.9×34×110×10.75		34	28.2	110	10.75	46.62	168.79	2.66	不磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢



型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CNS 2.9×34×50×5.75		34	28.2	50	5.75	23	145.86	5.4	不磨平	
CNS 2.9×34×60×6.5		34	28.2	60	6.5	27.61	145.86	4.5	不磨平	
CNS 2.9×34×70×7.5		34	28.2	70	7.5	30.41	145.86	3.68	不磨平	
CNS 2.9×34×80×8.25	2.9	34	28.2	80	8.25	35.01	145.86	3.24	不磨平	不锈钢
CNS 2.9×34×90×9.25		34	28.2	90	9.25	37.81	145.86	2.79	不磨平	
CNS 2.9×34×100×10		34	28.2	100	10	42.41	145.86	2.53	不磨平	
CNS 2.9×34×110×11		34	28.2	110	11	45.21	145.86	2.25	不磨平	
CNM 3×34×50×5.75		34	28	50	5.75	24.11	186.05	7.19	不磨平	
CNM 3×34×60×6.75		34	28	60	6.75	27.2	186.05	5.67	不磨平	
CNM 3×34×70×7.5		34	28	70	7.5	32.02	186.05	4.9	不磨平	
CNM 3×34×80×8.5	3	34	28	80	8.5	35.12	186.05	4.15	不磨平	碳钢
CNM 3×34×90×9.25		34	28	90	9.25	39.94	186.05	3.72	不磨平	
CNM 3×34×100×10.25		34	28	100	10.25	43.03	186.05	3.27	不磨平	
CNM 3×34×110×11		34	28	110	11	47.85	186.05	2.99	不磨平	
CNS 3×34×50×5.75		34	28	50	5.75	24.3	160.59	6.25	不磨平	
CNS 3×34×60×6.75		34	28	60	6.75	27.44	160.59	4.93	不磨平	
CNS 3×34×70×7.5		34	28	70	7.5	32.3	160.59	4.26	不磨平	
CNS 3×34×80×8.5	3	34	28	80	8.5	35.45	160.59	3.6	不磨平	不锈钢
CNS 3×34×90×9.25		34	28	90	9.25	40.31	160.59	3.23	不磨平	
CNS 3×34×100×10.25		34	28	100	10.25	43.45	160.59	2.84	不磨平	
CNS 3×34×110×11		34	28	110	11	48.31	160.59	2.6	不磨平	
CGM 3.5×34×50×6.5		34	27	50	6.5	25.39	286.59	11.65	磨平	
CGM 3.5×34×60×7.5		34	27	60	7.5	29.93	286.59	9.53	磨平	
CGM 3.5×34×70×8.5		34	27	70	8.5	34.46	286.59	8.06	磨平	
CGM 3.5×34×80×9.5	3.5	34	27	80	9.5	38.99	286.59	6.99	磨平	碳钢
CGM 3.5×34×90×10.25		34	27	90	10.25	44.89	286.59	6.35	磨平	
CGM 3.5×34×100×11.25		34	27	100	11.25	49.42	286.59	5.67	磨平	
CGM 3.5×34×110×12.25		34	27	110	12.25	53.95	286.59	5.11	磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢




型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CGS 3.5×34×50×6.5		34	27	50	6.5	26.89	234.07	10.13	磨平	
CGS 3.5×34×60×7.5		34	27	60	7.5	31.75	234.07	8.29	磨平	
CGS 3.5×34×70×8.75		34	27	70	8.75	35.33	234.07	6.75	磨平	
CGS 3.5×34×80×9.75	3.5	34	27	80	9.75	40.2	234.07	5.88	磨平	不锈钢
CGS 3.5×34×90×10.75		34	27	90	10.75	45.06	234.07	5.21	磨平	
CGS 3.5×34×100×11.75		34	27	100	11.75	49.93	234.07	4.67	磨平	
CGS 3.5×34×110×12.75		34	27	110	12.75	54.79	234.07	4.24	磨平	
CGM 4×34×50×6.5		34	26	50	6.5	29.42	429.72	20.88	磨平	
CGM 4×34×60×7.5		34	26	60	7.5	34.85	429.72	17.08	磨平	
CGM 4×34×70×8.75		34	26	70	8.75	39.13	429.72	13.92	磨平	
CGM 4×34×80×9.75	4	34	26	80	9.75	44.56	429.72	12.12	磨平	碳钢
CGM 4×34×90×10.75		34	26	90	10.75	49.98	429.72	10.74	磨平	
CGM 4×34×100×11.75		34	26	100	11.75	55.41	429.72	9.64	磨平	
CGM 4×34×110×13		34	26	110	13	59.69	429.72	8.54	磨平	
CGS 4×34×50×6.75		34	26	50	6.75	29.85	346.55	17.2	磨平	
CGS 4×34×60×7.75		34	26	60	7.75	35.61	346.55	14.21	磨平	
CGS 4×34×70×9		34	26	70	9	40.31	346.55	11.67	磨平	
CGS 4×34×80×10	4	34	26	80	10	46.07	346.55	10.21	磨平	不锈钢
CGS 4×34×90×11.25		34	26	90	11.25	50.77	346.55	8.83	磨平	
CGS 4×34×100×12.25		34	26	100	12.25	56.52	346.55	7.97	磨平	
CNM 2.6×34.5×40×4.5		34.5	29.3	40	4.5	18.19	121.72	5.58	不磨平	
CNM 2.6×34.5×50×5.25		34.5	29.3	50	5.25	21.64	121.72	4.29	不磨平	
CNM 2.6×34.5×60×6		34.5	29.3	60	6	25.1	121.72	3.49	不磨平	
CNM 2.6×34.5×70×7		34.5	29.3	70	7	26.37	121.72	2.79	不磨平	
CNM 2.6×34.5×80×7.75	2.6	34.5	29.3	80	7.75	29.83	121.72	2.43	不磨平	碳钢
CNM 2.6×34.5×90×8.5		34.5	29.3	90	8.5	33.29	121.72	2.15	不磨平	
CNM 2.6×34.5×100×9.25		34.5	29.3	100	9.25	36.74	121.72	1.92	不磨平	
CNM 2.6×34.5×110×10		34.5	29.3	110	10	40.2	121.72	1.74	不磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢




型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CNS 2.6×34.5×50×5.25		34.5	29.3	50	5.25	21.82	105.17	3.73	不磨平	
CNS 2.6×34.5×60×6.25		34.5	29.3	60	6.25	23.15	105.17	2.85	不磨平	
CNS 2.6×34.5×70×7		34.5	29.3	70	7	26.65	105.17	2.43	不磨平	
CNS 2.6×34.5×80×7.75	2.6	34.5	29.3	80	7.75	30.15	105.17	2.11	不磨平	不锈钢
CNS 2.6×34.5×90×8.5		34.5	29.3	90	8.5	33.65	105.17	1.87	不磨平	
CNS 2.6×34.5×100×9.25		34.5	29.3	100	9.25	37.14	105.17	1.67	不磨平	
CNS 2.6×34.5×110×10		34.5	29.3	110	10	40.64	105.17	1.52	不磨平	
CNM 2.7×34.5×50×5.5		34.5	29.1	50	5.5	20.99	135.74	4.68	不磨平	
CNM 2.7×34.5×60×6.25		34.5	29.1	60	6.25	24.77	135.74	3.85	不磨平	
CNM 2.7×34.5×70×7		34.5	29.1	70	7	28.56	135.74	3.28	不磨平	
CNM 2.7×34.5×80×7.75	2.7	34.5	29.1	80	7.75	32.34	135.74	2.85	不磨平	碳钢
CNM 2.7×34.5×90×8.5		34.5	29.1	90	8.5	36.12	135.74	2.52	不磨平	
CNM 2.7×34.5×100×9.5		34.5	29.1	100	9.5	37.84	135.74	2.18	不磨平	
CNM 2.7×34.5×110×10.25		34.5	29.1	110	10.25	41.62	135.74	1.99	不磨平	
CNS 2.7×34.5×50×5.5		34.5	29.1	50	5.5	21.21	117.14	4.07	不磨平	
CNS 2.7×34.5×60×6.25		34.5	29.1	60	6.25	25.04	117.14	3.35	不磨平	
CNS 2.7×34.5×70×7		34.5	29.1	70	7	28.87	117.14	2.85	不磨平	
CNS 2.7×34.5×80×7.75	2.7	34.5	29.1	80	7.75	32.7	117.14	2.48	不磨平	不锈钢
CNS 2.7×34.5×90×8.75		34.5	29.1	90	8.75	34.48	117.14	2.11	不磨平	
CNS 2.7×34.5×100×9.5		34.5	29.1	100	9.5	38.31	117.14	1.9	不磨平	
CNS 2.7×34.5×110×10.25		34.5	29.1	110	10.25	42.14	117.14	1.73	不磨平	
CNM 2.8×34.5×50×5.5		34.5	28.9	50	5.5	22.41	150.74	5.46	不磨平	
CNM 2.8×34.5×60×6.25		34.5	28.9	60	6.25	26.5	150.74	4.5	不磨平	
CNM 2.8×34.5×70×7.25		34.5	28.9	70	7.25	28.61	150.74	3.64	不磨平	
CNM 2.8×34.5×80×8	2.8	34.5	28.9	80	8	32.7	150.74	3.19	不磨平	碳钢
CNM 2.8×34.5×90×8.75		34.5	28.9	90	8.75	36.79	150.74	2.83	不磨平	
CNM 2.8×34.5×100×9.5		34.5	28.9	100	9.5	40.87	150.74	2.55	不磨平	
CNM 2.8×34.5×110×10.5		34.5	28.9	110	10.5	42.99	150.74	2.25	不磨平	

G: 磨平      N: 不磨平  
 M: 碳钢      S: 不锈钢



型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CNS 2.8×34.5×50×5.5		34.5	28.9	50	5.5	22.65	129.93	4.75	不磨平	
CNS 2.8×34.5×60×6.25		34.5	28.9	60	6.25	26.79	129.93	3.91	不磨平	
CNS 2.8×34.5×70×7.25		34.5	28.9	70	7.25	28.98	129.93	3.17	不磨平	
CNS 2.8×34.5×80×8	2.8	34.5	28.9	80	8	33.11	129.93	2.77	不磨平	不锈钢
CNS 2.8×34.5×90×8.75		34.5	28.9	90	8.75	37.25	129.93	2.46	不磨平	
CNS 2.8×34.5×100×9.75		34.5	28.9	100	9.75	39.44	129.93	2.15	不磨平	
CNS 2.8×34.5×110×10.5		34.5	28.9	110	10.5	43.58	129.93	1.96	不磨平	
CNM 2.9×34.5×50×5.5		34.5	28.7	50	5.5	23.82	166.12	6.35	不磨平	
CNM 2.9×34.5×60×6.5		34.5	28.7	60	6.5	26.35	166.12	4.94	不磨平	
CNM 2.9×34.5×70×7.25		34.5	28.7	70	7.25	30.74	166.12	4.23	不磨平	
CNM 2.9×34.5×80×8.25	2.9	34.5	28.7	80	8.25	33.26	166.12	3.55	不磨平	碳钢
CNM 2.9×34.5×90×9		34.5	28.7	90	9	37.65	166.12	3.17	不磨平	
CNM 2.9×34.5×100×9.75		34.5	28.7	100	9.75	42.04	166.12	2.87	不磨平	
CNM 2.9×34.5×110×10.75		34.5	28.7	110	10.75	44.56	166.12	2.54	不磨平	
CNS 2.9×34.5×50×5.5		34.5	28.7	50	5.5	23.99	143.56	5.52	不磨平	
CNS 2.9×34.5×60×6.5		34.5	28.7	60	6.5	26.55	143.56	4.29	不磨平	
CNS 2.9×34.5×70×7.25		34.5	28.7	70	7.25	30.98	143.56	3.68	不磨平	
CNS 2.9×34.5×80×8.25	2.9	34.5	28.7	80	8.25	33.55	143.56	3.09	不磨平	不锈钢
CNS 2.9×34.5×90×9		34.5	28.7	90	9	37.97	143.56	2.76	不磨平	
CNS 2.9×34.5×100×9.75		34.5	28.7	100	9.75	42.4	143.56	2.49	不磨平	
CNS 2.9×34.5×110×10.75		34.5	28.7	110	10.75	44.96	143.56	2.21	不磨平	
CNM 3×34.5×50×5.75		34.5	28.5	50	5.75	23.26	183.1	6.85	不磨平	
CNM 3×34.5×60×6.5		34.5	28.5	60	6.5	27.92	183.1	5.71	不磨平	
CNM 3×34.5×70×7.5		34.5	28.5	70	7.5	30.79	183.1	4.67	不磨平	
CNM 3×34.5×80×8.25	3	34.5	28.5	80	8.25	35.44	183.1	4.11	不磨平	碳钢
CNM 3×34.5×90×9.25		34.5	28.5	90	9.25	38.31	183.1	3.54	不磨平	
CNM 3×34.5×100×10		34.5	28.5	100	10	42.96	183.1	3.21	不磨平	
CNM 3×34.5×110×10.75		34.5	28.5	110	10.75	47.61	183.1	2.94	不磨平	


G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢



型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CNS 3×34.5×50×5.75		34.5	28.5	50	5.75	23.46	158.04	5.96	不磨平	
CNS 3×34.5×60×6.5		34.5	28.5	60	6.5	28.15	158.04	4.96	不磨平	
CNS 3×34.5×70×7.5		34.5	28.5	70	7.5	31.08	158.04	4.06	不磨平	
CNS 3×34.5×80×8.25	3	34.5	28.5	80	8.25	35.77	158.04	3.57	不磨平	不锈钢
CNS 3×34.5×90×9.25		34.5	28.5	90	9.25	38.69	158.04	3.08	不磨平	
CNS 3×34.5×100×10		34.5	28.5	100	10	43.38	158.04	2.79	不磨平	
CNS 3×34.5×110×11		34.5	28.5	110	11	46.31	158.04	2.48	不磨平	
CGM 3.5×34.5×50×6.25		34.5	27.5	50	6.25	25.99	281.96	11.75	磨平	
CGM 3.5×34.5×60×7.25		34.5	27.5	60	7.25	30.34	281.96	9.51	磨平	
CGM 3.5×34.5×70×8.25		34.5	27.5	70	8.25	34.7	281.96	7.99	磨平	
CGM 3.5×34.5×80×9.25	3.5	34.5	27.5	80	9.25	39.05	281.96	6.89	磨平	碳钢
CGM 3.5×34.5×90×10.25		34.5	27.5	90	10.25	43.4	281.96	6.05	磨平	
CGM 3.5×34.5×100×11.25		34.5	27.5	100	11.25	47.75	281.96	5.4	磨平	
CGM 3.5×34.5×110×12.25		34.5	27.5	110	12.25	52.1	281.96	4.87	磨平	
CGS 3.5×34.5×50×6.5		34.5	27.5	50	6.5	26.13	230.29	9.65	磨平	
CGS 3.5×34.5×60×7.5		34.5	27.5	60	7.5	30.82	230.29	7.89	磨平	
CGS 3.5×34.5×70×8.5		34.5	27.5	70	8.5	35.51	230.29	6.68	磨平	
CGS 3.5×34.5×80×9.5	3.5	34.5	27.5	80	9.5	40.21	230.29	5.79	磨平	不锈钢
CGS 3.5×34.5×90×10.5		34.5	27.5	90	10.5	44.9	230.29	5.11	磨平	
CGS 3.5×34.5×100×11.5		34.5	27.5	100	11.5	49.6	230.29	4.57	磨平	
CGS 3.5×34.5×110×12.5		34.5	27.5	110	12.5	54.29	230.29	4.13	磨平	
CGM 4×34.5×50×6.5		34.5	26.5	50	6.5	28.73	422.68	19.87	磨平	
CGM 4×34.5×60×7.5		34.5	26.5	60	7.5	34	422.68	16.26	磨平	
CGM 4×34.5×70×8.5		34.5	26.5	70	8.5	39.27	422.68	13.76	磨平	
CGM 4×34.5×80×9.5	4	34.5	26.5	80	9.5	44.55	422.68	11.92	磨平	碳钢
CGM 4×34.5×90×10.5		34.5	26.5	90	10.5	49.82	422.68	10.52	磨平	
CGM 4×34.5×100×11.75		34.5	26.5	100	11.75	53.91	422.68	9.17	磨平	
CGM 4×34.5×110×12.75		34.5	26.5	110	12.75	59.18	422.68	8.32	磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢






型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CGS 4×34.5×50×6.75		34.5	26.5	50	6.75	29.18	340.87	16.37	磨平	
CGS 4×34.5×60×7.75		34.5	26.5	60	7.75	34.79	340.87	13.52	磨平	
CGS 4×34.5×70×8.75		34.5	26.5	70	8.75	40.41	340.87	11.52	磨平	
CGS 4×34.5×80×10	4	34.5	26.5	80	10	44.93	340.87	9.72	磨平	不锈钢
CGS 4×34.5×90×11		34.5	26.5	90	11	50.54	340.87	8.64	磨平	
CGS 4×34.5×100×12		34.5	26.5	100	12	56.16	340.87	7.78	磨平	
CGS 4×34.5×110×13.25		34.5	26.5	110	13.25	60.68	340.87	6.91	磨平	
CNM 2.5×35×50×5.25		35	30	50	5.25	20.34	107.39	3.62	不磨平	
CNM 2.5×35×60×6		35	30	60	6	23.49	107.39	2.94	不磨平	
CNM 2.5×35×70×6.75		35	30	70	6.75	26.65	107.39	2.48	不磨平	
CNM 2.5×35×80×7.5	2.5	35	30	80	7.5	29.8	107.39	2.14	不磨平	碳钢
CNM 2.5×35×90×8.25		35	30	90	8.25	32.96	107.39	1.88	不磨平	
CNM 2.5×35×100×9		35	30	100	9	36.12	107.39	1.68	不磨平	
CNM 2.5×35×110×9.75		35	30	110	9.75	39.27	107.39	1.52	不磨平	
CNS 2.5×35×50×5.25		35	30	50	5.25	19.32	92.55	3.02	不磨平	
CNS 2.5×35×60×6		35	30	60	6	22.25	92.55	2.45	不磨平	
CNS 2.5×35×70×6.75		35	30	70	6.75	25.17	92.55	2.06	不磨平	
CNS 2.5×35×80×7.25	2.5	35	30	80	7.25	30.45	92.55	1.87	不磨平	不锈钢
CNS 2.5×35×90×8		35	30	90	8	33.37	92.55	1.63	不磨平	
CNS 2.5×35×100×8.75		35	30	100	8.75	36.29	92.55	1.45	不磨平	
CNS 2.5×35×110×9.5		35	30	110	9.5	39.21	92.55	1.31	不磨平	
CNM 2.6×35×50×5.25		35	29.8	50	5.25	20.74	119.85	4.1	不磨平	
CNM 2.6×35×60×6		35	29.8	60	6	23.99	119.85	3.33	不磨平	
CNM 2.6×35×70×6.75		35	29.8	70	6.75	27.24	119.85	2.8	不磨平	
CNM 2.6×35×80×7.5	2.6	35	29.8	80	7.5	30.49	119.85	2.42	不磨平	碳钢
CNM 2.6×35×90×8.25		35	29.8	90	8.25	33.74	119.85	2.13	不磨平	
CNM 2.6×35×100×9		35	29.8	100	9	36.99	119.85	1.9	不磨平	
CNM 2.6×35×110×9.75		35	29.8	110	9.75	40.24	119.85	1.72	不磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢




型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CNS 2.6×35×50×5.25		35	29.8	50	5.25	20.94	103.54	3.56	不磨平	
CNS 2.6×35×60×6		35	29.8	60	6	24.23	103.54	2.89	不磨平	
CNS 2.6×35×70×6.75		35	29.8	70	6.75	27.52	103.54	2.44	不磨平	
CNS 2.6×35×80×7.5	2.6	35	29.8	80	7.5	30.81	103.54	2.11	不磨平	不锈钢
CNS 2.6×35×90×8.25		35	29.8	90	8.25	34.1	103.54	1.85	不磨平	
CNS 2.6×35×100×9		35	29.8	100	9	37.4	103.54	1.65	不磨平	
CNS 2.6×35×110×9.75		35	29.8	110	9.75	40.69	103.54	1.49	不磨平	
CNM 2.7×35×50×5.25		35	29.6	50	5.25	22.21	133.64	4.81	不磨平	
CNM 2.7×35×60×6.25		35	29.6	60	6.25	23.66	133.64	3.68	不磨平	
CNM 2.7×35×70×7		35	29.6	70	7	27.24	133.64	3.13	不磨平	
CNM 2.7×35×80×7.75	2.7	35	29.6	80	7.75	30.83	133.64	2.72	不磨平	碳钢
CNM 2.7×35×90×8.5		35	29.6	90	8.5	34.42	133.64	2.4	不磨平	
CNM 2.7×35×100×9.25		35	29.6	100	9.25	38	133.64	2.16	不磨平	
CNM 2.7×35×110×10		35	29.6	110	10	41.59	133.64	1.95	不磨平	
CNS 2.7×35×50×5.5		35	29.6	50	5.5	20.3	115.32	3.88	不磨平	
CNS 2.7×35×60×6.25		35	29.6	60	6.25	23.94	115.32	3.2	不磨平	
CNS 2.7×35×70×7		35	29.6	70	7	27.57	115.32	2.72	不磨平	
CNS 2.7×35×80×7.75	2.7	35	29.6	80	7.75	31.21	115.32	2.36	不磨平	不锈钢
CNS 2.7×35×90×8.5		35	29.6	90	8.5	34.84	115.32	2.09	不磨平	
CNS 2.7×35×100×9.25		35	29.6	100	9.25	38.48	115.32	1.87	不磨平	
CNS 2.7×35×110×10		35	29.6	110	10	42.11	115.32	1.7	不磨平	
CNM 2.8×35×50×5.5		35	29.4	50	5.5	21.53	148.4	5.21	不磨平	
CNM 2.8×35×60×6.25		35	29.4	60	6.25	25.43	148.4	4.29	不磨平	
CNM 2.8×35×70×7		35	29.4	70	7	29.33	148.4	3.65	不磨平	
CNM 2.8×35×80×7.75	2.8	35	29.4	80	7.75	33.23	148.4	3.17	不磨平	碳钢
CNM 2.8×35×90×8.5		35	29.4	90	8.5	37.13	148.4	2.81	不磨平	
CNM 2.8×35×100×9.5		35	29.4	100	9.5	39	148.4	2.43	不磨平	
CNM 2.8×35×110×10.25		35	29.4	110	10.25	42.89	148.4	2.21	不磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢




型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CNS 2.8×35×50×5.5		35	29.4	50	5.5	21.78	127.91	4.53	不磨平	
CNS 2.8×35×60×6.25		35	29.4	60	6.25	25.73	127.91	3.73	不磨平	
CNS 2.8×35×70×7		35	29.4	70	7	29.69	127.91	3.17	不磨平	
CNS 2.8×35×80×7.75	2.8	35	29.4	80	7.75	33.64	127.91	2.76	不磨平	不锈钢
CNS 2.8×35×90×8.75		35	29.4	90	8.75	35.58	127.91	2.35	不磨平	
CNS 2.8×35×100×9.5		35	29.4	100	9.5	39.53	127.91	2.12	不磨平	
CNS 2.8×35×110×10.25		35	29.4	110	10.25	43.48	127.91	1.92	不磨平	
CNM 2.9×35×50×5.5		35	29.2	50	5.5	22.99	163.54	6.05	不磨平	
CNM 2.9×35×60×6.25		35	29.2	60	6.25	27.2	163.54	4.99	不磨平	
CNM 2.9×35×70×7.25		35	29.2	70	7.25	29.48	163.54	4.04	不磨平	
CNM 2.9×35×80×8	2.9	35	29.2	80	8	33.69	163.54	3.53	不磨平	碳钢
CNM 2.9×35×90×8.75		35	29.2	90	8.75	37.91	163.54	3.14	不磨平	
CNM 2.9×35×100×9.75		35	29.2	100	9.75	40.19	163.54	2.73	不磨平	
CNM 2.9×35×110×10.5		35	29.2	110	10.5	44.4	163.54	2.49	不磨平	
CNS 2.9×35×50×5.5		35	29.2	50	5.5	23.16	141.32	5.26	不磨平	
CNS 2.9×35×60×6.25		35	29.2	60	6.25	27.4	141.32	4.34	不磨平	
CNS 2.9×35×70×7.25		35	29.2	70	7.25	29.74	141.32	3.51	不磨平	
CNS 2.9×35×80×8	2.9	35	29.2	80	8	33.98	141.32	3.07	不磨平	不锈钢
CNS 2.9×35×90×8.75		35	29.2	90	8.75	38.23	141.32	2.73	不磨平	
CNS 2.9×35×100×9.75		35	29.2	100	9.75	40.56	141.32	2.38	不磨平	
CNS 2.9×35×110×10.5		35	29.2	110	10.5	44.81	141.32	2.17	不磨平	
CNM 3×35×50×5.5		35	29	50	5.5	24.25	180.24	7	不磨平	
CNM 3×35×60×6.5		35	29	60	6.5	26.89	180.24	5.44	不磨平	
CNM 3×35×70×7.25		35	29	70	7.25	31.37	180.24	4.67	不磨平	
CNM 3×35×80×8.25	3	35	29	80	8.25	34.01	180.24	3.92	不磨平	碳钢
CNM 3×35×90×9		35	29	90	9	38.49	180.24	3.5	不磨平	
CNM 3×35×100×9.75		35	29	100	9.75	42.98	180.24	3.16	不磨平	
CNM 3×35×110×10.75		35	29	110	10.75	45.62	180.24	2.8	不磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢



型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CNS 3×35×50×5.5		35	29	50	5.5	24.44	155.57	6.09	不磨平	
CNS 3×35×60×6.5		35	29	60	6.5	27.13	155.57	4.73	不磨平	
CNS 3×35×70×7.25		35	29	70	7.25	31.66	155.57	4.06	不磨平	
CNS 3×35×80×8.25	3	35	29	80	8.25	34.35	155.57	3.41	不磨平	不锈钢
CNS 3×35×90×9		35	29	90	9	38.88	155.57	3.04	不磨平	
CNS 3×35×100×9.75		35	29	100	9.75	43.4	155.57	2.75	不磨平	
CNS 3×35×110×10.75		35	29	110	10.75	46.1	155.57	2.43	不磨平	
CGM 3.5×35×50×6.25		35	28	50	6.25	25.21	277.49	11.19	磨平	
CGM 3.5×35×60×7.25		35	28	60	7.25	29.38	277.49	9.06	磨平	
CGM 3.5×35×70×8.25		35	28	70	8.25	33.55	277.49	7.61	磨平	
CGM 3.5×35×80×9	3.5	35	28	80	9	39.17	277.49	6.8	磨平	碳钢
CGM 3.5×35×90×10		35	28	90	10	43.34	277.49	5.95	磨平	
CGM 3.5×35×100×11		35	28	100	11	47.51	277.49	5.29	磨平	
CGM 3.5×35×110×12		35	28	110	12	51.68	277.49	4.76	磨平	
CGS 3.5×35×50×6.5		35	28	50	6.5	25.35	226.63	9.19	磨平	
CGS 3.5×35×60×7.5		35	28	60	7.5	29.87	226.63	7.52	磨平	
CGS 3.5×35×70×8.5		35	28	70	8.5	34.39	226.63	6.36	磨平	
CGS 3.5×35×80×9.25	3.5	35	28	80	9.25	40.28	226.63	5.71	磨平	不锈钢
CGS 3.5×35×90×10.25		35	28	90	10.25	44.81	226.63	5.01	磨平	
CGS 3.5×35×100×11.25		35	28	100	11.25	49.33	226.63	4.47	磨平	
CGS 3.5×35×110×12.25		35	28	110	12.25	53.85	226.63	4.04	磨平	
CGM 4×35×50×6.5		35	27	50	6.5	28.02	415.86	18.92	磨平	
CGM 4×35×60×7.5		35	27	60	7.5	33.14	415.86	15.48	磨平	
CGM 4×35×70×8.5		35	27	70	8.5	38.26	415.86	13.1	磨平	
CGM 4×35×80×9.5	4	35	27	80	9.5	43.37	415.86	11.35	磨平	碳钢
CGM 4×35×90×10.5		35	27	90	10.5	48.49	415.86	10.02	磨平	
CGM 4×35×100×11.5		35	27	100	11.5	53.61	415.86	8.96	磨平	
CGM 4×35×110×12.5		35	27	110	12.5	58.72	415.86	8.11	磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢




型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CGS 4×35×50×6.5		35	27	50	6.5	29.62	335.37	16.46	磨平	
CGS 4×35×60×7.75		35	27	60	7.75	33.96	335.37	12.88	磨平	
CGS 4×35×70×8.75		35	27	70	8.75	39.43	335.37	10.97	磨平	
CGS 4×35×80×9.75	4	35	27	80	9.75	44.9	335.37	9.55	磨平	不锈钢
CGS 4×35×90×10.75		35	27	90	10.75	50.37	335.37	8.46	磨平	
CGS 4×35×100×12		35	27	100	12	54.71	335.37	7.4	磨平	
CGS 4×35×110×13		35	27	110	13	60.18	335.37	6.73	磨平	
CNM 2.5×35.5×50×5.25		35.5	30.5	50	5.25	19.42	105.76	3.46	不磨平	
CNM 2.5×35.5×60×6		35.5	30.5	60	6	22.36	105.76	2.81	不磨平	
CNM 2.5×35.5×70×6.75		35.5	30.5	70	6.75	25.31	105.76	2.37	不磨平	
CNM 2.5×35.5×80×7.5	2.5	35.5	30.5	80	7.5	28.25	105.76	2.04	不磨平	碳钢
CNM 2.5×35.5×90×8		35.5	30.5	90	8	33.54	105.76	1.87	不磨平	
CNM 2.5×35.5×100×8.75		35.5	30.5	100	8.75	36.49	105.76	1.67	不磨平	
CNM 2.5×35.5×110×9.5		35.5	30.5	110	9.5	39.43	105.76	1.5	不磨平	
CNS 2.5×35.5×50×5		35.5	30.5	50	5	20.81	91.15	3.12	不磨平	
CNS 2.5×35.5×60×5.75		35.5	30.5	60	5.75	23.51	91.15	2.5	不磨平	
CNS 2.5×35.5×70×6.5		35.5	30.5	70	6.5	26.21	91.15	2.08	不磨平	
CNS 2.5×35.5×80×7.25	2.5	35.5	30.5	80	7.25	28.91	91.15	1.78	不磨平	不锈钢
CNS 2.5×35.5×90×8		35.5	30.5	90	8	31.61	91.15	1.56	不磨平	
CNS 2.5×35.5×100×8.75		35.5	30.5	100	8.75	34.31	91.15	1.39	不磨平	
CNS 2.5×35.5×110×9.25		35.5	30.5	110	9.25	39.45	91.15	1.29	不磨平	
CNM 2.6×35.5×50×5.25		35.5	30.3	50	5.25	19.84	118.02	3.91	不磨平	
CNM 2.6×35.5×60×6		35.5	30.3	60	6	22.88	118.02	3.18	不磨平	
CNM 2.6×35.5×70×6.75		35.5	30.3	70	6.75	25.91	118.02	2.68	不磨平	
CNM 2.6×35.5×80×7.5	2.6	35.5	30.3	80	7.5	28.96	118.02	2.31	不磨平	碳钢
CNM 2.6×35.5×90×8		35.5	30.3	90	8	34.31	118.02	2.12	不磨平	
CNM 2.6×35.5×100×8.75		35.5	30.3	100	8.75	37.35	118.02	1.88	不磨平	
CNM 2.6×35.5×110×9.5		35.5	30.3	110	9.5	40.39	118.02	1.7	不磨平	

G: 磨平      N: 不磨平  
 M: 碳钢      S: 不锈钢




型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CNS 2.6×35.5×50×5.25		35.5	30.3	50	5.25	20.03	101.97	3.4	不磨平	
CNS 2.6×35.5×60×6		35.5	30.3	60	6	23.11	101.97	2.76	不磨平	
CNS 2.6×35.5×70×6.75		35.5	30.3	70	6.75	26.2	101.97	2.33	不磨平	
CNS 2.6×35.5×80×7.5	2.6	35.5	30.3	80	7.5	29.28	101.97	2.01	不磨平	不锈钢
CNS 2.6×35.5×90×8.25		35.5	30.3	90	8.25	32.36	101.97	1.77	不磨平	
CNS 2.6×35.5×100×8.75		35.5	30.3	100	8.75	37.75	101.97	1.64	不磨平	
CNS 2.6×35.5×110×9.5		35.5	30.3	110	9.5	40.84	101.97	1.47	不磨平	
CNM 2.7×35.5×50×5.25		35.5	30.1	50	5.25	21.34	131.6	4.59	不磨平	
CNM 2.7×35.5×60×6		35.5	30.1	60	6	24.73	131.6	3.73	不磨平	
CNM 2.7×35.5×70×6.75		35.5	30.1	70	6.75	28.12	131.6	3.14	不磨平	
CNM 2.7×35.5×80×7.5	2.7	35.5	30.1	80	7.5	31.5	131.6	2.71	不磨平	碳钢
CNM 2.7×35.5×90×8.25		35.5	30.1	90	8.25	34.89	131.6	2.39	不磨平	
CNM 2.7×35.5×100×9		35.5	30.1	100	9	38.27	131.6	2.13	不磨平	
CNM 2.7×35.5×110×9.75		35.5	30.1	110	9.75	41.66	131.6	1.93	不磨平	
CNS 2.7×35.5×50×5.25		35.5	30.1	50	5.25	21.56	113.57	3.99	不磨平	
CNS 2.7×35.5×60×6		35.5	30.1	60	6	25	113.57	3.24	不磨平	
CNS 2.7×35.5×70×6.75		35.5	30.1	70	6.75	28.43	113.57	2.73	不磨平	
CNS 2.7×35.5×80×7.5	2.7	35.5	30.1	80	7.5	31.87	113.57	2.36	不磨平	不锈钢
CNS 2.7×35.5×90×8.25		35.5	30.1	90	8.25	35.3	113.57	2.08	不磨平	
CNS 2.7×35.5×100×9		35.5	30.1	100	9	38.74	113.57	1.85	不磨平	
CNS 2.7×35.5×110×9.75		35.5	30.1	110	9.75	42.18	113.57	1.67	不磨平	
CNM 2.8×35.5×50×5.25		35.5	29.9	50	5.25	22.74	146.13	5.36	不磨平	
CNM 2.8×35.5×60×6.25		35.5	29.9	60	6.25	24.35	146.13	4.1	不磨平	
CNM 2.8×35.5×70×7		35.5	29.9	70	7	28.06	146.13	3.48	不磨平	
CNM 2.8×35.5×80×7.75	2.8	35.5	29.9	80	7.75	31.77	146.13	3.03	不磨平	碳钢
CNM 2.8×35.5×90×8.5		35.5	29.9	90	8.5	35.47	146.13	2.68	不磨平	
CNM 2.8×35.5×100×9.25		35.5	29.9	100	9.25	39.18	146.13	2.4	不磨平	
CNM 2.8×35.5×110×10		35.5	29.9	110	10	42.89	146.13	2.18	不磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢



型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CNS 2.8×35.5×50×5.5		35.5	29.9	50	5.5	20.9	125.96	4.33	不磨平	
CNS 2.8×35.5×60×6.25		35.5	29.9	60	6.25	24.66	125.96	3.56	不磨平	
CNS 2.8×35.5×70×7		35.5	29.9	70	7	28.42	125.96	3.03	不磨平	
CNS 2.8×35.5×80×7.75	2.8	35.5	29.9	80	7.75	32.19	125.96	2.63	不磨平	不锈钢
CNS 2.8×35.5×90×8.5		35.5	29.9	90	8.5	35.95	125.96	2.33	不磨平	
CNS 2.8×35.5×100×9.25		35.5	29.9	100	9.25	39.71	125.96	2.09	不磨平	
CNS 2.8×35.5×110×10		35.5	29.9	110	10	43.48	125.96	1.89	不磨平	
CNM 2.9×35.5×50×5.5		35.5	29.7	50	5.5	22.14	161.03	5.78	不磨平	
CNM 2.9×35.5×60×6.25		35.5	29.7	60	6.25	26.17	161.03	4.76	不磨平	
CNM 2.9×35.5×70×7		35.5	29.7	70	7	30.2	161.03	4.05	不磨平	
CNM 2.9×35.5×80×7.75	2.9	35.5	29.7	80	7.75	34.23	161.03	3.52	不磨平	碳钢
CNM 2.9×35.5×90×8.75		35.5	29.7	90	8.75	36.27	161.03	3	不磨平	
CNM 2.9×35.5×100×9.5		35.5	29.7	100	9.5	40.3	161.03	2.7	不磨平	
CNM 2.9×35.5×110×10.25		35.5	29.7	110	10.25	44.33	161.03	2.45	不磨平	
CNS 2.9×35.5×50×5.5		35.5	29.7	50	5.5	22.31	139.15	5.03	不磨平	
CNS 2.9×35.5×60×6.25		35.5	29.7	60	6.25	26.38	139.15	4.14	不磨平	
CNS 2.9×35.5×70×7		35.5	29.7	70	7	30.45	139.15	3.52	不磨平	
CNS 2.9×35.5×80×8	2.9	35.5	29.7	80	8	32.54	139.15	2.93	不磨平	不锈钢
CNS 2.9×35.5×90×8.75		35.5	29.7	90	8.75	36.61	139.15	2.61	不磨平	
CNS 2.9×35.5×100×9.5		35.5	29.7	100	9.5	40.67	139.15	2.35	不磨平	
CNS 2.9×35.5×110×10.25		35.5	29.7	110	10.25	44.74	139.15	2.13	不磨平	
CNM 3×35.5×50×5.5		35.5	29.5	50	5.5	23.44	177.47	6.68	不磨平	
CNM 3×35.5×60×6.25		35.5	29.5	60	6.25	27.74	177.47	5.5	不磨平	
CNM 3×35.5×70×7.25		35.5	29.5	70	7.25	30.15	177.47	4.45	不磨平	
CNM 3×35.5×80×8	3	35.5	29.5	80	8	34.46	177.47	3.9	不磨平	碳钢
CNM 3×35.5×90×8.75		35.5	29.5	90	8.75	38.77	177.47	3.46	不磨平	
CNM 3×35.5×100×9.75		35.5	29.5	100	9.75	41.18	177.47	3.02	不磨平	
CNM 3×35.5×110×10.5		35.5	29.5	110	10.5	45.49	177.47	2.75	不磨平	


G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢



型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CNS 3×35.5×50×5.5		35.5	29.5	50	5.5	23.63	153.17	5.81	不磨平	
CNS 3×35.5×60×6.25		35.5	29.5	60	6.25	27.98	153.17	4.78	不磨平	
CNS 3×35.5×70×7.25		35.5	29.5	70	7.25	30.45	153.17	3.87	不磨平	
CNS 3×35.5×80×8	3	35.5	29.5	80	8	34.8	153.17	3.39	不磨平	不锈钢
CNS 3×35.5×90×8.75		35.5	29.5	90	8.75	39.15	153.17	3.01	不磨平	
CNS 3×35.5×100×9.75		35.5	29.5	100	9.75	41.62	153.17	2.62	不磨平	
CNS 3×35.5×110×10.5		35.5	29.5	110	10.5	45.97	153.17	2.39	不磨平	
CGM 3.5×35.5×50×6.25		35.5	28.5	50	6.25	24.42	273.15	10.68	磨平	
CGM 3.5×35.5×60×7		35.5	28.5	60	7	29.91	273.15	9.08	磨平	
CGM 3.5×35.5×70×8		35.5	28.5	70	8	33.89	273.15	7.56	磨平	
CGM 3.5×35.5×80×9	3.5	35.5	28.5	80	9	37.87	273.15	6.48	磨平	碳钢
CGM 3.5×35.5×90×9.75		35.5	28.5	90	9.75	43.35	273.15	5.86	磨平	
CGM 3.5×35.5×100×10.75		35.5	28.5	100	10.75	47.33	273.15	5.19	磨平	
CGM 3.5×35.5×110×11.75		35.5	28.5	110	11.75	51.32	273.15	4.65	磨平	
CGS 3.5×35.5×50×6.25		35.5	28.5	50	6.25	25.97	223.09	9.29	磨平	
CGS 3.5×35.5×60×7.25		35.5	28.5	60	7.25	30.32	223.09	7.52	磨平	
CGS 3.5×35.5×70×8.25		35.5	28.5	70	8.25	34.67	223.09	6.31	磨平	
CGS 3.5×35.5×80×9.25	3.5	35.5	28.5	80	9.25	39.01	223.09	5.44	磨平	不锈钢
CGS 3.5×35.5×90×10.25		35.5	28.5	90	10.25	43.36	223.09	4.78	磨平	
CGS 3.5×35.5×100×11.25		35.5	28.5	100	11.25	47.71	223.09	4.27	磨平	
CGS 3.5×35.5×110×12.25		35.5	28.5	110	12.25	52.05	223.09	3.85	磨平	
CGM 4×35.5×50×6.25		35.5	27.5	50	6.25	28.57	409.26	19.1	磨平	
CGM 4×35.5×60×7.25		35.5	27.5	60	7.25	33.53	409.26	15.46	磨平	
CGM 4×35.5×70×8.25		35.5	27.5	70	8.25	38.49	409.26	12.99	磨平	
CGM 4×35.5×80×9.25	4	35.5	27.5	80	9.25	43.44	409.26	11.2	磨平	碳钢
CGM 4×35.5×90×10.25		35.5	27.5	90	10.25	48.4	409.26	9.84	磨平	
CGM 4×35.5×100×11.25		35.5	27.5	100	11.25	53.36	409.26	8.77	磨平	
CGM 4×35.5×110×12.25		35.5	27.5	110	12.25	58.32	409.26	7.92	磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢






型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CGS 4×35.5×50×6.5		35.5	27.5	50	6.5	28.96	330.05	15.68	磨平	
CGS 4×35.5×60×7.5		35.5	27.5	60	7.5	34.28	330.05	12.83	磨平	
CGS 4×35.5×70×8.5		35.5	27.5	70	8.5	39.6	330.05	10.86	磨平	
CGS 4×35.5×80×9.5	4	35.5	27.5	80	9.5	44.93	330.05	9.41	磨平	不锈钢
CGS 4×35.5×90×10.75		35.5	27.5	90	10.75	49.08	330.05	8.07	磨平	
CGS 4×35.5×100×11.75		35.5	27.5	100	11.75	54.41	330.05	7.24	磨平	
CGS 4×35.5×110×12.75		35.5	27.5	110	12.75	59.73	330.05	6.57	磨平	
CNM 2.6×36×50×5		36	30.8	50	5	21.3	116.26	4.05	不磨平	
CNM 2.6×36×60×5.75		36	30.8	60	5.75	24.13	116.26	3.24	不磨平	
CNM 2.6×36×70×6.5		36	30.8	70	6.5	26.96	116.26	2.7	不磨平	
CNM 2.6×36×80×7.25	2.6	36	30.8	80	7.25	29.78	116.26	2.32	不磨平	碳钢
CNM 2.6×36×90×8		36	30.8	90	8	32.6	116.26	2.03	不磨平	
CNM 2.6×36×100×8.75		36	30.8	100	8.75	35.43	116.26	1.8	不磨平	
CNM 2.6×36×110×9.5		36	30.8	110	9.5	38.26	116.26	1.62	不磨平	
CNS 2.6×36×50×5.25		36	30.8	50	5.25	19.11	100.44	3.25	不磨平	
CNS 2.6×36×60×5.75		36	30.8	60	5.75	24.36	100.44	2.82	不磨平	
CNS 2.6×36×70×6.5		36	30.8	70	6.5	27.23	100.44	2.35	不磨平	
CNS 2.6×36×80×7.25	2.6	36	30.8	80	7.25	30.11	100.44	2.01	不磨平	不锈钢
CNS 2.6×36×90×8		36	30.8	90	8	32.98	100.44	1.76	不磨平	
CNS 2.6×36×100×8.75		36	30.8	100	8.75	35.85	100.44	1.57	不磨平	
CNS 2.6×36×110×9.5		36	30.8	110	9.5	38.72	100.44	1.41	不磨平	
CNM 2.7×36×50×5.25		36	30.6	50	5.25	20.46	129.63	4.39	不磨平	
CNM 2.7×36×60×6		36	30.6	60	6	23.64	129.63	3.57	不磨平	
CNM 2.7×36×70×6.75		36	30.6	70	6.75	26.83	129.63	3	不磨平	
CNM 2.7×36×80×7.5	2.7	36	30.6	80	7.5	30.01	129.63	2.59	不磨平	碳钢
CNM 2.7×36×90×8.25		36	30.6	90	8.25	33.19	129.63	2.28	不磨平	
CNM 2.7×36×100×9		36	30.6	100	9	36.37	129.63	2.04	不磨平	
CNM 2.7×36×110×9.5		36	30.6	110	9.5	41.83	129.63	1.9	不磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢




型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CNS 2.7×36×50×5.25		36	30.6	50	5.25	20.69	111.86	3.82	不磨平	
CNS 2.7×36×60×6		36	30.6	60	6	23.92	111.86	3.1	不磨平	
CNS 2.7×36×70×6.75		36	30.6	70	6.75	27.16	111.86	2.61	不磨平	
CNS 2.7×36×80×7.5	2.7	36	30.6	80	7.5	30.39	111.86	2.25	不磨平	不锈钢
CNS 2.7×36×90×8.25		36	30.6	90	8.25	33.63	111.86	1.98	不磨平	
CNS 2.7×36×100×9		36	30.6	100	9	36.86	111.86	1.77	不磨平	
CNS 2.7×36×110×9.75		36	30.6	110	9.75	40.1	111.86	1.6	不磨平	
CNM 2.8×36×50×5.25		36	30.4	50	5.25	21.9	143.93	5.12	不磨平	
CNM 2.8×36×60×6		36	30.4	60	6	25.41	143.93	4.16	不磨平	
CNM 2.8×36×70×6.75		36	30.4	70	6.75	28.93	143.93	3.5	不磨平	
CNM 2.8×36×80×7.5	2.8	36	30.4	80	7.5	32.44	143.93	3.03	不磨平	碳钢
CNM 2.8×36×90×8.25		36	30.4	90	8.25	35.96	143.93	2.66	不磨平	
CNM 2.8×36×100×9		36	30.4	100	9	39.47	143.93	2.38	不磨平	
CNM 2.8×36×110×9.75		36	30.4	110	9.75	42.98	143.93	2.15	不磨平	
CNS 2.8×36×50×5.25		36	30.4	50	5.25	22.14	124.06	4.45	不磨平	
CNS 2.8×36×60×6		36	30.4	60	6	25.71	124.06	3.62	不磨平	
CNS 2.8×36×70×6.75		36	30.4	70	6.75	29.29	124.06	3.05	不磨平	
CNS 2.8×36×80×7.5	2.8	36	30.4	80	7.5	32.86	124.06	2.63	不磨平	不锈钢
CNS 2.8×36×90×8.25		36	30.4	90	8.25	36.43	124.06	2.32	不磨平	
CNS 2.8×36×100×9.25		36	30.4	100	9.25	37.86	124.06	2	不磨平	
CNS 2.8×36×110×10		36	30.4	110	10	41.43	124.06	1.81	不磨平	
CNM 2.9×36×50×5.25		36	30.2	50	5.25	23.33	158.6	5.95	不磨平	
CNM 2.9×36×60×6.25		36	30.2	60	6.25	25.12	158.6	4.55	不磨平	
CNM 2.9×36×70×7		36	30.2	70	7	28.97	158.6	3.87	不磨平	
CNM 2.9×36×80×7.75	2.9	36	30.2	80	7.75	32.81	158.6	3.36	不磨平	碳钢
CNM 2.9×36×90×8.5		36	30.2	90	8.5	36.66	158.6	2.97	不磨平	
CNM 2.9×36×100×9.25		36	30.2	100	9.25	40.51	158.6	2.67	不磨平	
CNM 2.9×36×110×10		36	30.2	110	10	44.35	158.6	2.42	不磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢




型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CNS 2.9×36×50×5.5		36	30.2	50	5.5	21.46	137.05	4.8	不磨平	
CNS 2.9×36×60×6.25		36	30.2	60	6.25	25.34	137.05	3.95	不磨平	
CNS 2.9×36×70×7		36	30.2	70	7	29.23	137.05	3.36	不磨平	
CNS 2.9×36×80×7.75	2.9	36	30.2	80	7.75	33.11	137.05	2.92	不磨平	不锈钢
CNS 2.9×36×90×8.5		36	30.2	90	8.5	36.99	137.05	2.59	不磨平	
CNS 2.9×36×100×9.25		36	30.2	100	9.25	40.88	137.05	2.32	不磨平	
CNS 2.9×36×110×10		36	30.2	110	10	44.76	137.05	2.1	不磨平	
CNM 3×36×50×5.5		36	30	50	5.5	22.61	174.78	6.38	不磨平	
CNM 3×36×60×6.25		36	30	60	6.25	26.74	174.78	5.26	不磨平	
CNM 3×36×70×7		36	30	70	7	30.87	174.78	4.47	不磨平	
CNM 3×36×80×7.75	3	36	30	80	7.75	35.01	174.78	3.88	不磨平	碳钢
CNM 3×36×90×8.75		36	30	90	8.75	37.18	174.78	3.31	不磨平	
CNM 3×36×100×9.5		36	30	100	9.5	41.31	174.78	2.98	不磨平	
CNM 3×36×110×10.25		36	30	110	10.25	45.44	174.78	2.71	不磨平	
CNS 3×36×50×5.5		36	30	50	5.5	22.82	150.85	5.55	不磨平	
CNS 3×36×60×6.25		36	30	60	6.25	26.99	150.85	4.57	不磨平	
CNS 3×36×70×7		36	30	70	7	31.17	150.85	3.88	不磨平	
CNS 3×36×80×8	3	36	30	80	8	33.4	150.85	3.24	不磨平	不锈钢
CNS 3×36×90×8.75		36	30	90	8.75	37.57	150.85	2.88	不磨平	
CNS 3×36×100×9.5		36	30	100	9.5	41.75	150.85	2.59	不磨平	
CNS 3×36×110×10.25		36	30	110	10.25	45.92	150.85	2.35	不磨平	
CGM 3.5×36×50×6		36	29	50	6	25.17	268.95	10.83	磨平	
CGM 3.5×36×60×7		36	29	60	7	28.96	268.95	8.66	磨平	
CGM 3.5×36×70×8		36	29	70	8	32.75	268.95	7.22	磨平	
CGM 3.5×36×80×8.75	3.5	36	29	80	8.75	38.09	268.95	6.42	磨平	碳钢
CGM 3.5×36×90×9.75		36	29	90	9.75	41.88	268.95	5.59	磨平	
CGM 3.5×36×100×10.5		36	29	100	10.5	47.23	268.95	5.1	磨平	
CGM 3.5×36×110×11.5		36	29	110	11.5	51.02	268.95	4.56	磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢



型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CGS 3.5×36×50×6.25		36	29	50	6.25	25.22	219.66	8.86	磨平	
CGS 3.5×36×60×7.25		36	29	60	7.25	29.39	219.66	7.18	磨平	
CGS 3.5×36×70×8.25		36	29	70	8.25	33.55	219.66	6.03	磨平	
CGS 3.5×36×80×9	3.5	36	29	80	9	39.18	219.66	5.38	磨平	不锈钢
CGS 3.5×36×90×10		36	29	90	10	43.35	219.66	4.71	磨平	
CGS 3.5×36×100×11		36	29	100	11	47.52	219.66	4.19	磨平	
CGS 3.5×36×110×12		36	29	110	12	51.69	219.66	3.77	磨平	
CGM 4×36×50×6.25		36	28	50	6.25	27.88	402.87	18.22	磨平	
CGM 4×36×60×7.25		36	28	60	7.25	32.68	402.87	14.75	磨平	
CGM 4×36×70×8.25		36	28	70	8.25	37.48	402.87	12.39	磨平	
CGM 4×36×80×9.25	4	36	28	80	9.25	42.27	402.87	10.68	磨平	碳钢
CGM 4×36×90×10.25		36	28	90	10.25	47.07	402.87	9.38	磨平	
CGM 4×36×100×11		36	28	100	11	53.17	402.87	8.6	磨平	
CGM 4×36×110×12		36	28	110	12	57.96	402.87	7.74	磨平	
CGS 4×36×50×6.5		36	28	50	6.5	28.28	324.89	14.96	磨平	
CGS 4×36×60×7.5		36	28	60	7.5	33.46	324.89	12.24	磨平	
CGS 4×36×70×8.5		36	28	70	8.5	38.63	324.89	10.36	磨平	
CGS 4×36×80×9.5	4	36	28	80	9.5	43.81	324.89	8.98	磨平	不锈钢
CGS 4×36×90×10.5		36	28	90	10.5	48.98	324.89	7.92	磨平	
CGS 4×36×100×11.5		36	28	100	11.5	54.15	324.89	7.09	磨平	
CGS 4×36×110×12.5		36	28	110	12.5	59.33	324.89	6.41	磨平	
CNM 2.6×36.5×50×5		36.5	31.3	50	5	20.44	114.54	3.87	不磨平	
CNM 2.6×36.5×60×5.75		36.5	31.3	60	5.75	23.05	114.54	3.1	不磨平	
CNM 2.6×36.5×70×6.5		36.5	31.3	70	6.5	25.66	114.54	2.58	不磨平	
CNM 2.6×36.5×80×7.25	2.6	36.5	31.3	80	7.25	28.27	114.54	2.21	不磨平	碳钢
CNM 2.6×36.5×90×7.75		36.5	31.3	90	7.75	33.34	114.54	2.02	不磨平	
CNM 2.6×36.5×100×8.5		36.5	31.3	100	8.5	35.95	114.54	1.79	不磨平	
CNM 2.6×36.5×110×9.25		36.5	31.3	110	9.25	38.56	114.54	1.6	不磨平	

G: 磨平      N: 不磨平  
 M: 碳钢      S: 不锈钢




型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CNS 2.6×36.5×50×5		36.5	31.3	50	5	20.63	98.96	3.37	不磨平	
CNS 2.6×36.5×60×5.75		36.5	31.3	60	5.75	23.29	98.96	2.7	不磨平	
CNS 2.6×36.5×70×6.5		36.5	31.3	70	6.5	25.94	98.96	2.25	不磨平	
CNS 2.6×36.5×80×7.25	2.6	36.5	31.3	80	7.25	28.6	98.96	1.93	不磨平	不锈钢
CNS 2.6×36.5×90×7.75		36.5	31.3	90	7.75	33.71	98.96	1.76	不磨平	
CNS 2.6×36.5×100×8.5		36.5	31.3	100	8.5	36.36	98.96	1.56	不磨平	
CNS 2.6×36.5×110×9.25		36.5	31.3	110	9.25	39.02	98.96	1.39	不磨平	
CNM 2.7×36.5×50×5.25		36.5	31.1	50	5.25	19.57	127.71	4.2	不磨平	
CNM 2.7×36.5×60×5.75		36.5	31.1	60	5.75	24.88	127.71	3.64	不磨平	
CNM 2.7×36.5×70×6.5		36.5	31.1	70	6.5	27.86	127.71	3.03	不磨平	
CNM 2.7×36.5×80×7.25	2.7	36.5	31.1	80	7.25	30.84	127.71	2.6	不磨平	碳钢
CNM 2.7×36.5×90×8		36.5	31.1	90	8	33.82	127.71	2.27	不磨平	
CNM 2.7×36.5×100×8.75		36.5	31.1	100	8.75	36.79	127.71	2.02	不磨平	
CNM 2.7×36.5×110×9.5		36.5	31.1	110	9.5	39.77	127.71	1.82	不磨平	
CNS 2.7×36.5×50×5.25		36.5	31.1	50	5.25	19.8	110.21	3.65	不磨平	
CNS 2.7×36.5×60×5.75		36.5	31.1	60	5.75	25.15	110.21	3.16	不磨平	
CNS 2.7×36.5×70×6.5		36.5	31.1	70	6.5	28.18	110.21	2.64	不磨平	
CNS 2.7×36.5×80×7.25	2.7	36.5	31.1	80	7.25	31.21	110.21	2.26	不磨平	不锈钢
CNS 2.7×36.5×90×8		36.5	31.1	90	8	34.24	110.21	1.98	不磨平	
CNS 2.7×36.5×100×8.75		36.5	31.1	100	8.75	37.27	110.21	1.76	不磨平	
CNS 2.7×36.5×110×9.5		36.5	31.1	110	9.5	40.3	110.21	1.58	不磨平	
CNM 2.8×36.5×50×5.25		36.5	30.9	50	5.25	21.04	141.79	4.9	不磨平	
CNM 2.8×36.5×60×6		36.5	30.9	60	6	24.36	141.79	3.98	不磨平	
CNM 2.8×36.5×70×6.75		36.5	30.9	70	6.75	27.68	141.79	3.35	不磨平	
CNM 2.8×36.5×80×7.5	2.8	36.5	30.9	80	7.5	31	141.79	2.89	不磨平	碳钢
CNM 2.8×36.5×90×8.25		36.5	30.9	90	8.25	34.32	141.79	2.55	不磨平	
CNM 2.8×36.5×100×9		36.5	30.9	100	9	37.64	141.79	2.27	不磨平	
CNM 2.8×36.5×110×9.75		36.5	30.9	110	9.75	40.95	141.79	2.05	不磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢




型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CNS 2.8×36.5×50×5.25		36.5	30.9	50	5.25	21.3	122.22	4.26	不磨平	
CNS 2.8×36.5×60×6		36.5	30.9	60	6	24.67	122.22	3.46	不磨平	
CNS 2.8×36.5×70×6.75		36.5	30.9	70	6.75	28.05	122.22	2.91	不磨平	
CNS 2.8×36.5×80×7.5	2.8	36.5	30.9	80	7.5	31.43	122.22	2.52	不磨平	不锈钢
CNS 2.8×36.5×90×8.25		36.5	30.9	90	8.25	34.8	122.22	2.21	不磨平	
CNS 2.8×36.5×100×9		36.5	30.9	100	9	38.18	122.22	1.98	不磨平	
CNS 2.8×36.5×110×9.75		36.5	30.9	110	9.75	41.56	122.22	1.79	不磨平	
CNM 2.9×36.5×50×5.25		36.5	30.7	50	5.25	22.52	156.24	5.69	不磨平	
CNM 2.9×36.5×60×6		36.5	30.7	60	6	26.18	156.24	4.62	不磨平	
CNM 2.9×36.5×70×6.75		36.5	30.7	70	6.75	29.83	156.24	3.89	不磨平	
CNM 2.9×36.5×80×7.5	2.9	36.5	30.7	80	7.5	33.49	156.24	3.36	不磨平	碳钢
CNM 2.9×36.5×90×8.25		36.5	30.7	90	8.25	37.15	156.24	2.96	不磨平	
CNM 2.9×36.5×100×9		36.5	30.7	100	9	40.81	156.24	2.64	不磨平	
CNM 2.9×36.5×110×10		36.5	30.7	110	10	42.35	156.24	2.31	不磨平	
CNS 2.9×36.5×50×5.25		36.5	30.7	50	5.25	22.69	135.01	4.94	不磨平	
CNS 2.9×36.5×60×6		36.5	30.7	60	6	26.39	135.01	4.02	不磨平	
CNS 2.9×36.5×70×6.75		36.5	30.7	70	6.75	30.09	135.01	3.38	不磨平	
CNS 2.9×36.5×80×7.5	2.9	36.5	30.7	80	7.5	33.78	135.01	2.92	不磨平	不锈钢
CNS 2.9×36.5×90×8.5		36.5	30.7	90	8.5	35.38	135.01	2.47	不磨平	
CNS 2.9×36.5×100×9.25		36.5	30.7	100	9.25	39.08	135.01	2.22	不磨平	
CNS 2.9×36.5×110×10		36.5	30.7	110	10	42.78	135.01	2.01	不磨平	
CNM 3×36.5×50×5.25		36.5	30.5	50	5.25	23.79	172.17	6.57	不磨平	
CNM 3×36.5×60×6.25		36.5	30.5	60	6.25	25.73	172.17	5.02	不磨平	
CNM 3×36.5×70×7		36.5	30.5	70	7	29.68	172.17	4.27	不磨平	
CNM 3×36.5×80×7.75	3	36.5	30.5	80	7.75	33.63	172.17	3.71	不磨平	碳钢
CNM 3×36.5×90×8.5		36.5	30.5	90	8.5	37.58	172.17	3.28	不磨平	
CNM 3×36.5×100×9.25		36.5	30.5	100	9.25	41.54	172.17	2.94	不磨平	
CNM 3×36.5×110×10		36.5	30.5	110	10	45.49	172.17	2.67	不磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢



型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CNS 3×36.5×50×5.5		36.5	30.5	50	5.5	21.99	148.6	5.3	不磨平	
CNS 3×36.5×60×6.25		36.5	30.5	60	6.25	25.98	148.6	4.37	不磨平	
CNS 3×36.5×70×7		36.5	30.5	70	7	29.98	148.6	3.71	不磨平	
CNS 3×36.5×80×7.75	3	36.5	30.5	80	7.75	33.98	148.6	3.23	不磨平	不锈钢
CNS 3×36.5×90×8.5		36.5	30.5	90	8.5	37.97	148.6	2.86	不磨平	
CNS 3×36.5×100×9.25		36.5	30.5	100	9.25	41.97	148.6	2.56	不磨平	
CNS 3×36.5×110×10.25		36.5	30.5	110	10.25	43.97	148.6	2.25	不磨平	
CGM 3.5×36.5×50×6		36.5	29.5	50	6	24.4	264.88	10.35	磨平	
CGM 3.5×36.5×60×6.75		36.5	29.5	60	6.75	29.59	264.88	8.71	磨平	
CGM 3.5×36.5×70×7.75		36.5	29.5	70	7.75	33.19	264.88	7.2	磨平	
CGM 3.5×36.5×80×8.75	3.5	36.5	29.5	80	8.75	36.79	264.88	6.13	磨平	碳钢
CGM 3.5×36.5×90×9.5		36.5	29.5	90	9.5	41.99	264.88	5.52	磨平	
CGM 3.5×36.5×100×10.5		36.5	29.5	100	10.5	45.59	264.88	4.87	磨平	
CGM 3.5×36.5×110×11.25		36.5	29.5	110	11.25	50.79	264.88	4.47	磨平	
CGS 3.5×36.5×50×6.25		36.5	29.5	50	6.25	24.45	216.33	8.47	磨平	
CGS 3.5×36.5×60×7		36.5	29.5	60	7	29.94	216.33	7.2	磨平	
CGS 3.5×36.5×70×8		36.5	29.5	70	8	33.93	216.33	6	磨平	
CGS 3.5×36.5×80×9	3.5	36.5	29.5	80	9	37.92	216.33	5.14	磨平	不锈钢
CGS 3.5×36.5×90×9.75		36.5	29.5	90	9.75	43.41	216.33	4.64	磨平	
CGS 3.5×36.5×100×10.75		36.5	29.5	100	10.75	47.39	216.33	4.11	磨平	
CGS 3.5×36.5×110×11.75		36.5	29.5	110	11.75	51.38	216.33	3.69	磨平	
CGM 4×36.5×50×6.25		36.5	28.5	50	6.25	27.19	396.67	17.39	磨平	
CGM 4×36.5×60×7		36.5	28.5	60	7	33.16	396.67	14.78	磨平	
CGM 4×36.5×70×8		36.5	28.5	70	8	37.79	396.67	12.32	磨平	
CGM 4×36.5×80×9	4	36.5	28.5	80	9	42.43	396.67	10.56	磨平	碳钢
CGM 4×36.5×90×10		36.5	28.5	90	10	47.06	396.67	9.24	磨平	
CGM 4×36.5×100×11		36.5	28.5	100	11	51.69	396.67	8.21	磨平	
CGM 4×36.5×110×12		36.5	28.5	110	12	56.32	396.67	7.39	磨平	


G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢



型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CGS 4×36.5×50×6.25		36.5	28.5	50	6.25	28.84	319.89	15.12	磨平	
CGS 4×36.5×60×7.25		36.5	28.5	60	7.25	33.87	319.89	12.24	磨平	
CGS 4×36.5×70×8.25		36.5	28.5	70	8.25	38.89	319.89	10.28	磨平	
CGS 4×36.5×80×9.25	4	36.5	28.5	80	9.25	43.91	319.89	8.86	磨平	不锈钢
CGS 4×36.5×90×10.25		36.5	28.5	90	10.25	48.93	319.89	7.79	磨平	
CGS 4×36.5×100×11.25		36.5	28.5	100	11.25	53.95	319.89	6.95	磨平	
CGS 4×36.5×110×12.25		36.5	28.5	110	12.25	58.98	319.89	6.27	磨平	
CNM 2.7×37×50×5		37	31.6	50	5	21.07	125.85	4.35	不磨平	
CNM 2.7×37×60×5.75		37	31.6	60	5.75	23.84	125.85	3.48	不磨平	
CNM 2.7×37×70×6.5		37	31.6	70	6.5	26.61	125.85	2.9	不磨平	
CNM 2.7×37×80×7.25	2.7	37	31.6	80	7.25	29.37	125.85	2.49	不磨平	碳钢
CNM 2.7×37×90×7.75		37	31.6	90	7.75	34.55	125.85	2.27	不磨平	
CNM 2.7×37×100×8.5		37	31.6	100	8.5	37.32	125.85	2.01	不磨平	
CNM 2.7×37×110×9.25		37	31.6	110	9.25	40.09	125.85	1.8	不磨平	
CNS 2.7×37×50×5		37	31.6	50	5	21.29	108.6	3.78	不磨平	
CNS 2.7×37×60×5.75		37	31.6	60	5.75	24.11	108.6	3.03	不磨平	
CNS 2.7×37×70×6.5		37	31.6	70	6.5	26.94	108.6	2.52	不磨平	
CNS 2.7×37×80×7.25	2.7	37	31.6	80	7.25	29.76	108.6	2.16	不磨平	不锈钢
CNS 2.7×37×90×8		37	31.6	90	8	32.58	108.6	1.89	不磨平	
CNS 2.7×37×100×8.5		37	31.6	100	8.5	37.8	108.6	1.75	不磨平	
CNS 2.7×37×110×9.25		37	31.6	110	9.25	40.62	108.6	1.57	不磨平	
CNM 2.8×37×50×5.25		37	31.4	50	5.25	20.18	139.72	4.69	不磨平	
CNM 2.8×37×60×5.75		37	31.4	60	5.75	25.59	139.72	4.06	不磨平	
CNM 2.8×37×70×6.5		37	31.4	70	6.5	28.71	139.72	3.38	不磨平	
CNM 2.8×37×80×7.25	2.8	37	31.4	80	7.25	31.83	139.72	2.9	不磨平	碳钢
CNM 2.8×37×90×8		37	31.4	90	8	34.94	139.72	2.54	不磨平	
CNM 2.8×37×100×8.75		37	31.4	100	8.75	38.06	139.72	2.26	不磨平	
CNM 2.8×37×110×9.5		37	31.4	110	9.5	41.18	139.72	2.03	不磨平	

G: 磨平    N: 不磨平  
M: 碳钢    S: 不锈钢






型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CNS 2.8×37×50×5.25		37	31.4	50	5.25	20.44	120.43	4.07	不磨平	
CNS 2.8×37×60×6		37	31.4	60	6	23.62	120.43	3.31	不磨平	
CNS 2.8×37×70×6.5		37	31.4	70	6.5	29.07	120.43	2.94	不磨平	
CNS 2.8×37×80×7.25	2.8	37	31.4	80	7.25	32.25	120.43	2.52	不磨平	不锈钢
CNS 2.8×37×90×8		37	31.4	90	8	35.43	120.43	2.21	不磨平	
CNS 2.8×37×100×8.75		37	31.4	100	8.75	38.61	120.43	1.96	不磨平	
CNS 2.8×37×110×9.5		37	31.4	110	9.5	41.78	120.43	1.77	不磨平	
CNM 2.9×37×50×5.25		37	31.2	50	5.25	21.7	153.94	5.44	不磨平	
CNM 2.9×37×60×6		37	31.2	60	6	25.16	153.94	4.42	不磨平	
CNM 2.9×37×70×6.75		37	31.2	70	6.75	28.63	153.94	3.72	不磨平	
CNM 2.9×37×80×7.5	2.9	37	31.2	80	7.5	32.1	153.94	3.21	不磨平	碳钢
CNM 2.9×37×90×8.25		37	31.2	90	8.25	35.57	153.94	2.83	不磨平	
CNM 2.9×37×100×9		37	31.2	100	9	39.04	153.94	2.53	不磨平	
CNM 2.9×37×110×9.75		37	31.2	110	9.75	42.51	153.94	2.28	不磨平	
CNS 2.9×37×50×5.25		37	31.2	50	5.25	21.87	133.03	4.73	不磨平	
CNS 2.9×37×60×6		37	31.2	60	6	25.38	133.03	3.84	不磨平	
CNS 2.9×37×70×6.75		37	31.2	70	6.75	28.89	133.03	3.24	不磨平	
CNS 2.9×37×80×7.5	2.9	37	31.2	80	7.5	32.4	133.03	2.79	不磨平	不锈钢
CNS 2.9×37×90×8.25		37	31.2	90	8.25	35.91	133.03	2.46	不磨平	
CNS 2.9×37×100×9		37	31.2	100	9	39.42	133.03	2.2	不磨平	
CNS 2.9×37×110×9.75		37	31.2	110	9.75	42.92	133.03	1.98	不磨平	
CNM 3×37×50×5.25		37	31	50	5.25	23	169.64	6.28	不磨平	
CNM 3×37×60×6		37	31	60	6	26.77	169.64	5.11	不磨平	
CNM 3×37×70×6.75		37	31	70	6.75	30.54	169.64	4.3	不磨平	
CNM 3×37×80×7.5	3	37	31	80	7.5	34.31	169.64	3.71	不磨平	碳钢
CNM 3×37×90×8.25		37	31	90	8.25	38.08	169.64	3.27	不磨平	
CNM 3×37×100×9.25		37	31	100	9.25	39.78	169.64	2.82	不磨平	
CNM 3×37×110×10		37	31	110	10	43.55	169.64	2.55	不磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢




型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CNS 3×37×50×5.25		37	31	50	5.25	23.2	146.42	5.46	不磨平	
CNS 3×37×60×6		37	31	60	6	27.02	146.42	4.44	不磨平	
CNS 3×37×70×6.75		37	31	70	6.75	30.84	146.42	3.74	不磨平	
CNS 3×37×80×7.75	3	37	31	80	7.75	32.59	146.42	3.09	不磨平	不锈钢
CNS 3×37×90×8.5		37	31	90	8.5	36.41	146.42	2.73	不磨平	
CNS 3×37×100×9.25		37	31	100	9.25	40.22	146.42	2.45	不磨平	
CNS 3×37×110×10		37	31	110	10	44.04	146.42	2.22	不磨平	
CGM 3.5×37×50×6		37	30	50	6	23.61	260.92	9.89	磨平	
CGM 3.5×37×60×6.75		37	30	60	6.75	28.67	260.92	8.33	磨平	
CGM 3.5×37×70×7.75		37	30	70	7.75	32.07	260.92	6.88	磨平	
CGM 3.5×37×80×8.5	3.5	37	30	80	8.5	37.12	260.92	6.09	磨平	碳钢
CGM 3.5×37×90×9.5		37	30	90	9.5	40.53	260.92	5.27	磨平	
CGM 3.5×37×100×10.25		37	30	100	10.25	45.58	260.92	4.79	磨平	
CGM 3.5×37×110×11.25		37	30	110	11.25	48.98	260.92	4.28	磨平	
CGS 3.5×37×50×6		37	30	50	6	25.22	213.1	8.6	磨平	
CGS 3.5×37×60×7		37	30	60	7	29.02	213.1	6.88	磨平	
CGS 3.5×37×70×8		37	30	70	8	32.83	213.1	5.73	磨平	
CGS 3.5×37×80×8.75	3.5	37	30	80	8.75	38.18	213.1	5.1	磨平	不锈钢
CGS 3.5×37×90×9.75		37	30	90	9.75	41.98	213.1	4.44	磨平	
CGS 3.5×37×100×10.75		37	30	100	10.75	45.79	213.1	3.93	磨平	
CGS 3.5×37×110×11.5		37	30	110	11.5	51.14	213.1	3.62	磨平	
CGM 4×37×50×6		37	29	50	6	27.86	390.66	17.65	磨平	
CGM 4×37×60×7		37	29	60	7	32.33	390.66	14.12	磨平	
CGM 4×37×70×8		37	29	70	8	36.8	390.66	11.77	磨平	
CGM 4×37×80×9	4	37	29	80	9	41.26	390.66	10.08	磨平	碳钢
CGM 4×37×90×9.75		37	29	90	9.75	47.11	390.66	9.11	磨平	
CGM 4×37×100×10.75		37	29	100	10.75	51.58	390.66	8.07	磨平	
CGM 4×37×110×11.75		37	29	110	11.75	56.04	390.66	7.24	磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢




型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CGS 4×37×50×6.25		37	29	50	6.25	28.19	315.05	14.44	磨平	
CGS 4×37×60×7.25		37	29	60	7.25	33.05	315.05	11.69	磨平	
CGS 4×37×70×8.25		37	29	70	8.25	37.92	315.05	9.82	磨平	
CGS 4×37×80×9.25	4	37	29	80	9.25	42.79	315.05	8.47	磨平	不锈钢
CGS 4×37×90×10.25		37	29	90	10.25	47.66	315.05	7.44	磨平	
CGS 4×37×100×11.25		37	29	100	11.25	52.53	315.05	6.64	磨平	
CGS 4×37×110×12.25		37	29	110	12.25	57.39	315.05	5.99	磨平	
CNM 2.7×37.5×50×5		37.5	32.1	50	5	20.22	124.04	4.17	不磨平	
CNM 2.7×37.5×60×5.75		37.5	32.1	60	5.75	22.78	124.04	3.33	不磨平	
CNM 2.7×37.5×70×6.25		37.5	32.1	70	6.25	27.81	124.04	2.94	不磨平	
CNM 2.7×37.5×80×7	2.7	37.5	32.1	80	7	30.37	124.04	2.5	不磨平	碳钢
CNM 2.7×37.5×90×7.75		37.5	32.1	90	7.75	32.93	124.04	2.17	不磨平	
CNM 2.7×37.5×100×8.5		37.5	32.1	100	8.5	35.48	124.04	1.92	不磨平	
CNM 2.7×37.5×110×9		37.5	32.1	110	9	40.52	124.04	1.79	不磨平	
CNS 2.7×37.5×50×5		37.5	32.1	50	5	20.45	107.04	3.62	不磨平	
CNS 2.7×37.5×60×5.75		37.5	32.1	60	5.75	23.06	107.04	2.9	不磨平	
CNS 2.7×37.5×70×6.5		37.5	32.1	70	6.5	25.67	107.04	2.41	不磨平	
CNS 2.7×37.5×80×7	2.7	37.5	32.1	80	7	30.75	107.04	2.17	不磨平	不锈钢
CNS 2.7×37.5×90×7.75		37.5	32.1	90	7.75	33.36	107.04	1.89	不磨平	
CNS 2.7×37.5×100×8.5		37.5	32.1	100	8.5	35.97	107.04	1.67	不磨平	
CNS 2.7×37.5×110×9.25		37.5	32.1	110	9.25	38.58	107.04	1.5	不磨平	
CNM 2.8×37.5×50×5		37.5	31.9	50	5	21.66	137.71	4.86	不磨平	
CNM 2.8×37.5×60×5.75		37.5	31.9	60	5.75	24.58	137.71	3.89	不磨平	
CNM 2.8×37.5×70×6.5		37.5	31.9	70	6.5	27.49	137.71	3.24	不磨平	
CNM 2.8×37.5×80×7.25	2.8	37.5	31.9	80	7.25	30.41	137.71	2.78	不磨平	碳钢
CNM 2.8×37.5×90×8		37.5	31.9	90	8	33.32	137.71	2.43	不磨平	
CNM 2.8×37.5×100×8.5		37.5	31.9	100	8.5	38.6	137.71	2.24	不磨平	
CNM 2.8×37.5×110×9.25		37.5	31.9	110	9.25	41.51	137.71	2.01	不磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢



型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CNS 2.8×37.5×50×5		37.5	31.9	50	5	21.91	118.7	4.23	不磨平	
CNS 2.8×37.5×60×5.75		37.5	31.9	60	5.75	24.89	118.7	3.38	不磨平	
CNS 2.8×37.5×70×6.5		37.5	31.9	70	6.5	27.86	118.7	2.82	不磨平	
CNS 2.8×37.5×80×7.25	2.8	37.5	31.9	80	7.25	30.84	118.7	2.41	不磨平	不锈钢
CNS 2.8×37.5×90×8		37.5	31.9	90	8	33.82	118.7	2.11	不磨平	
CNS 2.8×37.5×100×8.75		37.5	31.9	100	8.75	36.79	118.7	1.88	不磨平	
CNS 2.8×37.5×110×9.25		37.5	31.9	110	9.25	42.11	118.7	1.75	不磨平	
CNM 2.9×37.5×50×5.25		37.5	31.7	50	5.25	20.86	151.72	5.21	不磨平	
CNM 2.9×37.5×60×6		37.5	31.7	60	6	24.13	151.72	4.23	不磨平	
CNM 2.9×37.5×70×6.5		37.5	31.7	70	6.5	29.65	151.72	3.76	不磨平	
CNM 2.9×37.5×80×7.25	2.9	37.5	31.7	80	7.25	32.93	151.72	3.22	不磨平	碳钢
CNM 2.9×37.5×90×8		37.5	31.7	90	8	36.2	151.72	2.82	不磨平	
CNM 2.9×37.5×100×8.75		37.5	31.7	100	8.75	39.48	151.72	2.51	不磨平	
CNM 2.9×37.5×110×9.5		37.5	31.7	110	9.5	42.75	151.72	2.26	不磨平	
CNS 2.9×37.5×50×5.25		37.5	31.7	50	5.25	21.04	131.11	4.53	不磨平	
CNS 2.9×37.5×60×6		37.5	31.7	60	6	24.36	131.11	3.68	不磨平	
CNS 2.9×37.5×70×6.75		37.5	31.7	70	6.75	27.68	131.11	3.1	不磨平	
CNS 2.9×37.5×80×7.25	2.9	37.5	31.7	80	7.25	33.22	131.11	2.8	不磨平	不锈钢
CNS 2.9×37.5×90×8		37.5	31.7	90	8	36.54	131.11	2.45	不磨平	
CNS 2.9×37.5×100×8.75		37.5	31.7	100	8.75	39.85	131.11	2.18	不磨平	
CNS 2.9×37.5×110×9.5		37.5	31.7	110	9.5	43.17	131.11	1.96	不磨平	
CNM 3×37.5×50×5.25		37.5	31.5	50	5.25	22.2	167.18	6.01	不磨平	
CNM 3×37.5×60×6		37.5	31.5	60	6	25.79	167.18	4.89	不磨平	
CNM 3×37.5×70×6.75		37.5	31.5	70	6.75	29.38	167.18	4.12	不磨平	
CNM 3×37.5×80×7.5	3	37.5	31.5	80	7.5	32.96	167.18	3.55	不磨平	碳钢
CNM 3×37.5×90×8.25		37.5	31.5	90	8.25	36.55	167.18	3.13	不磨平	
CNM 3×37.5×100×9		37.5	31.5	100	9	40.13	167.18	2.79	不磨平	
CNM 3×37.5×110×9.75		37.5	31.5	110	9.75	43.72	167.18	2.52	不磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢




型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CNS 3×37.5×50×5.25		37.5	31.5	50	5.25	22.41	144.29	5.23	不磨平	
CNS 3×37.5×60×6		37.5	31.5	60	6	26.04	144.29	4.25	不磨平	
CNS 3×37.5×70×6.75		37.5	31.5	70	6.75	29.68	144.29	3.58	不磨平	
CNS 3×37.5×80×7.5	3	37.5	31.5	80	7.5	33.31	144.29	3.09	不磨平	不锈钢
CNS 3×37.5×90×8.25		37.5	31.5	90	8.25	36.94	144.29	2.72	不磨平	
CNS 3×37.5×100×9		37.5	31.5	100	9	40.58	144.29	2.43	不磨平	
CNS 3×37.5×110×9.75		37.5	31.5	110	9.75	44.21	144.29	2.19	不磨平	
CGM 3.5×37.5×50×5.75		37.5	30.5	50	5.75	24.52	257.09	10.09	磨平	
CGM 3.5×37.5×60×6.75		37.5	30.5	60	6.75	27.72	257.09	7.97	磨平	
CGM 3.5×37.5×70×7.5		37.5	30.5	70	7.5	32.63	257.09	6.88	磨平	
CGM 3.5×37.5×80×8.5	3.5	37.5	30.5	80	8.5	35.83	257.09	5.82	磨平	碳钢
CGM 3.5×37.5×90×9.25		37.5	30.5	90	9.25	40.74	257.09	5.22	磨平	
CGM 3.5×37.5×100×10		37.5	30.5	100	10	45.64	257.09	4.73	磨平	
CGM 3.5×37.5×110×11		37.5	30.5	110	11	48.84	257.09	4.2	磨平	
CGS 3.5×37.5×50×6		37.5	30.5	50	6	24.47	209.97	8.23	磨平	
CGS 3.5×37.5×60×6.75		37.5	30.5	60	6.75	29.69	209.97	6.93	磨平	
CGS 3.5×37.5×70×7.75		37.5	30.5	70	7.75	33.3	209.97	5.72	磨平	
CGS 3.5×37.5×80×8.75	3.5	37.5	30.5	80	8.75	36.92	209.97	4.87	磨平	不锈钢
CGS 3.5×37.5×90×9.5		37.5	30.5	90	9.5	42.13	209.97	4.39	磨平	
CGS 3.5×37.5×100×10.5		37.5	30.5	100	10.5	45.75	209.97	3.87	磨平	
CGS 3.5×37.5×110×11.25		37.5	30.5	110	11.25	50.97	209.97	3.56	磨平	
CGM 4×37.5×50×6		37.5	29.5	50	6	27.19	384.83	16.87	磨平	
CGM 4×37.5×60×7		37.5	29.5	60	7	31.48	384.83	13.5	磨平	
CGM 4×37.5×70×7.75		37.5	29.5	70	7.75	37.21	384.83	11.74	磨平	
CGM 4×37.5×80×8.75	4	37.5	29.5	80	8.75	41.5	384.83	10	磨平	碳钢
CGM 4×37.5×90×9.75		37.5	29.5	90	9.75	45.8	384.83	8.71	磨平	
CGM 4×37.5×100×10.5		37.5	29.5	100	10.5	51.52	384.83	7.94	磨平	
CGM 4×37.5×110×11.5		37.5	29.5	110	11.5	55.82	384.83	7.1	磨平	

G: 磨平      N: 不磨平  
 M: 碳钢      S: 不锈钢




型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CGS 4×37.5×50×6.25		37.5	29.5	50	6.25	27.52	310.34	13.81	磨平	
CGS 4×37.5×60×7.25		37.5	29.5	60	7.25	32.23	310.34	11.18	磨平	
CGS 4×37.5×70×8		37.5	29.5	70	8	38.27	310.34	9.78	磨平	
CGS 4×37.5×80×9	4	37.5	29.5	80	9	42.98	310.34	8.38	磨平	不锈钢
CGS 4×37.5×90×10		37.5	29.5	90	10	47.69	310.34	7.33	磨平	
CGS 4×37.5×100×11		37.5	29.5	100	11	52.4	310.34	6.52	磨平	
CGS 4×37.5×110×12		37.5	29.5	110	12	57.11	310.34	5.87	磨平	
CNM 2.8×38×50×5		38	32.4	50	5	20.84	135.75	4.66	不磨平	
CNM 2.8×38×60×5.75		38	32.4	60	5.75	23.55	135.75	3.72	不磨平	
CNM 2.8×38×70×6.5		38	32.4	70	6.5	26.26	135.75	3.1	不磨平	
CNM 2.8×38×80×7	2.8	38	32.4	80	7	31.4	135.75	2.79	不磨平	碳钢
CNM 2.8×38×90×7.75		38	32.4	90	7.75	34.11	135.75	2.43	不磨平	
CNM 2.8×38×100×8.5		38	32.4	100	8.5	36.82	135.75	2.15	不磨平	
CNM 2.8×38×110×9.25		38	32.4	110	9.25	39.53	135.75	1.93	不磨平	
CNS 2.8×38×50×5		38	32.4	50	5	21.09	117.01	4.05	不磨平	
CNS 2.8×38×60×5.75		38	32.4	60	5.75	23.87	117.01	3.24	不磨平	
CNS 2.8×38×70×6.5		38	32.4	70	6.5	26.64	117.01	2.7	不磨平	
CNS 2.8×38×80×7	2.8	38	32.4	80	7	31.82	117.01	2.43	不磨平	不锈钢
CNS 2.8×38×90×7.75		38	32.4	90	7.75	34.6	117.01	2.11	不磨平	
CNS 2.8×38×100×8.5		38	32.4	100	8.5	37.37	117.01	1.87	不磨平	
CNS 2.8×38×110×9.25		38	32.4	110	9.25	40.15	117.01	1.68	不磨平	
CNM 2.9×38×50×5		38	32.2	50	5	22.32	149.56	5.4	不磨平	
CNM 2.9×38×60×5.75		38	32.2	60	5.75	25.4	149.56	4.32	不磨平	
CNM 2.9×38×70×6.5		38	32.2	70	6.5	28.48	149.56	3.6	不磨平	
CNM 2.9×38×80×7.25	2.9	38	32.2	80	7.25	31.55	149.56	3.09	不磨平	碳钢
CNM 2.9×38×90×8		38	32.2	90	8	34.63	149.56	2.7	不磨平	
CNM 2.9×38×100×8.75		38	32.2	100	8.75	37.71	149.56	2.4	不磨平	
CNM 2.9×38×110×9.25		38	32.2	110	9.25	43.1	149.56	2.24	不磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢



型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CNS 2.9×38×50×5		38	32.2	50	5	22.49	129.24	4.7	不磨平	
CNS 2.9×38×60×5.75		38	32.2	60	5.75	25.61	129.24	3.76	不磨平	
CNS 2.9×38×70×6.5		38	32.2	70	6.5	28.74	129.24	3.13	不磨平	
CNS 2.9×38×80×7.25	2.9	38	32.2	80	7.25	31.86	129.24	2.68	不磨平	不锈钢
CNS 2.9×38×90×8		38	32.2	90	8	34.98	129.24	2.35	不磨平	
CNS 2.9×38×100×8.75		38	32.2	100	8.75	38.1	129.24	2.09	不磨平	
CNS 2.9×38×110×9.5		38	32.2	110	9.5	41.23	129.24	1.88	不磨平	
CNM 3×38×50×5.25		38	32	50	5.25	21.39	164.79	5.76	不磨平	
CNM 3×38×60×6		38	32	60	6	24.79	164.79	4.68	不磨平	
CNM 3×38×70×6.5		38	32	70	6.5	30.39	164.79	4.16	不磨平	
CNM 3×38×80×7.25	3	38	32	80	7.25	33.79	164.79	3.57	不磨平	碳钢
CNM 3×38×90×8		38	32	90	8	37.19	164.79	3.12	不磨平	
CNM 3×38×100×8.75		38	32	100	8.75	40.59	164.79	2.77	不磨平	
CNM 3×38×110×9.5		38	32	110	9.5	43.98	164.79	2.5	不磨平	
CNS 3×38×50×5.25		38	32	50	5.25	21.61	142.23	5.01	不磨平	
CNS 3×38×60×6		38	32	60	6	25.05	142.23	4.07	不磨平	
CNS 3×38×70×6.75		38	32	70	6.75	28.5	142.23	3.43	不磨平	
CNS 3×38×80×7.5	3	38	32	80	7.5	31.95	142.23	2.96	不磨平	不锈钢
CNS 3×38×90×8.25		38	32	90	8.25	35.39	142.23	2.6	不磨平	
CNS 3×38×100×8.75		38	32	100	8.75	41.03	142.23	2.41	不磨平	
CNS 3×38×110×9.5		38	32	110	9.5	44.47	142.23	2.17	不磨平	
CGM 3.5×38×50×5.75		38	31	50	5.75	23.76	253.36	9.66	磨平	
CGM 3.5×38×60×6.5		38	31	60	6.5	28.52	253.36	8.05	磨平	
CGM 3.5×38×70×7.5		38	31	70	7.5	31.52	253.36	6.58	磨平	
CGM 3.5×38×80×8.25	3.5	38	31	80	8.25	36.27	253.36	5.79	磨平	碳钢
CGM 3.5×38×90×9		38	31	90	9	41.03	253.36	5.17	磨平	
CGM 3.5×38×100×10		38	31	100	10	44.03	253.36	4.53	磨平	
CGM 3.5×38×110×10.75		38	31	110	10.75	48.78	253.36	4.14	磨平	


G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢



型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CGS 3.5×38×50×6		38	31	50	6	23.72	206.93	7.87	磨平	
CGS 3.5×38×60×6.75		38	31	60	6.75	28.79	206.93	6.63	磨平	
CGS 3.5×38×70×7.75		38	31	70	7.75	32.22	206.93	5.48	磨平	
CGS 3.5×38×80×8.5	3.5	38	31	80	8.5	37.29	206.93	4.84	磨平	不锈钢
CGS 3.5×38×90×9.5		38	31	90	9.5	40.72	206.93	4.2	磨平	
CGS 3.5×38×100×10.25		38	31	100	10.25	45.79	206.93	3.82	磨平	
CGS 3.5×38×110×11.25		38	31	110	11.25	49.22	206.93	3.4	磨平	
CGM 4×38×50×6		38	30	50	6	26.5	379.17	16.14	磨平	
CGM 4×38×60×6.75		38	30	60	6.75	32.1	379.17	13.59	磨平	
CGM 4×38×70×7.75		38	30	70	7.75	36.22	379.17	11.23	磨平	
CGM 4×38×80×8.75	4	38	30	80	8.75	40.35	379.17	9.56	磨平	碳钢
CGM 4×38×90×9.5		38	30	90	9.5	45.94	379.17	8.61	磨平	
CGM 4×38×100×10.5		38	30	100	10.5	50.07	379.17	7.59	磨平	
CGM 4×38×110×11.25		38	30	110	11.25	55.66	379.17	6.98	磨平	
CGS 4×38×50×6		38	30	50	6	28.21	305.78	14.03	磨平	
CGS 4×38×60×7		38	30	60	7	32.76	305.78	11.23	磨平	
CGS 4×38×70×8		38	30	70	8	37.31	305.78	9.35	磨平	
CGS 4×38×80×9	4	38	30	80	9	41.86	305.78	8.02	磨平	不锈钢
CGS 4×38×90×10		38	30	90	10	46.42	305.78	7.02	磨平	
CGS 4×38×100×10.75		38	30	100	10.75	52.33	305.78	6.41	磨平	
CGS 4×38×110×11.75		38	30	110	11.75	56.88	305.78	5.76	磨平	
CNM 2.8×38.5×50×5		38.5	32.9	50	5	20	133.85	4.46	不磨平	
CNM 2.8×38.5×60×5.5		38.5	32.9	60	5.5	25.01	133.85	3.82	不磨平	
CNM 2.8×38.5×70×6.25		38.5	32.9	70	6.25	27.51	133.85	3.15	不磨平	
CNM 2.8×38.5×80×7	2.8	38.5	32.9	80	7	30.01	133.85	2.68	不磨平	碳钢
CNM 2.8×38.5×90×7.75		38.5	32.9	90	7.75	32.51	133.85	2.33	不磨平	
CNM 2.8×38.5×100×8.25		38.5	32.9	100	8.25	37.51	133.85	2.14	不磨平	
CNM 2.8×38.5×110×9		38.5	32.9	110	9	40.01	133.85	1.91	不磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢






型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CNS 2.8×38.5×50×5		38.5	32.9	50	5	20.27	115.37	3.88	不磨平	
CNS 2.8×38.5×60×5.75		38.5	32.9	60	5.75	22.84	115.37	3.1	不磨平	
CNS 2.8×38.5×70×6.25		38.5	32.9	70	6.25	27.88	115.37	2.74	不磨平	
CNS 2.8×38.5×80×7	2.8	38.5	32.9	80	7	30.45	115.37	2.33	不磨平	不锈钢
CNS 2.8×38.5×90×7.75		38.5	32.9	90	7.75	33.01	115.37	2.02	不磨平	
CNS 2.8×38.5×100×8.25		38.5	32.9	100	8.25	38.06	115.37	1.86	不磨平	
CNS 2.8×38.5×110×9		38.5	32.9	110	9	40.63	115.37	1.66	不磨平	
CNM 2.9×38.5×50×5		38.5	32.7	50	5	21.52	147.46	5.18	不磨平	
CNM 2.9×38.5×60×5.75		38.5	32.7	60	5.75	24.4	147.46	4.14	不磨平	
CNM 2.9×38.5×70×6.5		38.5	32.7	70	6.5	27.29	147.46	3.45	不磨平	
CNM 2.9×38.5×80×7	2.9	38.5	32.7	80	7	32.54	147.46	3.11	不磨平	碳钢
CNM 2.9×38.5×90×7.75		38.5	32.7	90	7.75	35.42	147.46	2.7	不磨平	
CNM 2.9×38.5×100×8.5		38.5	32.7	100	8.5	38.3	147.46	2.39	不磨平	
CNM 2.9×38.5×110×9.25		38.5	32.7	110	9.25	41.18	147.46	2.14	不磨平	
CNS 2.9×38.5×50×5		38.5	32.7	50	5	21.7	127.43	4.5	不磨平	
CNS 2.9×38.5×60×5.75		38.5	32.7	60	5.75	24.62	127.43	3.6	不磨平	
CNS 2.9×38.5×70×6.5		38.5	32.7	70	6.5	27.55	127.43	3	不磨平	
CNS 2.9×38.5×80×7.25	2.9	38.5	32.7	80	7.25	30.47	127.43	2.57	不磨平	不锈钢
CNS 2.9×38.5×90×7.75		38.5	32.7	90	7.75	35.76	127.43	2.35	不磨平	
CNS 2.9×38.5×100×8.5		38.5	32.7	100	8.5	38.68	127.43	2.08	不磨平	
CNS 2.9×38.5×110×9.25		38.5	32.7	110	9.25	41.61	127.43	1.86	不磨平	
CNM 3×38.5×50×5		38.5	32.5	50	5	22.83	162.47	5.98	不磨平	
CNM 3×38.5×60×5.75		38.5	32.5	60	5.75	26.04	162.47	4.78	不磨平	
CNM 3×38.5×70×6.5		38.5	32.5	70	6.5	29.25	162.47	3.99	不磨平	
CNM 3×38.5×80×7.25	3	38.5	32.5	80	7.25	32.46	162.47	3.42	不磨平	碳钢
CNM 3×38.5×90×8		38.5	32.5	90	8	35.67	162.47	2.99	不磨平	
CNM 3×38.5×100×8.75		38.5	32.5	100	8.75	38.88	162.47	2.66	不磨平	
CNM 3×38.5×110×9.5		38.5	32.5	110	9.5	42.08	162.47	2.39	不磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢




型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CNS 3×38.5×50×5		38.5	32.5	50	5	23.04	140.23	5.2	不磨平	
CNS 3×38.5×60×5.75		38.5	32.5	60	5.75	26.29	140.23	4.16	不磨平	
CNS 3×38.5×70×6.5		38.5	32.5	70	6.5	29.55	140.23	3.47	不磨平	
CNS 3×38.5×80×7.25	3	38.5	32.5	80	7.25	32.81	140.23	2.97	不磨平	不锈钢
CNS 3×38.5×90×8		38.5	32.5	90	8	36.07	140.23	2.6	不磨平	
CNS 3×38.5×100×8.75		38.5	32.5	100	8.75	39.33	140.23	2.31	不磨平	
CNS 3×38.5×110×9.5		38.5	32.5	110	9.5	42.59	140.23	2.08	不磨平	
CGM 3.5×38.5×50×5.75		38.5	31.5	50	5.75	23	249.74	9.25	磨平	
CGM 3.5×38.5×60×6.5		38.5	31.5	60	6.5	27.6	249.74	7.71	磨平	
CGM 3.5×38.5×70×7.25		38.5	31.5	70	7.25	32.2	249.74	6.61	磨平	
CGM 3.5×38.5×80×8.25	3.5	38.5	31.5	80	8.25	35	249.74	5.55	磨平	碳钢
CGM 3.5×38.5×90×9		38.5	31.5	90	9	39.6	249.74	4.95	磨平	
CGM 3.5×38.5×100×9.75		38.5	31.5	100	9.75	44.2	249.74	4.48	磨平	
CGM 3.5×38.5×110×10.5		38.5	31.5	110	10.5	48.8	249.74	4.08	磨平	
CGS 3.5×38.5×50×5.75		38.5	31.5	50	5.75	24.64	203.97	8.04	磨平	
CGS 3.5×38.5×60×6.75		38.5	31.5	60	6.75	27.88	203.97	6.35	磨平	
CGS 3.5×38.5×70×7.5		38.5	31.5	70	7.5	32.8	203.97	5.48	磨平	
CGS 3.5×38.5×80×8.5	3.5	38.5	31.5	80	8.5	36.04	203.97	4.64	磨平	不锈钢
CGS 3.5×38.5×90×9.25		38.5	31.5	90	9.25	40.97	203.97	4.16	磨平	
CGS 3.5×38.5×100×10.25		38.5	31.5	100	10.25	44.21	203.97	3.66	磨平	
CGS 3.5×38.5×110×11		38.5	31.5	110	11	49.13	203.97	3.35	磨平	
CGM 4×38.5×50×5.75		38.5	30.5	50	5.75	27.32	373.67	16.47	磨平	
CGM 4×38.5×60×6.75		38.5	30.5	60	6.75	31.27	373.67	13.01	磨平	
CGM 4×38.5×70×7.75		38.5	30.5	70	7.75	35.22	373.67	10.74	磨平	
CGM 4×38.5×80×8.5	4	38.5	30.5	80	8.5	40.68	373.67	9.5	磨平	碳钢
CGM 4×38.5×90×9.5		38.5	30.5	90	9.5	44.64	373.67	8.24	磨平	
CGM 4×38.5×100×10.25		38.5	30.5	100	10.25	50.1	373.67	7.49	磨平	
CGM 4×38.5×110×11.25		38.5	30.5	110	11.25	54.05	373.67	6.68	磨平	

G: 磨平      N: 不磨平  
 M: 碳钢      S: 不锈钢




型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CGS 4×38.5×50×6		38.5	30.5	50	6	27.56	301.35	13.43	磨平	
CGS 4×38.5×60×7		38.5	30.5	60	7	31.95	301.35	10.74	磨平	
CGS 4×38.5×70×8		38.5	30.5	70	8	36.34	301.35	8.95	磨平	
CGS 4×38.5×80×8.75	4	38.5	30.5	80	8.75	42.14	301.35	7.96	磨平	不锈钢
CGS 4×38.5×90×9.75		38.5	30.5	90	9.75	46.53	301.35	6.93	磨平	
CGS 4×38.5×100×10.75		38.5	30.5	100	10.75	50.92	301.35	6.14	磨平	
CGS 4×38.5×110×11.75		38.5	30.5	110	11.75	55.31	301.35	5.51	磨平	
CNM 3×39×50×5		39	33	50	5	22.06	160.21	5.73	不磨平	
CNM 3×39×60×5.75		39	33	60	5.75	25.08	160.21	4.59	不磨平	
CNM 3×39×70×6.5		39	33	70	6.5	28.1	160.21	3.82	不磨平	
CNM 3×39×80×7.25	3	39	33	80	7.25	31.11	160.21	3.28	不磨平	碳钢
CNM 3×39×90×7.75		39	33	90	7.75	36.46	160.21	2.99	不磨平	
CNM 3×39×100×8.5		39	33	100	8.5	39.47	160.21	2.65	不磨平	
CNM 3×39×110×9.25		39	33	110	9.25	42.49	160.21	2.37	不磨平	
CNS 3×39×50×5		39	33	50	5	22.27	138.28	4.99	不磨平	
CNS 3×39×60×5.75		39	33	60	5.75	25.34	138.28	3.99	不磨平	
CNS 3×39×70×6.5		39	33	70	6.5	28.41	138.28	3.32	不磨平	
CNS 3×39×80×7.25	3	39	33	80	7.25	31.47	138.28	2.85	不磨平	不锈钢
CNS 3×39×90×7.75		39	33	90	7.75	36.85	138.28	2.6	不磨平	
CNS 3×39×100×8.5		39	33	100	8.5	39.92	138.28	2.3	不磨平	
CNS 3×39×110×9.25		39	33	110	9.25	42.99	138.28	2.06	不磨平	
CNM 3.5×39×50×5.25		39	32	50	5.25	25.93	246.22	10.23	不磨平	
CNM 3.5×39×60×6		39	32	60	6	30.37	246.22	8.31	不磨平	
CNM 3.5×39×70×7		39	32	70	7	32.96	246.22	6.65	不磨平	
CNM 3.5×39×80×7.75	3.5	39	32	80	7.75	37.41	246.22	5.78	不磨平	碳钢
CNM 3.5×39×90×8.5		39	32	90	8.5	41.85	246.22	5.11	不磨平	
CNM 3.5×39×100×9.25		39	32	100	9.25	46.3	246.22	4.58	不磨平	
CNM 3.5×39×110×10.25		39	32	110	10.25	48.89	246.22	4.03	不磨平	

G: 磨平      N: 不磨平  
 M: 碳钢      S: 不锈钢




型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CNS 3.5×39×50×5.5		39	32	50	5.5	25.65	201.1	8.26	不磨平	
CNS 3.5×39×60×6.25		39	32	60	6.25	30.43	201.1	6.8	不磨平	
CNS 3.5×39×70×7.25		39	32	70	7.25	33.47	201.1	5.51	不磨平	
CNS 3.5×39×80×8	3.5	39	32	80	8	38.25	201.1	4.82	不磨平	不锈钢
CNS 3.5×39×90×8.75		39	32	90	8.75	43.04	201.1	4.28	不磨平	
CNS 3.5×39×100×9.75		39	32	100	9.75	46.08	201.1	3.73	不磨平	
CNS 3.5×39×110×10.5		39	32	110	10.5	50.86	201.1	3.4	不磨平	
CGM 4×39×50×5.75		39	31	50	5.75	26.66	368.33	15.78	磨平	
CGM 4×39×60×6.75		39	31	60	6.75	30.43	368.33	12.46	磨平	
CGM 4×39×70×7.5		39	31	70	7.5	35.76	368.33	10.76	磨平	
CGM 4×39×80×8.5	4	39	31	80	8.5	39.54	368.33	9.1	磨平	碳钢
CGM 4×39×90×9.25		39	31	90	9.25	44.87	368.33	8.16	磨平	
CGM 4×39×100×10.25		39	31	100	10.25	48.64	368.33	7.17	磨平	
CGM 4×39×110×11		39	31	110	11	53.98	368.33	6.57	磨平	
CGS 4×39×50×6		39	31	50	6	26.91	297.04	12.86	磨平	
CGS 4×39×60×7		39	31	60	7	31.13	297.04	10.29	磨平	
CGS 4×39×70×7.75		39	31	70	7.75	36.8	297.04	8.95	磨平	
CGS 4×39×80×8.75	4	39	31	80	8.75	41.03	297.04	7.62	磨平	不锈钢
CGS 4×39×90×9.75		39	31	90	9.75	45.26	297.04	6.64	磨平	
CGS 4×39×100×10.5		39	31	100	10.5	50.93	297.04	6.05	磨平	
CGS 4×39×110×11.5		39	31	110	11.5	55.16	297.04	5.42	磨平	
CNM 3×39.5×50×5		39.5	33.5	50	5	21.28	158.02	5.5	不磨平	
CNM 3×39.5×60×5.75		39.5	33.5	60	5.75	24.1	158.02	4.4	不磨平	
CNM 3×39.5×70×6.25		39.5	33.5	70	6.25	29.32	158.02	3.88	不磨平	
CNM 3×39.5×80×7	3	39.5	33.5	80	7	32.14	158.02	3.3	不磨平	碳钢
CNM 3×39.5×90×7.75		39.5	33.5	90	7.75	34.96	158.02	2.87	不磨平	
CNM 3×39.5×100×8.5		39.5	33.5	100	8.5	37.78	158.02	2.54	不磨平	
CNM 3×39.5×110×9		39.5	33.5	110	9	42.99	158.02	2.36	不磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢



型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CNS 3×39.5×50×5		39.5	33.5	50	5	21.49	136.39	4.78	不磨平	
CNS 3×39.5×60×5.75		39.5	33.5	60	5.75	24.37	136.39	3.83	不磨平	
CNS 3×39.5×70×6.25		39.5	33.5	70	6.25	29.62	136.39	3.38	不磨平	
CNS 3×39.5×80×7	3	39.5	33.5	80	7	32.49	136.39	2.87	不磨平	不锈钢
CNS 3×39.5×90×7.75		39.5	33.5	90	7.75	35.36	136.39	2.5	不磨平	
CNS 3×39.5×100×8.5		39.5	33.5	100	8.5	38.24	136.39	2.21	不磨平	
CNS 3×39.5×110×9.25		39.5	33.5	110	9.25	41.11	136.39	1.98	不磨平	
CNM 3.5×39.5×50×5.25		39.5	32.5	50	5.25	25.24	242.8	9.81	不磨平	
CNM 3.5×39.5×60×6		39.5	32.5	60	6	29.53	242.8	7.97	不磨平	
CNM 3.5×39.5×70×6.75		39.5	32.5	70	6.75	33.82	242.8	6.71	不磨平	
CNM 3.5×39.5×80×7.5	3.5	39.5	32.5	80	7.5	38.1	242.8	5.8	不磨平	碳钢
CNM 3.5×39.5×90×8.5		39.5	32.5	90	8.5	40.49	242.8	4.9	不磨平	
CNM 3.5×39.5×100×9.25		39.5	32.5	100	9.25	44.77	242.8	4.4	不磨平	
CNM 3.5×39.5×110×10		39.5	32.5	110	10	49.06	242.8	3.98	不磨平	
CNS 3.5×39.5×50×5.5		39.5	32.5	50	5.5	24.96	198.31	7.92	不磨平	
CNS 3.5×39.5×60×6.25		39.5	32.5	60	6.25	29.59	198.31	6.52	不磨平	
CNS 3.5×39.5×70×7		39.5	32.5	70	7	34.22	198.31	5.54	不磨平	
CNS 3.5×39.5×80×8	3.5	39.5	32.5	80	8	37.07	198.31	4.62	不磨平	不锈钢
CNS 3.5×39.5×90×8.75		39.5	32.5	90	8.75	41.7	198.31	4.11	不磨平	
CNS 3.5×39.5×100×9.5		39.5	32.5	100	9.5	46.34	198.31	3.7	不磨平	
CNS 3.5×39.5×110×10.25		39.5	32.5	110	10.25	50.97	198.31	3.36	不磨平	
CGM 4×39.5×50×5.75		39.5	31.5	50	5.75	25.98	363.15	15.12	磨平	
CGM 4×39.5×60×6.5		39.5	31.5	60	6.5	31.18	363.15	12.6	磨平	
CGM 4×39.5×70×7.5		39.5	31.5	70	7.5	34.78	363.15	10.31	磨平	
CGM 4×39.5×80×8.25	4	39.5	31.5	80	8.25	39.97	363.15	9.07	磨平	碳钢
CGM 4×39.5×90×9.25		39.5	31.5	90	9.25	43.57	363.15	7.82	磨平	
CGM 4×39.5×100×10		39.5	31.5	100	10	48.77	363.15	7.09	磨平	
CGM 4×39.5×110×10.75		39.5	31.5	110	10.75	53.96	363.15	6.48	磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢



型号	线径 (mm)	外径 (mm)	内径 (mm)	自由长度 (mm)	总圈数	极限高度 (mm)	极限载荷 (N)	刚度 (N/mm)	端部	材料
CGS 4×39.5×50×6	4	39.5	31.5	50	6	26.24	292.86	12.33	磨平	不锈钢
CGS 4×39.5×60×6.75		39.5	31.5	60	6.75	31.79	292.86	10.38	磨平	
CGS 4×39.5×70×7.75		39.5	31.5	70	7.75	35.85	292.86	8.58	磨平	
CGS 4×39.5×80×8.5		39.5	31.5	80	8.5	41.39	292.86	7.59	磨平	
CGS 4×39.5×90×9.5		39.5	31.5	90	9.5	45.45	292.86	6.57	磨平	
CGS 4×39.5×100×10.5		39.5	31.5	100	10.5	49.51	292.86	5.8	磨平	
CNM 3×40×50×5	3	40	34	50	5	20.49	155.88	5.28	不磨平	碳钢
CNM 3×40×60×5.5		40	34	60	5.5	25.57	155.88	4.53	不磨平	
CNM 3×40×70×6.25		40	34	70	6.25	28.19	155.88	3.73	不磨平	
CNM 3×40×80×7		40	34	80	7	30.82	155.88	3.17	不磨平	
CNM 3×40×90×7.5		40	34	90	7.5	35.9	155.88	2.88	不磨平	
CNM 3×40×100×8.25		40	34	100	8.25	38.52	155.88	2.54	不磨平	
CNS 3×40×60×5.5	3	40	34	60	5.5	25.83	134.54	3.94	不磨平	不锈钢
CNS 3×40×70×6.25		40	34	70	6.25	28.5	134.54	3.24	不磨平	
CNS 3×40×80×7		40	34	80	7	31.18	134.54	2.76	不磨平	
CNS 3×40×90×7.75		40	34	90	7.75	33.86	134.54	2.4	不磨平	
CNS 3×40×100×8.25		40	34	100	8.25	38.98	134.54	2.2	不磨平	
CNM 3.5×40×50×5.25		3.5	40	33	50	5.25	24.55	239.48	9.41	
CNM 3.5×40×60×6	40		33	60	6	28.68	239.48	7.65	不磨平	
CNM 3.5×40×70×6.75	40		33	70	6.75	32.8	239.48	6.44	不磨平	
CNM 3.5×40×80×7.5	40		33	80	7.5	36.93	239.48	5.56	不磨平	
CNM 3.5×40×90×8.25	40		33	90	8.25	41.06	239.48	4.89	不磨平	
CNM 3.5×40×100×9	40		33	100	9	45.18	239.48	4.37	不磨平	
CNS 3.5×40×60×6.25	3.5	40	33	60	6.25	28.74	195.59	6.26	不磨平	不锈钢
CNS 3.5×40×70×7		40	33	70	7	33.22	195.59	5.32	不磨平	
CNS 3.5×40×80×7.75		40	33	80	7.75	37.71	195.59	4.62	不磨平	
CNS 3.5×40×90×8.5		40	33	90	8.5	42.19	195.59	4.09	不磨平	
CNS 3.5×40×100×9.5		40	33	100	9.5	44.84	195.59	3.55	不磨平	

G: 磨平    N: 不磨平  
 M: 碳钢    S: 不锈钢